

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JANUARY 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of January 1914 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5206 living children, of whom 2664 were male, and 2542 female. These births are 30 more than registered in the towns during the previous month, and 391 more than the average of the numbers there registered during the preceding three months, but are 181 fewer than those there registered in January of last year. The equivalent annual birth-rate is 26·7 per thousand of the estimated population of these towns, which rate is 0·3 less than that of the previous month, and 1·4 less than that of the corresponding month of last year, but is 1·3 more than the mean of the death-rates of the three preceding months. In the individual towns the birth-rates of the month ranged from 36·2 in Clydebank, 34·8 in Hamilton, and 34·0 in Greenock, to 20·4 in Edinburgh, 21·8 in Perth, and 22·6 in Kilmarnock. In Motherwell the birth-rate of the month was 33·3; in Coatbridge, 32·3; in Falkirk, 28·0; in Glasgow, 27·8; in Paisley, 27·7; in Leith, 27·2; in Ayr, 27·0; in Dundee, 25·9; in Aberdeen, 24·0; and in Kirkcaldy, 23·2.

Of the 5206 children whose births were registered during the month 390, or 7·5 per cent., were illegitimate. These illegitimate births are 31 more than in the previous month, and 56 more than the average number registered during the preceding three months, but are of the same number as in the corresponding month of last year. The illegitimate rate of the month is 0·6 higher than that of the previous month, 0·5 higher than the mean of the rates of the three preceding months, and 0·3 higher than that of January of last year. In the individual towns this rate ranged from 13·5 per cent in Aberdeen, 12·3 in Kirkcaldy, 10·8 in Edinburgh, and 10·1 in Dundee, to 2·2 in Clydebank, 2·5 in Coatbridge, and 2·6 in Motherwell. In Falkirk this rate was 8·9 per cent.; in Glasgow, 7·0; in Perth, 6·3; in Leith, 6·0; in Paisley, 5·9; in Kilmarnock, 5·9; in Ayr, 5·3; in Greenock, 3·6; and in Hamilton, 3·5.

Marriages registered during the month numbered 2369. They are 369 more than

registered in these towns during December, 822 more than the average number during the three months, October to December, and 302 more than in January of last year. The equivalent annual marriage-rate is 12·2 per thousand, which rate is 1·8 more than that of the previous month, 4·1 more than the mean of the rates of the preceding three months, and 1·4 more than that of the corresponding month of last year. In the individual towns the marriage-rate of the month ranged from 14·6 in Kilmarnock, 13·7 in Glasgow, 13·0 in Greenock, and 12·8 in Perth, to 9·0 in Edinburgh, 9·5 in Kirkcaldy, 9·7 in Leith, and 9·7 in Motherwell. In Paisley it was 12·6; in Dundee, 12·5; in Coatbridge, 12·3; in Falkirk, 11·7; in Clydebank, 11·4; in Ayr, 11·4; in Hamilton, 11·3; and in Aberdeen, 10·3.

Deaths registered in the sixteen towns during the month numbered 4023, 1980 being of males, and 2043 of females. Of these deaths 226 were of persons whose usual residences were outwith the towns of registration, but the deaths of 171 persons with usual residences within these towns were registered elsewhere in Scotland, and the difference, 55, falls to be deducted from the crude number to get the corrected number, which is thus found to be 3968. The corrected deaths of the month are 538 more than in the previous month, 334 more than in the corresponding month of last year, and 976 more than the average during the preceding three months. The crude death-rate of the month is 20·7, and the corrected death-rate, 20·4. The corrected death-rate is 1·5 above that of January of last year, 2·5 above that of the previous month, and 4·6 more than the mean of the death-rates of the preceding three months.

In the individual towns the death-rate of the month, corrected, varied from 26·3 per thousand in Ayr, 26·0 in Coatbridge, and 23·7 in Greenock, to 14·8 in Motherwell, 16·6 in Perth, and 17·0 in Falkirk. In Paisley the death-rate of the month was 22·7; in Kilmarnock, 22·6; in Hamilton, 21·7; in Aberdeen, 21·6; in Clydebank, 20·6; in Edinburgh, 20·3; in Dundee, 20·3; in Glasgow, 20·0; in Kirkcaldy, 18·6; and in Leith, 17·9.

Of the deaths of residents of these towns registered during the month, 1282, or 32·3 per cent., were of children of less than five years old, and 1046 of persons of over sixty-five. Compared with the numbers of the previous month, the former are 50, and the latter 297, more, and compared with the numbers of January of last year, the former are 189, and the latter 116, more.

Deaths of children of less than one year old numbered 765. These deaths are 58 more than in January of last year, and 101 more than the average during the preceding three months, but are 30 fewer than in the previous month. The infantile mortality rate of the month is 151 per thousand registered births, which is 18 higher than in the corresponding month of last year, and 17 more than the mean of the rates of the preceding three months, but is 6 less than the rate of the previous month. In the individual towns the infantile mortality rate of the month ranged from 215 in Hamilton, 208 in Ayr, and 193 in Paisley, to 66 in Falkirk, 70 in Motherwell, and 86 in Perth. In Kilmarnock the infantile mortality rate of the month was 187; in Dundee, 181; in Coatbridge, 181; in Edinburgh, 165; in Aberdeen, 160; in Glasgow, 145; in Greenock, 142; in Leith 136; in Clydebank, 125; and in Kirkcaldy, 120.

Deaths from the principal epidemic diseases, namely measles, scarlet fever, whooping-cough, diphtheria, enteric fever, and the diarrhoeas of childhood, numbered 373. They are 6 fewer than in the previous month, but are 33 more than the average during the preceding three months, and 61 more than in the corresponding month of last year. The equivalent annual death-rate from these causes is 1·9 per thousand, which is 0·1 less than in the previous month, but 0·1 more than the mean of the rates of the three preceding months, and 0·3 more than the rate of January of last year. In the individual towns this rate varied from 4·7 in Coatbridge, 3·9 in

Greenock, and 3·9 in Ayr, to 0·7 in Perth, 0·9 in Dundee, and 0·9 in Hamilton. In Paisley this rate was 3·2; in Aberdeen, 2·8; in Leith, 2·5; in Motherwell, 2·3; in Edinburgh, 1·9; in Clydebank, 1·9; in Kilmarnock, 1·7; in Glasgow, 1·6; in Kirkcaldy, 1·4; and in Falkirk, 1·4.

Deaths from measles numbered 183; from scarlet fever, 45; from whooping-cough, 29; from diphtheria, 65; from enteric fever, 4; and from the diarrhœas of childhood, 47. Compared with the returns for the previous month, deaths from whooping-cough are 3 more, and from diphtheria 3 more; but those from scarlet fever number the same, those from measles 1 fewer, from enteric fever 2 fewer, and from the diarrhœas of childhood 9 fewer.

No deaths from either typhus fever or smallpox were registered in these towns during the month. Deaths from influenza (uncomplicated) numbered 20; from malignant disease, 218; from heart disease, 319; from puerperal sepsis, 17; and from violence, 137, of which 11 were attributed to suicide.

Deaths from pneumonia numbered 463, and constituted 11·7 of the total of the month. The monthly death-rate from this cause was 2·4 per thousand. These deaths are 101 more than in the previous month, and 59 more than in the corresponding month of last year. Deaths from bronchitis numbered 443, constituted 11·2 per cent. of the total, and are equal to a monthly death-rate of 2·3 per thousand; they are 148 more than in the previous month, and 79 more than in the corresponding month of last year.

Deaths from all forms of tuberculous disease numbered 377, constituted 9·5 per cent. of the total of the month; and are equal to an annual death-rate of 1·9 per thousand. These deaths are 16 more than in the previous month, but 39 fewer than in the corresponding month of last year. Of the deaths from tuberculosis, 246 were attributed to phthisis, a number which though 8 more than in the previous month, is 42 less than in the corresponding month of last year. The monthly death-rate from phthisis is 1·3 per thousand.

The death-rate from all forms of tuberculous disease ranged from 3·0 in Coatbridge, 2·9 in Paisley, 2·8 in Falkirk, and 2·7 in Kilmarnock, to 0·9 in Hamilton, and 1·0 in Leith and Perth. In Glasgow this rate was 2·1; in Edinburgh, 1·8; in Dundee, 2·5; and in Aberdeen, 1·2. The death-rate of the month from phthisis ranged from 2·8 in Falkirk, 2·1 in Ayr, and 1·7 in Kilmarnock, to 0·3 in Leith, Motherwell, Hamilton, and Clydebank. In Glasgow, the phthisis death-rate was 1·4 per thousand; in Edinburgh, 1·2; in Dundee, 1·5; and in Aberdeen, 0·7.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JANUARY 1914.

Mean barometric pressure, 30·019 in.; greater than the average of 1856–1905 by 0·194 in.

Mean temperature, 38°·7; greater by 0°·7.

Mean daily range of temperature, 8°·4; less by 0°·6.

Rain, number of days, 16; less by 1 day.

Rain, depth in inches, 2·79; less by 0·66 in.

Wind, direction of: a 2 days' excess of winds from S.E.

Hence the month was characterised by a very high mean pressure; a slightly high mean temperature, with a slightly low mean daily range; a somewhat low mean rainfall; and a slight excess of south easterly winds.

The mean pressure was 30·019 in., or 0·194 in. above the normal. Early in the month and during the last week or so the weather was of a disturbed cyclonic type, whilst from about 10th to 23rd conditions were controlled more or less by a high pressure area with its centre over or near our Islands. At Leith, at sea-level, the extremes were 30·706 in. on 13th and 29·160 in. on 5th, and pressure there was above 30 in. from 1st to 3rd, from 10th to 16th, and from 18th to 23rd.

The mean temperature was 38°·7, or 0°·7 above the normal, the days being 0°·4 and the nights 1°·0 above their respective averages. Low temperatures on 1st and mild weather from 2nd to 4th were followed by cold northerly winds for two or three days with another return of mild conditions until 11th. Thereafter, until about 24th, the weather was of a cold easterly type, whilst during the last week of the month there were some extremely mild days. It is noteworthy that at times much colder weather was experienced in the south of England than in Scotland. Thus for the week ending 24th, Aberdeen had a mean temperature of 38°·2 as compared with 33°·9 at Ventnor and 33°·5 at Jersey. As regards the chief towns, the extremes were 55° at Perth and Aberdeen on 25th and 19° at Perth on 1st.

The mean rainfall was 2·79 in., or 19 per cent. below the normal. At Edinburgh and Leith there was a slight excess, but at the other towns a moderate shortage. Here and there in west and north-west amounts were above the normal. From 11th to 23rd rainless or all but rainless weather was generally experienced, whilst earlier moderate amounts due to melting snow were registered about 5th and fairly heavy rainfalls from 8th to 10th. From 24th onwards conditions were very unsettled, though falls of any great importance occurred chiefly in west and north-west. On 24th Fort William had 1½ in.; on 25th, as much as 3¼ in., nearly all of which fell within 12 hours; and on 30th about 1¾ in. On 24th Greenock had 1·27 in.

On 5th a snowstorm of considerable severity was general, with a thunderstorm here and there in west and south, and on 6th snow continued to fall in some districts, rapidly disappearing within a day or two. During the last week of the month the weather was of a stormy character.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, JANUARY 1914.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,047,000	1266	1208	2474	2300	174	1216	927	874	1801	51	78	1774	
EDINBURGH, . .	320,769	321,900	288	268	556	496	60	245	271	323	594	25	65	554	
DUNDEE, . . .	176,085	176,300	201	186	387	348	39	187	146	158	304	7	7	304	
ABERDEEN, . .	163,891	159,500	167	158	325	281	44	139	135	150	285	26	18	293	
PAISLEY, . . .	84,455	86,000	98	104	202	190	12	92	84	83	167	2	3	166	
LEITH,	80,601	79,800	100	84	184	173	11	66	45	62	107	16	2	121	
GREENOCK, . .	75,140	78,000	118	107	225	217	8	86	83	79	162	1	6	157	
PERTH,	35,854	34,000	30	33	63	59	4	37	24	34	58	1	11	48	
TOTAL . . . (EIGHT TOWNS)	1,945 282	1,982,500	2268	2148	4416	4064	352	2068	1715	1763	3478	129	190	3417	
COATBRIDGE, . .	43,286	43,000	55	63	118	115	3	45	46	51	97	2	4	95	
MOTHERWELL . .	40,380	41,500	62	55	117	114	3	34	23	24	47	5	0	52	
KIRKCALDY . . .	39,601	41,100	40	41	81	71	10	33	31	25	56	9	0	65	
HAMILTON, . . .	38,644	38,600	58	56	114	110	4	37	34	34	68	7	4	71	
CLYDEBANK, . .	37,548	44,600	68	69	137	134	3	43	31	39	70	10	2	78	
KILMARNOCK, . .	34,728	35,500	37	31	68	64	4	44	32	39	71	3	6	68	
FALKIRK,	33,574	33 300	43	36	79	72	7	33	26	25	51	2	5	48	
AYR,	32,986	33,100	33	43	76	72	4	32	42	43	85	4	15	74	
TOTAL . . . (SIXTEEN TOWNS)	2,246,029	2,293,200	2664	2542	5206	4816	390	2369	1980	2043	4023	171	226	3968	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, JANUARY 1914.

TOWNS	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	27·8	7·0	13·7	20·3	20·0	1·6	2·1	1·4	5·8	352	145
EDINBURGH, .	20·4	10·8	9·0	21·7	20·3	1·9	1·8	1·2	4·8	90	165
DUNDEE, .	25·9	10·1	12·5	20·3	20·3	0·9	2·5	1·5	3·8	66	181
ABERDEEN, .	24·0	13·5	10·3	21·1	21·6	2·8	1·2	0·7	3·9	52	160
PAISLEY, .	27·7	5·9	12·6	22·9	22·7	3·2	2·9	1·8	4·8	36	198
LEITH, .	27·2	6·0	9·7	15·8	17·9	2·5	1·0	0·3	4·1	24	136
GREENOCK, .	34·0	3·6	13·0	24·5	23·7	3·9	1·5	0·9	4·5	29	142
PERTH, .	21·8	6·3	12·8	20·1	16·6	0·7	1·0	1·0	4·9	5	86
TOTAL . (EIGHT TOWNS)	26·2	8·0	12·3	20·7	20·3	1·9	1·9	1·3	5·1	654	152
COATBRIDGE, .	32·3	2·5	12·3	26·6	26·0	4·7	3·0	1·6	2·7	21	181
MOTHERWELL, .	33·3	2·6	9·7	13·4	14·8	2·3	1·1	0·3	2·8	8	70
KIRKCALDY, .	23·2	12·3	9·5	16·0	18·6	1·4	1·1	0·6	2·6	10	120
HAMILTON, .	34·8	3·5	11·3	20·8	21·7	0·9	0·9	0·3	8·6	23	215
CLYDEBANK, .	36·2	2·2	11·4	18·5	20·6	1·9	1·1	0·3	4·2	15	125
KILMARNOCK, .	22·6	5·9	14·6	23·5	22·6	1·7	2·7	1·7	6·0	14	187
FALKIRK, .	28·0	8·9	11·7	18·1	17·0	1·4	2·8	2·8	3·5	5	66
AYR, .	27·0	5·3	11·4	30·2	26·3	3·9	2·5	2·1	5·3	15	208
TOTAL . (SIXTEEN TOWNS)	26·7	7·5	12·2	20·7	20·4	1·9	1·9	1·3	5·0	765	151

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JANUARY 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth- Rate.	Illegitimate Birth- rate per 100 Births.	Marriage- Rate.	Death- Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JAN. 1914, .	26·2	8·0	12·3	20·3	0	158	37	17	57	3	41	152	38°·7
JAN. 1913, .	27·7	7·6	10·8	19·3	0	8	21	154	41	7	45	134	37°·6
JAN. 1912, .	26·3	6·8	12·0	19·3	0	181	28	50	48	10	31	131	37°·5
JAN. 1911, .	25·9	8·1	11·0	17·4	0	7	21	78	42	12	47	119	39°·9
JAN. 1910, .	25·8	7·3	10·4	19·6	0	208	26	26	38	15	55	140	36°·4
JAN. 1909, .	28·1	7·3	10·2	19·4	0	5	19	147	39	9	50	138	39°·0
JAN. 1908, .	29·2	6·8	11·3	25·0	2	359	18	116	32	12	—	173	37°·8
JAN. 1907, .	29·1	7·8	10·8	22·1	0	33	12	88	32	18	—	140	38°·5
JAN. 1906, .	29·9	6·8	12·1	20·2	0	128	9	28	41	7	—	141	40°·2
JAN. 1905, .	29·3	7·4	11·6	21·8	1	52	11	176	23	17	—	151	39°·8
JAN. 1904, .	28·4	7·1	11·6	20·2	14	71	9	58	16	12	—	153	39°·9

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	-	-	1	-	2	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	183	38	137	8	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	45	1	22	18	1	1	-	2	-	-	-	-
Whooping-cough - - - - -	29	17	11	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	65	8	40	11	4	1	1	-	-	-	-	-
Influenza - - - - -	20	2	2	-	1	1	1	1	-	2	4	6
Erysipelas - - - - -	12	1	-	-	-	2	1	-	-	2	-	4
Phthisis, Pulmonary Tuberculosis - - - - -	246	-	5	6	4	38	64	58	42	21	8	-
Tuberculous Meningitis - - - - -	52	16	26	5	3	1	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	41	8	22	3	2	4	1	-	-	-	1	-
Other Tuberculous Diseases - - - - -	38	4	5	5	5	7	5	1	2	2	2	-
Cancer, Malignant Disease - - - - -	218	-	-	-	-	3	2	25	47	69	49	23
Rheumatic Fever - - - - -	14	-	-	1	2	3	3	2	1	1	-	1
Meningitis - - - - -	50	13	23	5	1	5	1	1	1	-	-	-
Organic Heart Disease - - - - -	319	1	-	5	3	10	13	25	38	78	92	54
Bronchitis - - - - -	443	100	35	1	-	2	5	18	47	57	96	82
Pneumonia (all forms) - - - - -	463	133	113	8	3	18	26	28	30	42	46	16
Other Diseases of Respiratory Organs - - - - -	73	20	14	2	-	1	-	1	7	8	9	11
Diarrhœa and Enteritis (under 2 years) - - - - -	47	37	10	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	13	-	-	2	-	1	1	2	1	2	2	2
All Liver Diseases (not Malignant) - - - - -	23	-	-	-	1	1	1	1	4	7	7	1
Other Diseases of Digestive System (under 2 years) - - - - -	23	19	4	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	115	-	4	2	1	3	7	12	18	24	34	10
Puerperal Sepsis - - - - -	17	-	-	-	-	4	10	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	19	-	-	-	-	3	10	6	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	248	245	2	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	126	11	15	7	1	7	13	20	10	15	15	12
Suicide - - - - -	11	-	-	-	-	1	1	4	2	2	1	-
Other Defined Diseases - - - - -	901	80	21	8	12	15	25	63	105	156	207	209
Diseases Ill-defined or Unknown - - - - -	110	11	6	-	1	2	5	15	8	20	28	14
Total - - - - -	3968	765	517	99	46	134	199	289	365	508	601	445

GLASGOW—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	79	17	57	5	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	16	1	11	3	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	10	5	5	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	22	5	14	2	1	-	-	-	-	-	-	-
Influenza - - - - -	4	-	1	-	-	1	-	-	-	-	-	2
Erysipelas - - - - -	4	-	-	-	-	-	-	-	1	1	-	2
Phthisis, Pulmonary Tuberculosis - - - - -	126	-	4	2	3	21	34	28	18	12	4	-
Tuberculous Meningitis - - - - -	29	10	14	2	2	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	16	3	11	-	-	1	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	13	2	2	2	2	1	3	-	-	-	1	-
Cancer, Malignant Disease - - - - -	102	-	-	-	-	1	-	15	22	31	26	7
Rheumatic Fever - - - - -	6	-	-	-	-	2	2	1	1	-	-	-
Meningitis - - - - -	23	6	8	3	-	4	1	1	-	-	-	-
Organic Heart Disease - - - - -	116	-	-	2	1	4	2	11	12	33	33	18
Bronchitis - - - - -	223	45	17	1	-	2	3	7	27	33	48	40
Pneumonia (all forms) - - - - -	249	75	56	3	2	7	15	17	16	23	24	11
Other Diseases of Respiratory Organs - - - - -	44	15	10	2	-	-	-	-	4	4	4	5
Diarrhœa and Enteritis (under 2 years) - - - - -	12	11	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	1	-	-	-	1	-	1	1	-
All Liver Diseases (not Malignant) - - - - -	11	-	-	-	-	1	-	1	3	3	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	11	10	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	55	-	1	-	1	-	4	8	12	12	15	2
Puerperal Sepsis - - - - -	9	-	-	-	-	2	7	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	7	-	-	-	-	2	5	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	108	105	2	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	54	3	5	2	1	2	5	12	4	7	7	6
Suicide - - - - -	4	-	-	-	-	-	1	2	-	1	-	-
Other Defined Diseases - - - - -	364	32	12	5	2	5	14	28	40	69	80	77
Diseases Ill-defined or Unknown - - - - -	51	7	3	-	1	2	3	5	4	11	11	4
Total - - - - -	1774	352	235	36	17	59	101	138	164	241	257	174

EDINBURGH—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	27	6	19	2	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	7	-	3	4	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	15	1	10	3	1	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - -	3	-	-	-	-	1	1	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	33	-	-	1	-	2	7	10	8	4	1	-
Tuberculous Meningitis - - - - -	4	1	1	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	10	1	2	1	1	3	1	-	-	1	-	-
Cancer, Malignant Disease - - - - -	24	-	-	-	-	-	1	-	3	10	6	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	2	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	62	-	-	1	1	3	6	3	7	14	17	10
Bronchitis - - - - -	64	18	2	-	-	-	1	3	5	7	16	12
Pneumonia (all forms) - - - - -	60	14	18	1	1	2	3	1	4	6	8	2
Other Diseases of Respiratory Organs - - - - -	6	1	1	-	-	-	-	-	1	1	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	-	-	-	-	-	1	2
All Liver Diseases (not Malignant) - - - - -	5	-	-	-	-	-	-	-	-	1	3	1
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	19	-	-	-	-	1	-	2	3	3	7	3
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	1	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	28	28	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	16	2	3	2	-	1	2	1	-	3	1	1
Suicide - - - - -	3	-	-	-	-	1	-	1	1	-	-	-
Other Defined Diseases - - - - -	141	15	1	-	2	2	1	6	9	29	36	40
Diseases Ill-defined or Unknown - - - - -	8	-	-	-	-	-	-	1	-	-	4	3
Total - - - - -	554	90	67	16	7	16	24	30	43	79	102	80

DUNDEE—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	23	-	-	-	-	7	7	5	3	1	-	-
Tuberculous Meningitis - - - - -	3	2	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	7	4	1	-	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	4	-	-	1	-	-	1	-	1	-	1	-
Cancer, Malignant Disease - - - - -	23	-	-	-	-	-	-	2	4	7	6	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	21	-	-	-	-	-	1	1	5	2	10	2
Bronchitis - - - - -	31	4	1	-	-	-	-	-	4	4	7	11
Pneumonia (all forms) - - - - -	19	3	5	-	-	-	-	3	2	2	3	1
Other Diseases of Respiratory Organs - - - - -	7	1	1	-	-	1	-	-	-	2	2	-
Diarrhoea and Enteritis (under 2 years) - - - - -	7	6	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	11	-	-	1	-	-	-	-	1	4	2	3
Puerperal Sepsis - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	35	35	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	1	2	-	-	1	1	-	-	-	-	2
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	81	7	4	-	-	-	4	7	14	12	17	16
Diseases Ill-defined or Unknown - - - - -	7	-	-	-	-	-	-	2	1	-	3	1
Total - - - - -	304	66	21	4	3	11	16	21	36	35	51	40

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	10	-	3	5	-	1	-	1	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	16	-	8	5	2	1	-	-	-	-	-	-
Influenza - - - - -	4	-	-	-	1	-	-	-	-	2	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	10	-	-	-	-	1	3	4	1	1	-	-
Tuberculous Meningitis - - - - -	4	1	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	19	-	-	-	-	-	-	2	5	6	5	11
Rheumatic Fever - - - - -	3	-	-	-	1	1	-	-	-	-	-	11
Meningitis - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	37	-	-	1	-	1	1	2	4	12	11	55
Bronchitis - - - - -	27	8	3	-	-	-	1	-	-	2	7	63
Pneumonia (all forms) - - - - -	20	7	2	-	-	1	1	1	-	4	3	11
Other Diseases of Respiratory Organs - - - - -	6	1	-	-	-	-	-	1	1	-	-	33
Diarrhoea and Enteritis (under 2 years) - - - - -	9	7	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	2	-	-	1	-	-	-	-	4	-
Puerperal Sepsis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	17	17	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	-	-	-	-	-	1	2	2	-	4	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	79	8	2	1	2	2	1	4	10	11	13	25
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Total - - - - -	293	52	27	14	6	10	9	19	24	39	49	44

PAISLEY—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	16	2	13	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	2	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	13	-	-	1	-	1	4	2	3	-	2	-
Tuberculous Meningitis - - - - -	3	-	2	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	2	-	-	2	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	1	2	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	1	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	1	-	-	1	3	-	2	1	3
Bronchitis - - - - -	14	4	3	-	-	-	-	-	-	1	3	3
Pneumonia (all forms) - - - - -	17	5	5	-	-	-	2	-	2	-	3	-
Other Diseases of Respiratory Organs - - - - -	4	1	2	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	1	-	-	-	2	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Disease - - - - -	42	2	-	-	1	1	3	1	6	5	12	11
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	166	36	31	4	2	5	12	6	12	14	24	20

LEITH—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	13	3	10	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	2	-	-	-	-	-	-	-	1	-
Other Tuberculous Diseases - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	2	1	2	3	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	-	-	1	-	-	3	1	4	2
Bronchitis - - - - -	17	5	2	-	-	-	-	-	2	1	2	5
Pneumonia (all forms) - - - - -	10	3	5	-	-	-	-	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	1	1	1	-	-	-	2	1	1	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	23	1	-	1	-	1	-	2	5	2	5	6
Diseases Ill defined or Unknown - - - - -	3	-	-	-	-	-	-	2	-	-	-	1
Total - - - - -	121	24	24	2	1	3	2	11	14	9	15	16

GREENOCK—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	19	4	15	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Whooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	-	3	-	2	1	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	2	2	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	5	2	2	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	14	-	-	-	-	-	-	-	1	4	5	4
Bronchitis - - - - -	8	2	-	-	-	-	-	1	1	1	2	1
Pneumonia (all forms) - - - - -	21	4	6	-	-	2	-	2	2	3	2	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	-	1	-	2	-	-	1	-	1	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	36	4	-	-	1	-	1	2	6	7	9	6
Diseases Ill-defined or Unknown - - - - -	9	1	1	-	-	-	1	-	1	1	4	-
Total - - - - -	157	29	29	2	1	7	6	6	17	22	25	13

PERTH—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	-	2	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	1	-	2	-	1	1	1
Bronchitis - - - - -	6	-	-	-	-	-	-	1	1	3	-	1
Pneumonia (all forms) - - - - -	8	3	1	-	-	1	-	-	1	2	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - - - -	14	1	-	-	-	-	-	1	2	3	1	6
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	1	-	-	1	-
Total - - - - -	48	5	4	-	-	3	-	6	6	11	4	9

COATBRIDGE—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	6	1	5	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	6	3	2	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	1	-	1	-	-	2	2	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	1	2	1	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	-	1	1	1	2	3
Bronchitis - - - - -	6	1	-	-	-	-	-	1	-	1	3	-
Pneumonia (all forms) - - - - -	4	2	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	1	-	-	-	-	1	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	1	2	1	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	20	1	2	-	1	-	-	1	7	1	3	4
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Total - - - - -	95	21	15	6	2	2	1	8	12	10	11	7

MOTHERWELL—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Bronchitis - - - - -	5	1	-	-	-	-	-	-	2	-	2	-
Pneumonia (all forms) - - - - -	5	-	3	1	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	13	-	-	-	-	2	-	2	2	2	3	2
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	2	-	-
Total - - - - -	52	8	11	2	-	3	4	3	7	7	5	2

KIRKCALDY—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	2	1	-	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	10	-	-	-	-	-	1	1	-	1	3	4
Bronchitis - - - - -	6	3	-	-	-	-	-	2	-	-	1	-
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	1	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	1	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	22	2	-	-	2	2	1	4	-	2	2	7
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	2	-	1
Total - - - - -	65	10	4	4	2	3	5	8	3	6	8	12

HAMILTON—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	2	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	1	-	-	-	-	-	-	2	1	1	-
Bronchitis - - - - -	11	4	2	-	-	-	-	-	2	1	2	-
Pneumonia (all forms) - - - - -	16	4	6	-	-	1	-	1	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	1	-	-	-	-	-	-	-	1	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	3	-	-	-	-	-	1	-	5	1	-
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Total - - - - -	71	23	9	-	1	2	1	5	6	11	8	-

CLYDEBANK—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	-	1	-	2	-	2	1
Bronchitis - - - - -	6	1	3	-	-	-	-	1	1	-	-	-
Pneumonia (all forms) - - - - -	10	2	3	2	-	2	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	1	-	-	-	-	1	1	1	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	2	-	1	1	-	-	2	2	2	5	1
Diseases Ill-defined or Unknown - - - - -	5	1	-	-	-	-	-	1	1	1	1	-
Total - - - - -	78	15	15	6	1	2	5	8	7	5	11	3

KILMARNOCK—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -	3	1	2	-	-	-	-	-	-	-	-	-
Influenza -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	1	-	-	2	1	-	-	1	-
Tuberculous Meningitis -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -	5	-	-	-	-	1	-	-	2	1	1	-
Rheumatic Fever -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease -	3	-	-	-	1	-	-	-	-	1	1	-
Bronchitis -	10	3	1	-	-	-	-	1	-	1	2	2
Pneumonia (all forms) -	7	4	1	1	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -	2	-	-	-	-	-	1	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	3	-	-	-	-	-	1	1	-	1	-	-
Puerperal Sepsis -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases -	15	1	-	-	-	-	-	-	1	5	5	3
Diseases Ill-defined or Unknown -	3	1	-	-	-	-	-	1	-	-	1	-
Total -	68	14	7	2	2	1	5	5	4	10	12	6

FALKIRK—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -	1	-	1	-	-	-	-	-	-	-	-	1
Influenza -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas -	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	-	-	-	-	3	2	2	1	-	-	-
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -	2	-	-	-	-	1	-	-	1	-	-	-
Rheumatic Fever -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis -	4	1	-	-	-	-	-	-	-	2	1	-
Pneumonia (all forms) -	5	2	-	-	-	1	2	-	-	-	-	-
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth -	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	1	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases -	12	1	-	-	-	-	-	2	1	-	7	1
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	1	-	1	1	-
Total -	48	5	4	1	-	5	6	6	4	4	9	4

CAUSES OF DEATH (corrected for Transfers).

AYR—January 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	77-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	6	2	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	1	-	1	-	-	3	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	-	-	1	-	3	1	-
Bronchitis - - - - -	5	-	1	-	-	-	-	1	2	-	-	-
Pneumonia (all forms) - - - - -	9	5	1	-	-	1	1	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	11	-	-	-	-	-	-	-	-	1	8	2
Diseases Ill-defined or Unknown - - - - -	5	-	1	-	-	-	-	-	-	1	1	2
Total - - - - -	74	15	14	-	1	2	2	9	6	5	10	10

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JANUARY 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.											
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of		Difference from Average	Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.		Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.												
				Maximum (A).	Minimum (B.)		Maximum	Day of Month.	Minimum.	Day of Month.	Dry Bulb.				Depression of Wet Bulb.	Vapour Pressure.	Humidity.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	
GLASGOW, Medical Officer of Health, Glasgow.	54	29.972	30.033	43.7	35.4	39.6	+0.6	53	25.31	22	16th	38.9	1.9	.200	85	18	2.87	inch.	0	1	6	9	3	12	6	10	15
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.539	30.033	42.3	34.5	38.4	+1.0	53	25.30	25	1st	38.3	1.4	.203	88	16	2.12	inch.	1	3	3	9	12	13	15	3	3
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.834	30.018	42.1	33.7	37.9	+1.3	52	25th	24	1st	37.5	0.9	.207	92	15	1.45	inch.	3	6	2	9	1	22	9	10	0
ABERDEEN,* The Meteorological Office.	90	29.875	29.977	43.1	34.5	38.8	+1.1	55	25th	20	1st	38.8	2.4	.190	81	16	1.42	inch.	2	1	1	3	13	16	14	8	4
PAISLEY, The Coats Observatory.	107	29.907	30.028	43.3	35.3	39.3	+0.4	53	25th	25	16th	39.0	1.6	.207	87	17	3.86	inch.	1	1	5	8	7	10	12	6	12
LEITH, † JAMES BOLAM, Navigation School.	76	29.957	30.043	42.7	35.1	38.9	0.0	54	25th	26	1st	38.9	1.7	.204	87	15	2.15	inch.	2	6	6	8	2	12	24	0	2
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.741	30.011	43.4	34.2	38.8	+0.1	53	25th	25	1st	39.3	1.1	.219	92	18	6.36	inch.	0	3	7	14	0	10	19	5	4
PERTH, ALEX. M. RODGER, The Museum.	85	29.914	30.010	43.0	33.7	38.4	+1.1	55	25th	19	1st	37.4	1.9	.187	84	14	2.07	inch.	4	7	12	3	4	21	4	6	1
Means	156	29.842	30.019	42.9	34.5	38.7	+0.7	38.5	1.6	.202	87	16	2.79	inch.	2	4	5	8	5	14	13	6	5
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 32'.																											

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

FEBRUARY 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of February 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4811 living children, of whom 2452 were male, and 2359 female. These births are 395 fewer than registered in January, and 47 less than the mean of the numbers registered in the three preceding months, but are 225 more than registered in February of last year. The equivalent annual birth-rate is 27·4 per thousand of the estimated aggregate population of these towns, and is 0·7 more than the birth-rate of the previous month, 2·0 more than the mean of the birth-rates of the three preceding months, and 0·9 more than the birth-rate of February of last year. In the individual towns the birth-rate of the month ranged from 35·2 in Hamilton, 33·3 in Coatbridge, and 30·2 in Motherwell and Clydebank, to 20·8 in Edinburgh, 23·0 in Perth, and 25·0 in Kilmarnock. In Glasgow the birth-rate of the month was 29·2; in Greenock, 28·4; in Kirkcaldy, 28·2; in Leith, 27·8; in Ayr, 27·2; in Paisley, 26·8; in Falkirk, 26·7; in Dundee, 26·4; and in Aberdeen, 25·4.

Of the 4811 children whose births were registered during the month 350, or 7·3 per cent., were illegitimate. These illegitimate births are 40 fewer than in the previous month, and 22 fewer than in the corresponding month of last year, but are 2 more than the mean of the numbers of the three preceding months. The illegitimate rate is 0·2 less than in the previous month, and 0·8 less than in February of last year, but is 0·1 more than the mean of the rates of the three preceding months. In the towns the illegitimate rate ranged from 10·1 per cent in Ayr, 10·0 in Perth, and 9·7 in Edinburgh, to 2·7 in Coatbridge, 3·5 in Greenock, and 4·8 in Hamilton. In Aberdeen this rate was 9·4; in Dundee, 9·0; in Clydebank, 8·7; in Paisley, 7·9; in Kilmarnock, 7·4; in Motherwell, 7·3; in Glasgow, 6·8; in Falkirk, 5·9; in Kirkcaldy, 5·6; and in Leith, 5·3.

Marriages registered in these towns during the month numbered 1135. They are 1234 fewer than those registered in the previous month, and 744 fewer than the mean of the numbers registered in the three preceding months, but are 194 more than registered in February of last year. The equivalent annual marriage-rate is

6·5 per thousand, which is 5·7 less than the rate of the previous month, 3·3 less than the mean of the rates of the three preceding months, but 1·1 more than the marriage rate of the corresponding month of last year. In the individual towns the marriage-rate of the month ranged from 7·8 in Edinburgh, 7·2 in Glasgow, and 6·4 in Greenock, to 2·7 in Coatbridge, 3·1 in Motherwell, and 3·8 in Kirkcaldy. In Falkirk the marriage rate of the month was 6·3; in Kilmarnock, 6·2; in Aberdeen, 6·1; in Hamilton, 6·1; in Dundee, 5·3; in Paisley, 5·3; in Ayr, 5·1; in Leith, 4·7; in Clydebank, 4·4; and in Perth, 4·2.

Deaths registered in these towns during the month numbered 3083, 1548 being of males, and 1535 of females. Of these deaths 184 were of persons whose usual residence was outwith the town of registration, but the deaths of 140 persons with usual residence within one or other of these towns were registered elsewhere in Scotland, and the difference, 44, falls to be deducted from the gross number to get the corrected number, which is thus found to be 3039. The corrected number of deaths of the month is 929 less than in the previous month, 356 less than the mean of the numbers during the preceding three months, and 450 less than that of February of last year. The death-rate of the month, corrected, is 17·3 per thousand of the estimated aggregate population, which is 3·1 less than in January, 0·5 less than the mean of the death-rates of November, December and January, and 2·8 less than the death-rate of February of last year.

In the individual towns the death-rate of the month, corrected, ranged from 21·3 in Kirkcaldy, 20·9 in Coatbridge, and 19·0 in Edinburgh, to 10·0 in Perth, 13·5 in Motherwell, and 16·1 in Falkirk. In Kilmarnock the death-rate of the month was 18·7; in Paisley, 18·5; in Ayr, 18·1; in Aberdeen, 17·4; in Glasgow, 17·0; in Clydebank, 17·0; in Leith, 16·8; in Greenock, 16·4; in Dundee, 16·3; and in Hamilton, 16·2.

Of the deaths of residents of these towns 1045, or 34·4 per cent., were of children of less than five years old, while 747, or 24·6 per cent., were of persons of over sixty-five. The former are 237 fewer than in January, but 11 more than in February of last year. The latter are 299 fewer than in January, and 180 fewer than in February of last year.

Deaths of children of less than one year old numbered 644. These deaths are 121 fewer than in January, and 3 fewer than in February of last year. The infantile mortality rate of the month—based on these deaths and on the average number of births of the preceding twelve months—is 140 per thousand. This rate is 11 less than in January, but is of the same amount as in February of last year. In the individual towns the infantile mortality rate of the month ranged from 75 in Clydebank and Kilmarnock, and 99 in Leith, to 230 in Kirkcaldy, 203 in Falkirk, and 200 in Ayr. In Aberdeen this rate was 190; in Edinburgh, 185; in Paisley, 158; in Coatbridge, 143; in Dundee, 140; in Perth, 132; in Glasgow, 128; in Motherwell, 127; in Hamilton, 121; and in Greenock, 114.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 332. They are 41 fewer than in the previous month, and 18 less than the average during the preceding three months, but 21 more than in February of last year. The equivalent annual death-rate from these causes is 1·9 per thousand; it is the same as in the previous month, but 0·1 more than the average of the rates of the preceding three months, and the same amount more than the rate of February of last year. In the towns this rate ranged from 3·0 in Coatbridge and Hamilton, and 2·8 in Ayr, to 0 in Kilmarnock, and 0·4 in Perth and Falkirk. In Aberdeen this rate was 2·2; in Glasgow, 2·0; in Clydebank, 2·0; in Edinburgh, 1·9; in Kirkcaldy, 1·9; in Greenock, 1·8; in Paisley, 1·7; in Motherwell, 1·6; in Leith, 1·5; and in Dundee, 1·2.

Deaths from measles numbered 169 ; from scarlet fever, 33 ; from diphtheria, including those certified as due to croup, 52 ; from whooping-cough, 24 ; from enteric fever, 5 ; and from the diarrhoeas of childhood, 49. Compared with the returns of the previous month, deaths from the diarrhoeas of childhood are 2 more, and from enteric fever 1 more, but those from whooping-cough are 5 fewer, from scarlet fever 12 fewer, from diphtheria 13 fewer, and from measles 14 fewer.

No deaths from either smallpox or typhus fever were registered in these towns during the month. Deaths from influenza (uncomplicated) numbered 7 ; from malignant disease, 216 ; from heart disease, 248 ; from puerperal sepsis, 13 ; and from violence, 103, of which 5 were attributed to suicide.

Deaths from pneumonia numbered 344, and constituted 11·3 per cent. of the total. The equivalent annual death-rate from this cause was 2·0 per thousand. These deaths are 119 fewer than in January, and 8 fewer than in February of last year. Deaths from bronchitis numbered 240, constituted 7·9 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·4 per thousand. They are 203 fewer than in January, and 146 fewer than in February of last year.

Deaths from all forms of tuberculous disease numbered 309, constituted 10·2 per cent. of the total of the month, and are equal to an annual death-rate of 1·8 per thousand. These deaths are 68 fewer than in January, and 98 fewer than in February of last year. Of them 187 were ascribed to phthisis, and these constituted 6·2 per cent. of the total deaths of the month. The deaths from phthisis are 59 fewer than in January, and 83 fewer than in February of last year. The death-rate from phthisis was 1·1 per thousand, and in the individual towns ranged from 2·0 in Ayr, 1·3 in Glasgow, and 1·2 in Clydebank, to 0 in Coatbridge, 0·3 in Motherwell, and 0·4 in Perth and Kilmarnock. In Kirkcaldy the phthisis death-rate of the month was 1·3 per thousand ; in Paisley, 1·1 ; in Dundee, 1·0 ; in Greenock, 1·0 ; in Hamilton, 1·0 ; in Edinburgh, 0·9 ; in Leith, 0·8 ; in Falkirk, 0·8 ; and in Aberdeen, 0·6.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

FEBRUARY 1914.

Mean barometric pressure, 29·436 in. ; less than the average of 1856–1905 by 0·426 in.

Mean temperature, 42°·8 ; greater by 4°·1.

Mean daily range of temperature, 10°·3 ; greater by 0°·6.

Rain, number of days, 21 ; greater by 6 days.

Rain, depth in inches, 3·45 ; greater by 0·59 in.

Wind, direction of : a 9 days' excess of winds from S. and S.W.

Hence the month was characterised by an abnormally low mean pressure ; an abnormally high mean temperature, with a slightly high mean daily range ; a somewhat high mean rainfall ; and a very large excess of southerly and south-westerly winds.

The mean pressure of 29·436 in. was 0·426 in. below the normal, and a lower mean for February has been recorded during the last sixty years only in 1910, when the mean was 29·380 in. The weather was almost uninterruptedly under the influence of low pressure systems moving on a north-easterly track, and from 22nd to 24th a depression of unusual extent, with readings considerably below 29 in., spread over our Islands. At Leith, at sea-level, the barometer reached 30 in. only on 27th, the extremes there being 30·042 in. on that day and 28·520 in. on the evening of the 22nd.

The mean temperature was 42°·8, or 4°·1 above the normal, the days being 4°·4 and the nights 3°·8 above their respective averages. The month was much the mildest February since 1903, and with that exception the mildest since 1882. The first week, with a mean temperature in several districts fully 8° above the normal, was one of quite exceptional mildness, but almost throughout the entire month temperature was decidedly above the normal, and at Edinburgh (Blackford Hill) the thermometer in screen did not fall below the freezing point. As regards the chief towns the highest reading of 55° occurred at Dundee on 4th, at Leith on 1st and 28th, and at Perth on 2nd and 3rd, whilst the lowest was 25° at Perth on 19th and 25th.

The mean rainfall was 3·45 in., or 21 per cent. above the normal. Aberdeen, Edinburgh, and Leith had practically their normal amounts, but the other chief towns an excess ranging up to 40 per cent. at Perth. In the extreme south-east and round the fringe of the Moray Firth there was a shortage, Gordon Castle having less than 1 in. for the entire month, but in some western and southern districts the month was extremely wet. Thus Drumlanrig and Poltalloch had fully twice the normal, and at Poltalloch the month was the wettest February on record. In the west rain fell on every day until 23rd, though frequently the daily amounts were small, but in the north-west some very heavy falls occurred early in the month, Fort-William having 2·69 in. on 1st, 1·07 in. on 2nd, and 1·25 in. on 5th. From 23rd to 27th all but rainless weather was generally experienced, whilst during the first three weeks there were in the east many days with little or no rain. The generally heaviest falls occurred on 2nd, 12th, 14th and 15th, 20th, and 22nd, but at Edinburgh no day during the month had as much as one-quarter of an inch, and at the chief towns no fall of as much as 1 in. in a day occurred, the maximum fall being 0·95 in. at Greenock on 17th.

The weather was at times extremely stormy, especially early in the month, from 13th to 17th, and from 22nd to 24th. A thunderstorm occurred on 14th in some western districts and in parts of Aberdeenshire.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, FEBRUARY 1914.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,047,000	1177	1170	2347	2188	159	575	729	671	1400	45	79	1366
EDINBURGH, . .	320,769	321,900	267	246	513	463	50	192	240	250	490	23	45	468
DUNDEE, . . .	176,085	176,300	175	182	357	325	32	71	94	124	218	5	3	220
ABERDEEN, . . .	163,891	159,500	148	162	310	281	29	74	97	115	212	17	16	213
PAISLEY, . . .	84,455	86,000	93	84	177	163	14	35	53	67	120	4	2	122
LEITH,	80,601	79,800	98	72	170	161	9	29	49	48	97	9	3	103
GREENOCK, . . .	75,140	78,000	92	78	170	164	6	38	55	44	99	3	4	98
PERTH,	35,854	34,000	33	27	60	54	6	11	10	21	31	1	6	26
TOTAL . . . (EIGHT TOWNS)	1,945,282	1,982,500	2083	2021	4104	3799	305	1025	1327	1340	2667	107	158	2616
COATBRIDGE, . .	43,286	43,000	56	54	110	107	3	9	33	33	66	3	0	69
MOTHERWELL . .	40,380	41,500	47	49	96	89	7	10	18	22	40	3	0	43
KIRKCALDY . . .	39,601	41,100	40	49	89	84	5	12	39	24	63	4	0	67
HAMILTON, . . .	33,644	33,600	56	48	104	99	5	18	28	21	49	3	4	48
CLYDEBANK, . .	37,548	44,600	52	51	103	94	9	15	30	17	47	13	2	58
KILMARNOCK, . .	34,728	35,500	46	22	68	63	5	17	24	31	55	3	7	51
FALKIRK,	33,574	33,300	32	36	68	64	4	16	23	19	42	2	3	41
AYR,	32,986	33,100	40	29	69	62	7	13	26	28	54	2	10	46
TOTAL . . . (SIXTEEN TOWNS)	2,246,029	2,293,200	2452	2359	4811	4461	350	1135	1548	1535	3083	140	184	3039

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, FEBRUARY 1914.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	29·2	6·8	7·2	17·4	17·0	2·0	1·9	1·3	3·6	283	128
EDINBURGH, .	20·8	9·7	7·8	19·9	19·0	1·9	1·7	0·9	3·9	91	185
DUNDEE, .	26·4	9·0	5·3	16·1	16·3	1·2	1·9	1·0	2·0	46	140
ABERDEEN, .	25·4	9·4	6·1	17·3	17·4	2·2	1·3	0·6	3·1	56	190
PAISLEY, .	26·8	7·9	5·3	18·2	18·5	1·7	1·5	1·1	3·2	27	158
LEITH, .	27·8	5·3	4·7	15·8	16·8	1·5	2·0	0·8	3·8	16	99
GREENOCK, .	28·4	3·5	6·4	16·6	16·4	1·8	1·5	1·0	3·0	21	114
PERTH, .	23·0	10·0	4·2	11·9	10·0	0·4	0·8	0·4	3·5	7	132
TOTAL . (EIGHT TOWNS)	27·0	7·4	6·7	17·5	17·2	1·9	1·8	1·1	3·4	547	140
COATBRIDGE, .	33·3	2·7	2·7	20·0	20·9	3·0	2·4	0·0	2·7	15	143
MOTHERWELL, .	30·2	7·3	3·1	12·6	13·5	1·6	0·6	0·3	3·1	13	127
KIRKCALDY, .	28·2	5·6	3·8	20·0	21·3	1·9	1·9	1·3	7·3	17	230
HAMILTON, .	35·2	4·8	6·1	16·6	16·2	3·0	1·4	1·0	4·1	12	121
CLYDEBANK, .	30·2	8·7	4·4	13·8	17·0	2·0	1·8	1·2	4·1	8	75
KILMARNOCK, .	25·0	7·4	6·2	20·2	18·7	0·0	0·4	0·4	3·7	5	75
FALKIRK, .	26·7	5·9	6·3	16·5	16·1	0·4	1·2	0·8	6·7	14	203
AYR, .	27·2	10·1	5·1	21·3	18·1	2·8	3·5	2·0	3·1	13	200
TOTAL . (SIXTEEN TOWNS)	27·4	7·3	6·5	17·5	17·3	1·9	1·8	1·1	3·5	644	140

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR FEBRUARY 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
FEB. 1914, .	27·0	7·4	6·7	17·2	0	146	26	19	50	5	41	140	42°·8
FEB. 1913, .	25·9	8·6	5·7	20·3	0	15	8	173	27	8	38	141	40°·3
FEB. 1912, .	25·5	6·8	5·7	21·8	0	231	9	43	42	6	45	161	39°·3
FEB. 1911, .	26·1	8·0	5·9	21·2	0	18	22	155	36	6	35	145	39°·7
FEB. 1910, .	27·0	7·5	5·7	19·3	0	169	26	27	43	11	28	122	39°·1
FEB. 1909, .	27·8	7·9	5·1	21·0	0	9	19	173	44	12	40	148	38°·9
FEB. 1908, .	27·5	7·9	5·8	23·1	3	202	22	98	32	14	—	164	41°·3
FEB. 1907, .	28·1	7·2	6·2	22·7	0	18	8	109	37	12	—	142	37°·1
FEB. 1906, .	28·8	7·2	6·3	19·5	0	107	10	27	21	13	—	121	36°·6
FEB. 1905, .	28·2	7·3	6·3	19·2	0	21	5	107	25	16	—	136	40°·1
FEB. 1904, .	29·7	6·7	6·6	22·1	18	86	8	104	20	9	—	157	37°·1

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	5	-	-	2	-	-	2	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	169	38	122	6	-	3	-	-	-	-	-	-
Scarlet Fever - - - - -	33	2	17	9	2	1	-	-	2	-	-	-
Whooping-cough - - - - -	24	4	20	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	52	5	29	15	3	-	-	-	-	-	-	-
Influenza - - - - -	7	-	-	-	-	2	1	1	-	1	2	-
Erysipelas - - - - -	13	4	-	-	-	-	1	1	2	2	2	1
Phthisis, Pulmonary Tuberculosis - - - - -	187	2	1	4	5	39	48	43	23	16	6	-
Tuberculous Meningitis - - - - -	52	16	22	7	3	1	2	1	-	-	-	-
Abdominal Tuberculosis - - - - -	41	6	20	6	4	4	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	29	5	5	4	3	5	2	1	3	1	-	-
Cancer, Malignant Disease - - - - -	216	-	-	-	-	2	7	24	43	57	58	25
Rheumatic Fever - - - - -	12	-	-	4	2	1	1	1	1	1	1	-
Meningitis - - - - -	41	12	12	4	5	2	1	3	-	2	-	-
Organic Heart Disease - - - - -	248	1	-	5	3	10	13	13	31	66	64	42
Bronchitis - - - - -	240	53	23	1	1	1	3	6	13	31	68	40
Pneumonia (all forms) - - - - -	344	111	68	9	2	9	22	17	32	24	31	19
Other Diseases of Respiratory Organs - - - - -	38	10	7	1	2	-	3	3	2	6	3	1
Diarrhoea and Enteritis (under 2 years) - - - - -	49	43	6	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	16	-	1	4	4	4	-	1	-	2	-	-
All Liver Diseases (not Malignant) - - - - -	19	1	-	-	-	1	1	4	2	1	5	4
Other Diseases of Digestive System (under 2 years) - - - - -	23	20	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	87	-	4	2	-	2	11	12	19	16	14	7
Puerperal Sepsis - - - - -	13	-	-	-	-	3	10	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	16	-	-	-	-	1	8	7	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	222	220	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	98	7	13	6	1	8	13	8	13	13	8	8
Suicide - - - - -	5	-	-	-	-	-	1	2	1	-	1	-
Other Defined Diseases - - - - -	685	76	23	5	8	25	19	46	67	95	145	176
Diseases Ill-defined or Unknown - - - - -	55	8	3	-	-	2	2	2	7	15	7	9
Total - - - - -	3039	644	401	94	48	126	171	196	263	349	415	332

GLASGOW—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	3	-	-	1	-	-	2	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	94	17	74	3	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	13	1	6	3	1	1	-	-	1	-	-	-
Whooping-cough - - - - -	16	3	13	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	15	1	10	3	1	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	5	2	-	-	-	-	-	1	-	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	104	1	-	4	3	18	26	27	13	8	4	-
Tuberculous Meningitis - - - - -	22	7	9	2	3	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	18	2	8	3	2	3	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	10	1	-	3	1	3	1	-	1	-	-	-
Cancer, Malignant Disease - - - - -	85	-	-	-	-	-	2	10	13	28	27	5
Rheumatic Fever - - - - -	5	-	-	2	-	-	1	1	-	-	1	-
Meningitis - - - - -	21	4	5	2	4	2	-	2	-	2	-	-
Organic Heart Disease - - - - -	97	-	-	1	1	4	7	6	11	31	28	8
Bronchitis - - - - -	97	15	13	-	-	1	2	5	4	13	36	8
Pneumonia (all forms) - - - - -	169	55	32	4	1	5	11	8	17	7	21	8
Other Diseases of Respiratory Organs - - - - -	20	8	5	-	-	-	1	1	1	1	2	1
Diarrhoea and Enteritis (under 2 years) - - - - -	23	20	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	11	-	1	4	3	1	-	1	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	8	1	-	-	-	1	1	-	-	1	3	1
Other Diseases of Digestive System (under 2 years) - - - - -	13	12	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	51	-	1	1	-	-	10	6	12	8	9	4
Puerperal Sepsis - - - - -	5	-	-	-	-	-	5	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	4	-	-	-	-	-	2	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	89	87	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	47	4	5	3	-	4	8	3	5	8	4	3
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	288	37	8	3	2	8	7	30	33	40	58	62
Diseases Ill-defined or Unknown - - - - -	31	5	1	-	-	1	1	2	7	8	3	3
Total - - - - -	1366	283	197	42	22	53	88	105	119	157	197	103

EDINBURGH—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	31	4	26	-	-	1	-	-	-	-	-	-
Scarlet Fever	7	1	5	-	-	-	-	-	1	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	7	-	3	3	1	-	-	-	-	-	-	-
Influenza	4	-	-	-	-	1	1	-	-	-	2	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis	23	-	-	-	-	7	6	5	3	2	-	-
Tuberculous Meningitis	5	4	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	6	-	5	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases	7	2	1	1	1	1	-	1	-	-	-	-
Cancer, Malignant Disease	47	-	-	-	-	-	-	5	11	10	13	8
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	6	5	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease	40	1	-	-	-	1	-	1	7	12	8	10
Bronchitis	34	10	1	-	-	-	1	-	2	4	5	11
Pneumonia (all forms)	57	18	12	1	-	-	4	2	6	8	3	3
Other Diseases of Respiratory Organs	6	1	-	1	-	-	-	1	-	3	-	-
Diarrhoea and Enteritis (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	2	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	2	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	8	-	1	-	-	1	-	-	1	3	2	-
Puerperal Sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	28	28	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	9	-	2	-	-	-	-	-	3	1	1	2
Suicide	2	-	-	-	-	-	1	-	-	-	1	-
Other Defined Diseases	124	14	2	1	2	8	3	5	8	21	28	32
Diseases Ill-defined or Unknown	5	-	-	-	-	-	-	-	-	1	1	3
Total	468	91	60	7	5	21	19	21	44	66	64	70

DUNDEE—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	3	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	7	2	4	1	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	1	-	-	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	14	1	-	-	-	3	3	4	1	2	-	-
Tuberculous Meningitis	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	4	2	-	-	1	-	-	-	1	-	-	-
Other Tuberculous Diseases	6	1	1	-	-	1	1	-	2	-	-	-
Cancer, Malignant Disease	25	-	-	-	-	-	1	3	5	8	6	2
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	4	1	1	-	1	-	-	1	-	-	-	-
Organic Heart Disease	23	-	-	-	1	1	1	3	1	5	5	6
Bronchitis	15	1	1	-	-	-	-	-	2	4	3	4
Pneumonia (all forms)	9	3	2	-	-	-	2	-	-	-	-	2
Other Diseases of Respiratory Organs	3	-	-	-	-	-	2	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years)	6	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	4	-	-	-	-	-	-	-	2	-	-	2
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	27	27	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	6	1	1	-	-	1	1	-	-	2	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	56	1	2	-	1	2	2	2	4	7	12	23
Diseases Ill-defined or Unknown	2	-	-	-	-	-	-	-	-	1	1	-
Total	220	46	17	2	4	8	13	15	19	30	27	39

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	2	-	-	1	1	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	18	-	10	7	1	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	7	-	-	-	-	3	2	2	-	-	-	-
Tuberculous Meningitis	5	1	1	1	-	1	1	-	-	-	-	-
Abdominal Tuberculosis	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	2	1	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease	16	-	-	-	-	1	1	-	4	3	5	2
Rheumatic Fever	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	19	-	-	-	1	1	1	-	2	4	4	6
Bronchitis	12	4	1	-	-	-	-	-	2	-	4	1
Pneumonia (all forms)	25	7	4	-	1	1	1	3	3	2	1	2
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	6	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	2	-	-	-	-	2	-	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2	-	-	-	-	-	-	1	-	-	1	-
Puerperal Sepsis	3	-	-	-	-	2	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	3	-	-	-	-	1	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	20	20	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	6	2	-	-	1	1	-	1	1	-	-	-
Suicide	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases	54	12	3	-	1	1	1	1	2	6	11	16
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	-	-	1
Total	213	56	22	9	8	14	8	11	15	15	26	29

PAISLEY—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	6	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	1	-	1	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis	7	-	-	-	-	1	4	-	-	2	-	-
Tuberculous Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	5	-	-	-	-	-	-	2	2	1	-	-
Rheumatic Fever	2	-	-	1	-	-	-	-	1	-	-	-
Meningitis	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease	11	-	-	-	-	-	-	-	3	2	5	1
Bronchitis	12	-	-	-	-	-	-	1	3	3	4	4
Pneumonia (all forms)	7	5	-	-	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs	2	-	1	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	3	-	-	-	-	-	-	1	-	1	1	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	3	-	-	-	-	-	-	1	1	-	1	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	36	3	1	1	-	2	2	1	6	6	9	5
Diseases Ill-defined or Unknown	3	1	-	-	-	-	-	-	-	1	1	-
Total	122	27	9	3	-	3	8	6	14	18	23	11

LEITH—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	8	1	6	-	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	1	1	1	1	1	-	-	-
Tuberculous Meningitis - - - - -	5	3	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	1	1	2	2	2	2
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	16	-	-	1	-	1	1	-	1	5	4	3
Bronchitis - - - - -	7	1	1	-	-	-	-	-	1	-	3	1
Pneumonia (all forms) - - - - -	15	3	2	2	-	2	-	-	1	1	3	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	1	-	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	-	-	1	1	-	2
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	1	-	-	-	-	1	3	2	1	3	4
Diseases ill defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	103	16	11	5	3	6	4	7	11	11	15	14

GREENOCK—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	7	3	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	1	-	-	2	1	-	2	-	-	-
Tuberculous Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	1	3	-	1	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	1	-	-	-	1	-	2	1	2
Bronchitis - - - - -	10	1	4	1	-	-	-	-	-	-	3	1
Pneumonia (all forms) - - - - -	8	3	1	1	-	-	-	1	-	1	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	2	1	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	1	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	19	-	1	-	1	-	-	2	2	-	4	9
Diseases ill-defined or Unknown - - - - -	4	1	1	-	-	-	1	-	-	-	1	-
Total - - - - -	98	21	18	7	1	3	5	7	4	6	11	15

PERTH—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	1	1	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	1	-	-	1
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	4	-	-	-	-	-	-	-	1	1	1	1
Bronchitis	5	-	-	-	-	-	-	-	-	-	2	3
Pneumonia (all forms)	4	2	-	-	-	-	-	-	-	-	-	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	5	1	-	-	-	-	-	1	-	1	1	1
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Total	26	7	1	-	-	-	-	1	3	2	4	8

COATBRIDGE—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	4	1	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis	4	-	2	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	3	-	1	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	6	-	-	-	-	1	1	1	-	1	-	2
Bronchitis	3	-	1	-	-	-	-	-	-	-	1	1
Pneumonia (all forms)	6	2	2	-	-	-	2	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	5	-	1	1	-	-	-	-	1	1	1	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	16	2	1	-	-	2	-	-	-	2	2	7
Diseases Ill-defined or Unknown	2	-	-	-	-	-	-	-	-	2	-	-
Total	69	15	14	6	-	4	5	2	1	8	4	10

MOTHERWELL—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	3	-	-	-	-	-	1	-	2	-	-	-
Rheumatic Fever	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	1	-	-	-	-	-	-	-	2
Bronchitis	6	3	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms)	4	1	3	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	9	2	1	-	-	1	-	-	2	-	1	2
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Total	43	13	11	2	1	2	1	-	5	1	2	5

KIRKCALDY—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	4	-	2	2	-	-	-	-	-	-	-	-
Whooping-cough	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	4	-	-	-	1	-	1	2	-	-	-	-
Tuberculous Meningitis	1	-	-	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	1	-	-	1	-	-	-
Rheumatic Fever	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	6	-	-	1	-	-	1	-	2	1	1	-
Bronchitis	13	9	-	-	-	-	-	-	-	1	2	1
Pneumonia (all forms)	9	2	5	-	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	3	-	1	1	-	-	-	-	-	-	1	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	12	-	1	-	-	-	-	-	4	-	4	3
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Total	67	17	13	4	1	1	2	4	9	3	9	4

HAMILTON—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Measles -- -- -- -- --	4	3	1	-	-	-	-	-	-	-	-	-
Scarlet Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -- -- -- -- --	1	-	1	-	-	-	-	-	-	-	-	-
Influenza -- -- -- -- --	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas -- -- -- -- --	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -- -- -- -- --	3	-	-	-	-	-	-	1	1	1	-	-
Tuberculous Meningitis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -- -- -- -- --	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -- -- -- -- --	2	-	-	-	-	-	-	-	1	-	-	1
Rheumatic Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis -- -- -- -- --	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease -- -- -- -- --	3	-	-	-	-	1	-	1	-	-	-	1
Bronchitis -- -- -- -- --	3	1	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) -- -- -- -- --	9	2	2	-	-	-	1	2	1	1	-	-
Other Diseases of Respiratory Organs -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) -- -- -- -- --	4	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -- -- -- -- --	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis -- -- -- -- --	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth -- -- -- -- --	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -- -- -- -- --	3	-	1	-	-	1	1	-	-	-	-	-
Suicide -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases -- -- -- -- --	7	-	-	-	-	-	1	-	1	2	1	2
Diseases Ill-defined or Unknown -- -- -- -- --	1	-	-	-	-	1	-	-	-	-	-	-
Total -- -- -- -- --	48	12	7	1	-	3	4	5	4	5	1	6

CLYDEBANK—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Measles -- -- -- -- --	4	-	3	1	-	-	-	-	-	-	-	-
Scarlet Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -- -- -- -- --	1	-	-	1	-	-	-	-	-	-	-	-
Influenza -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -- -- -- -- --	4	-	-	-	-	1	1	-	1	-	1	-
Tuberculous Meningitis -- -- -- -- --	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -- -- -- -- --	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis -- -- -- -- --	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease -- -- -- -- --	5	-	-	-	-	1	-	1	1	1	2	-
Bronchitis -- -- -- -- --	7	2	-	-	1	-	-	-	-	2	2	-
Pneumonia (all forms) -- -- -- -- --	5	1	1	-	-	-	-	1	1	-	1	-
Other Diseases of Respiratory Organs -- -- -- -- --	2	-	-	-	1	-	-	1	-	-	-	-
Diarrhoea and Enteritis (under 2 years) -- -- -- -- --	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -- -- -- -- --	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -- -- -- -- --	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis -- -- -- -- --	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth -- -- -- -- --	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -- -- -- -- --	3	-	1	-	-	-	-	2	-	-	-	-
Suicide -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases -- -- -- -- --	11	-	2	-	1	1	1	-	-	3	3	-
Diseases Ill-defined or Unknown -- -- -- -- --	2	-	1	-	-	-	-	-	-	-	-	1
Total -- -- -- -- --	58	8	11	2	3	2	4	5	4	8	10	1

KILMARNOCK—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -	5	-	-	-	-	-	-	-	-	-	4	1
Rheumatic Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis -	1	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease -	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis -	6	1	1	-	-	-	-	-	2	1	1	-
Pneumonia (all forms) -	4	1	-	-	-	1	-	-	-	2	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	1	-	-	1	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases -	21	-	-	-	-	-	-	1	2	4	6	8
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	1	-	1
Total -	51	5	1	1	-	2	2	4	5	8	13	10

FALKIRK—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	1	-	-	1	-
Tuberculous Meningitis -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis -	6	4	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) -	10	5	2	-	-	-	1	-	-	2	-	-
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhœa and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	1	1	1	-	-	1
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases -	6	1	1	-	-	-	-	-	-	2	2	-
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	-
Total -	41	14	4	1	-	1	2	3	2	7	6	1

AYR—February 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	3	3	-	-	1	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	5	-	-	-	-	1	3	-	-	1	-	-
Tuberculous Meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	3	1	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	5	-	-	-	-	-	-	-	1	1	3	-
Bronchitis	4	1	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms)	3	1	-	1	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2	-	-	-	-	-	-	-	1	-	-	1
Puerperal Sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	6	2	-	-	-	-	1	-	1	-	-	2
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Total	46	13	5	2	-	3	6	-	4	4	3	6

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of FEBRUARY 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.																		
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Difference from Average		Absolute Maximum and Minimum.		Mean at 9 A.M. and 9 P.M.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																		
					Maximum (A).	Minimum (B.)	Day of Month.	Minimum.								Day of Month.	Dry Bulb.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.								
GLASGOW, Medical Officer of Health, Glasgow.	54	29.379	29.439	inch.	°	°	°	°	°	48.9	39.3	44.1	+4.6	54	1st	31	25th	43.1	2.0	.235	84	25	inch.	inch.	0	0	5	6	6	25	8	1	5	
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	28.968	29.449	inch.	°	°	°	°	°	47.6	37.9	42.8	+4.1	54	28th	32	19th	42.4	1.7	.235	87	17	1.74	1.74	+0.09	1	0	2	2	22	20	7	1	1
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.262	29.446	inch.	°	°	°	°	°	47.2	36.4	41.8	+4.1	55	4th	28	19th	40.7	1.1	.231	91	18	2.43	2.43	+0.35	1	4	1	8	0	35	3	4	0
ABERDEEN,* The Meteorological Office.	90	29.312	29.414	inch.	°	°	°	°	°	47.7	36.3	42.0	+3.9	54	1, 2	30	20, 21, 25	41.8	1.4	.236	89	15	2.25	2.25	+0.01	0	0	2	6	27	15	4	1	1
PAISLEY, The Coats Observatory.	107	29.306	29.426	inch.	°	°	°	°	°	48.1	38.9	43.5	+4.6	54	1st	32	25th	43.3	1.7	.244	87	26	4.60	4.60	+0.99	0	0	1	4	17	21	5	3	5
LEITH, † JAMES BOLAN, Navigation School.	76	29.365	29.451	inch.	°	°	°	°	°	48.0	38.0	43.0	+3.3	55	1, 28	31	19th	42.1	1.9	.228	85	22	1.74	1.74	-0.03	0	0	4	2	4	26	12	4	4
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.177	29.437	inch.	°	°	°	°	°	47.6	37.0	42.3	+3.6	53	1, 2, 3,	31	25th	42.7	1.6	.239	87	27	7.77	7.77	+1.58	0	0	2	11	1	22	16	2	2
PERTH, ALEX. M. RODGER, The Museum.	85	29.331	29.423	inch.	°	°	°	°	°	48.4	37.1	42.8	+4.6	55	2, 3	25	19, 25	41.5	2.2	.217	83	21	3.62	3.62	+1.04	3	6	9	3	10	15	5	3	2
Means	156	29.263	29.436	inch.	°	°	°	°	°	47.9	37.6	42.8	+4.1	42.2	1.7	.233	87	21	3.45	3.45	+0.59	1	1	3	5	11	22	8	2	3
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																																		

* At King's College at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

MARCH 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of March 1914 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5333 living children, of whom 2670 were male, and 2663 female. Compared with the numbers registered in February the male children are 218 more, and the female children 304 more. Compared with the numbers registered in March of last year, the male children are 115 more and the female children 232 more. The total children registered are 522 more than in February, 347 more than in March of last year, and 269 more than the mean of the numbers of the three preceding months. The equivalent annual birth-rate is 27·4 per thousand of the estimated aggregate population of these towns, a rate which is the same as in February, but 1·4 more than in March of last year, and the same amount more than the mean of the rates of the three preceding months. In the individual towns the birth-rate of the month ranged from 38·5 in Hamilton, 35·5 in Greenock, and 34·4 in Motherwell, to 18·4 in Perth, 19·5 in Edinburgh, and 23·2 in Kirkcaldy. In Clydebank the birth-rate of the month was 33·3; in Coatbridge, 32·0; in Falkirk, 30·8; in Glasgow, 29·0; in Paisley, 28·8; in Ayr, 27·7; in Kilmarnock, 27·2; in Leith, 26·6; in Aberdeen, 26·4; and in Dundee, 24·7.

Of the 5333 children whose births were registered during the month, 4998, or 93·7 per cent., were legitimate, while 335, or 6·3 per cent., were illegitimate. These illegitimate children are 15 fewer than in the previous month, 31 fewer than the average of the numbers of the three preceding months, and 12 fewer than in March of last year. The illegitimate rate is 1·0 less than in the previous month, and 0·7 less than in March of last year. In the sixteen towns the illegitimate rate of the month ranged from 10·9 in Aberdeen, 10·0 in Dundee, and 8·3 in Edinburgh, to 3·2 in Clydebank, 3·3 in Motherwell, and 3·8 in Perth. In Kirkcaldy this rate was 6·2; in Kilmarnock, 6·1; in Coatbridge, 6·0; in Paisley, 5·7; in Leith, 5·6; in Glasgow, 5·5; in Ayr, 5·1; in Greenock, 4·7; in Falkirk, 4·6; and in Hamilton, 4·0.

Marriages registered in these towns during the month numbered 1287, being 152 more than in February, but 208 fewer than in March of last year, and 548 fewer

than the average during the three preceding months. The equivalent marriage-rate is 6·6 per thousand, which is 0·1 more than in February, but 1·2 less than in March of last year, and 3·1 less than the mean of the marriage-rates of the three preceding months. In the individual towns the marriage-rate of the month ranged from 8·1 in Aberdeen, 7·6 in Kilmarnock, and 7·5 in Glasgow, to 3·4 in Clydebank, 3·8 in Paisley and Coatbridge, and 3·9 in Dundee. In Edinburgh this rate was 7·1; in Ayr, 6·8; in Greenock, 6·2; in Perth, 6·2; in Leith, 6·1; in Motherwell, 5·1; in Hamilton, 4·6; in Falkirk, 4·6; and in Kirkcaldy, 4·0.

Deaths registered in these towns numbered 3366, 1677 being of males, and 1689 of females. Of these deaths 212 were of persons having usual residences outwith the towns of registration, but the deaths of 199 persons with usual residence within these towns were registered elsewhere in Scotland, and the difference, 13, falls to be deducted to get the corrected number of deaths of the month. This corrected number, 3353, is 314 more than that of February, but is 166 less than that of March of last year, and 126 less than the mean of those of the three preceding months. The death-rate of the month, corrected, was 17·2 per thousand, and is 0·1 less than in February, 1·1 less than in March of last year, and 1·3 less than the mean of the death-rates of the three preceding months.

In the individual towns the death-rate of the month ranged from 20·6 in Greenock, 20·4 in Aberdeen, and 18·8 in Paisley, to 10·7 in Hamilton, 12·4 in Falkirk, 13·2 in Perth, and 13·7 in Clydebank. In Ayr the death-rate of the month was 18·1; in Edinburgh, 17·7; in Kilmarnock, 17·6; in Glasgow, 17·3; in Leith, 17·3; in Kirkcaldy, 16·0; in Coatbridge, 15·9; in Motherwell, 15·9; and in Dundee, 15·8.

Of the deaths of residents of these towns 1033, or 30·8 per cent., were of children of less than five years old, and 853, or 25·4 per cent., of persons of over sixty-five. The former are 12 fewer than in February, and 87 fewer than in March of last year. The latter are 106 more than in February, but 11 fewer than in March of last year.

Deaths of children of less than one year old numbered 624, and are equal to an infantile mortality rate of 122 per thousand of the average monthly number of registered births. These deaths are 20 fewer than in the previous month, and 64 fewer than in March of last year. This rate is 18 less than that of the previous month, 13 less than that of the corresponding month of last year, and 27 less than the mean of those of the three preceding months. In the individual towns the infantile mortality rate of the month ranged from 192 in Ayr, 167 in Paisley, and 162 in Aberdeen, to 69 in Perth, 72 in Hamilton, and 91 in Falkirk. In Kilmarnock this rate was 145; in Motherwell, 140; in Greenock, 136; in Kirkcaldy, 134; in Glasgow, 122; in Coatbridge, 120; in Clydebank, 108; in Edinburgh, 105; in Dundee, 101; and in Leith, 100.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhœas of childhood, numbered 339. They are 7 more than in February, but 47 fewer than in March of last year, and 22 less than the mean of the numbers of the three preceding months. The monthly death-rate from these causes was 1·7 per thousand, which is 0·2 less than that of February, 0·3 less than that of March of last year, and 0·2 less than the mean of those of the three preceding months. In the individual towns this rate ranged from 3·6 in Coatbridge, 3·2 in Ayr, and 2·3 in Motherwell, to 0 in Perth and 0·3 in Kirkcaldy. In Glasgow this rate was 2·1; in Paisley, 2·1; in Aberdeen, 1·9; in Edinburgh, 1·4; in Falkirk, 1·4; in Hamilton, 1·2; in Leith, 1·0; in Dundee, 0·9; in Greenock, 0·9; in Clydebank, 0·8; and in Kilmarnock, 0·7.

Deaths from measles numbered 165 ; from scarlet fever, 33 ; from whooping-cough, 44 ; from diphtheria, 38 ; from enteric fever, 4 ; and from the diarrhœas of childhood, 55. Compared with the returns of the previous month, deaths from diphtheria are 14 fewer, from measles 4 fewer ; and from enteric fever 1 fewer ; but those from scarlet fever are of the same number, while those from the diarrhœas of childhood are 6 more, and those from whooping-cough are 20 more.

There were 2 deaths from typhus fever and 1 from smallpox registered during the month. Of the former 1 was in Glasgow and 1 in Greenock. The latter was in Aberdeen. Deaths from influenza (uncomplicated) numbered 10 ; from malignant disease, 197 ; from heart disease, 285 ; from puerperal septic conditions, 16 ; and from violence, 131, of which 12 were attributed to suicide.

Deaths from pneumonia numbered 304, and constituted 9·1 per cent. of the total deaths of the month. They are 40 fewer than in February and 90 fewer than in March of last year, and are equal to an annual death-rate of 1·6 per thousand. Deaths from bronchitis numbered 256, and constituted 7·6 per cent. of the total of the month. They are 16 more than in February, but 52 fewer than in March of last year, and are equal to an annual death-rate of 1·3 per thousand.

Deaths from all forms of tuberculous disease numbered 403, and constituted 12·0 per cent. of the total deaths of the month. They are 94 more than in February, but 14 fewer than in March of last year. Of them 262 were attributed to phthisis, a number which is 75 more than in February, but 4 less than in March of last year. The equivalent death-rate from phthisis was 1·3 per thousand, and in the individual towns ranged from 2·0 in Kilmarnock, and 1·8 in Leith and Greenock, to 0 in Motherwell, 0·5 in Clydebank, 0·7 in Falkirk, and 0·8 in Paisley. In Dundee this death-rate was 1·7 ; in Aberdeen, 1·7 ; in Glasgow, 1·4 ; in Perth, 1·4 ; in Coatbridge, 1·4 ; in Kirkcaldy 1·4 ; in Edinburgh, 1·2 ; in Hamilton, 1·2 ; and in Ayr, 1·1.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

MARCH 1914.

Mean barometric pressure, 29·466 in. ; less than the average of 1856–1905 by 0·348 in.

Mean temperature, 40°·8 ; greater by 0°·5.

Mean daily range of temperature, 11°·5 ; less by 0°·1.

Rain, number of days, 21 ; greater by 5 days.

Rain, depth in inches, 4·10 ; greater by 1·65 in.

Wind, direction of : a 3 days' excess of winds from between S.W. and N.W.

Hence the month was characterised by an abnormally low mean pressure ; a slightly high mean temperature, with a normal mean daily range ; an extremely high mean rainfall ; and an excess of winds from between S.W. and N.W.

The mean pressure of 29·466 in. was 0·348 in. below the normal, and a lower mean for March has been recorded during the last sixty years only in 1876. Weather over the Scottish area was largely controlled by depressions moving in from the Atlantic, the deepest of these appearing on 6th, with a reading at Lerwick of 28·58 in. At Leith, at sea-level, the barometer reached 30 in. only on 28th, the extremes there being 30·047 in. on that day and 28·961 in. on 6th.

The mean temperature was 40°·8, or 0°·5 above the normal, the slight excess being equally marked by day and by night, and it is noteworthy that the mean was as much as 2° below that for February, which had been an abnormally mild month. As regards the chief towns the differences from the normal ranged from an excess of 1°·4 at Paisley to a defect of 0°·5 at Leith. The mild weather of February was continued throughout the first week or so of March, but thereafter until near the end of the month, with frequent winds from the north-west, temperature was below the normal, with minimum readings on 9th or 10th. During the last two or three days mild conditions again prevailed, with highest readings for the month on 30th and 31st. At the chief towns the extreme readings were 59° at Aberdeen on 31st, and 20° at Perth on 9th.

The mean rainfall was 4·10 in., or 67 per cent. above the normal. In the north-west Highlands there was a shortage, but elsewhere amounts were as a rule considerably above the normal, and at the chief towns the differences ranged from an excess of 95 per cent. at Paisley to one of 29 per cent. at Aberdeen. Some rather heavy falls occurred in the west from 1st to 5th, from 11th to 18th, and from 28th to 31st, with fully 1 in. at Greenock on 13th, and at Fort-William on 30th. In the east the heaviest general fall occurred on 20th, when Montrose had about 1 in., and there were moderately heavy falls on 5th, from 11th to 15th, and towards the end of the month. In some districts but little rain was recorded from 6th to 10th, and from 21st to 27th.

The weather was at times very stormy, especially on 6th, when a gale from between west and north-west was general, and about 16th and 17th. Wintry conditions with snow, sleet and hail, were experienced more or less widely on various days between 6th and 13th, and between 16th and 19th.

A thunderstorm occurred in some western districts on 3rd.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, MARCH 1914.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, .	1,008,487	1,047,000	1266	1311	2577	2435	142	666	777	787	1564	51	82	1533
EDINBURGH, .	320,769	321,900	273	260	533	489	44	195	254	253	507	41	64	484
DUNDEE, .	176,085	176,300	186	184	370	333	37	59	107	128	235	9	8	236
ABERDEEN, .	163,891	159,500	200	157	357	318	39	110	133	126	259	33	16	276
PAISLEY, .	84,455	86,000	104	106	210	198	12	28	62	74	136	4	3	137
LEITH, .	80,601	79,800	89	91	180	170	10	41	52	57	109	12	4	117
GREENOCK, .	75,140	78,000	115	120	235	224	11	41	68	66	134	6	4	136
PERTH, .	35,854	34,000	22	31	53	51	2	18	26	20	46	1	9	38
TOTAL . (EIGHT TOWNS)	1,945,282	1,982,500	2255	2260	4515	4218	297	1158	1479	1511	2990	157	190	2957
COATBRIDGE, .	43,286	43,000	55	62	117	110	7	14	28	29	57	3	2	58
MOTHERWELL .	40,380	41,500	66	55	121	117	4	18	33	19	52	4	0	56
KIRKCALDY .	39,601	41,100	37	44	81	76	5	14	21	22	43	13	0	56
HAMILTON, .	33,644	38,600	73	53	126	121	5	15	13	23	36	3	4	35
CLYDEBANK, .	37,548	44,600	64	62	126	122	4	13	18	24	42	10	0	52
KILMARNOCK, .	34,728	35,500	44	38	82	77	5	23	36	21	57	3	7	53
FALKIRK, .	33,574	33,300	37	50	87	83	4	13	25	11	36	2	3	35
AYR, .	32,986	33,100	39	39	78	74	4	19	24	29	53	4	6	51
TOTAL . (SIXTEEN TOWNS)	2,246,029	2,293,200	2670	2663	5333	4998	335	1287	1677	1689	3366	199	212	3353

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, MARCH 1914.

TOWNS	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	29·0	5·5	7·5	17·6	17·3	2·1	2·1	1·4	3·2	301	122
EDINBURGH, .	19·5	8·3	7·1	18·6	17·7	1·4	1·9	1·2	3·3	57	105
DUNDEE, .	24·7	10·0	3·9	15·7	15·8	0·9	2·5	1·7	2·1	37	101
ABERDEEN, .	26·4	10·9	8·1	19·1	20·4	1·9	2·3	1·7	3·5	53	162
PAISLEY, .	28·8	5·7	3·8	18·6	18·8	2·1	1·2	0·8	3·2	32	167
LEITH, .	26·6	5·6	6·1	16·1	17·3	1·0	2·5	1·8	3·4	18	100
GREENOCK, .	35·5	4·7	6·2	20·2	20·6	0·9	2·3	1·8	3·8	28	136
PERTH, .	18·4	3·8	6·2	15·9	13·2	0·0	2·8	1·4	2·8	4	69
TOTAL (EIGHT TOWNS)	26·8	6·6	6·9	17·8	17·6	1·8	2·1	1·4	3·2	530	122
COATBRIDGE, .	32·0	6·0	3·8	15·6	15·9	3·6	1·9	1·4	3·0	14	120
MOTHERWELL, .	34·4	3·3	5·1	14·8	15·9	2·3	1·7	0·0	4·0	16	140
KIRKCALDY, .	23·2	6·2	4·0	12·3	16·0	0·3	2·0	1·4	2·9	11	134
HAMILTON, .	38·5	4·0	4·6	11·0	10·7	1·2	1·8	1·2	1·8	8	72
CLYDEBANK, .	33·3	3·2	3·4	11·1	13·7	0·8	1·1	0·5	1·9	13	108
KILMARNOCK, .	27·2	6·1	7·6	18·9	17·6	0·7	2·3	2·0	2·0	11	145
FALKIRK, .	30·8	4·6	4·6	12·7	12·4	1·4	1·1	0·7	3·2	7	91
AYR, .	27·7	5·1	6·8	18·8	18·1	3·2	2·1	1·1	2·8	14	192
TOTAL . (SIXTEEN TOWNS)	27·4	6·3	6·6	17·3	17·2	1·7	2·1	1·3	3·1	624	122

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR MARCH 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
MAR. 1914, .	26·8	6·6	6·9	17·6	1	140	29	38	34	4	50	122	40°·8
MAR. 1913, .	25·8	7·3	8·1	18·9	0	24	18	205	35	5	64	140	41°·1
MAR. 1912, .	26·2	7·2	4·9	17·1	0	171	30	32	31	8	43	124	43°·4
MAR. 1911, .	28·7	7·9	5·5	18·3	0	14	18	146	24	6	42	123	40°·6
MAR. 1910, .	28·0	7·1	6·6	18·5	0	193	20	37	31	9	49	137	43°·3
MAR. 1909, .	30·7	7·3	5·7	23·9	0	7	26	262	39	13	44	153	37°·3
MAR. 1908, .	28·9	6·6	6·5	21·1	1	209	21	94	17	5	—	146	39°·3
MAR. 1907, .	27·6	7·5	5·7	21·1	0	25	3	133	31	16	—	136	43°·1
MAR. 1906, .	29·7	7·3	5·5	19·6	0	113	17	50	29	10	—	127	39°·6
MAR. 1905, .	31·6	6·7	5·5	19·1	0	32	6	117	24	8	—	129	42°·8
MAR. 1904, .	30·9	6·8	5·9	22·8	20	95	13	114	18	17	—	149	39°·8

In Columns 5–13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	-	1	-	-	-	2	-	1	-	-
Typhus Fever - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Small-pox - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Measles - - - - -	165	45	107	10	1	1	1	-	-	-	-	-
Scarlet Fever - - - - -	33	3	14	9	1	3	1	2	-	-	-	-
Whooping-cough - - - - -	44	22	22	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	38	4	25	6	1	1	-	-	1	-	-	-
Influenza - - - - -	10	1	-	-	-	-	2	1	-	4	-	22
Erysipelas - - - - -	6	1	-	-	-	-	-	1	-	2	-	22
Phthisis, Pulmonary Tuberculosis - - - - -	262	-	11	8	9	57	61	52	30	28	5	11
Tuberculous Meningitis - - - - -	60	11	30	10	3	3	1	2	-	-	-	-
Abdominal Tuberculosis - - - - -	42	7	20	6	3	2	1	1	1	-	1	-
Other Tuberculous Diseases - - - - -	39	3	8	5	1	7	8	2	3	2	-	-
Cancer, Malignant Disease - - - - -	197	-	-	-	-	1	4	25	41	56	44	266
Rheumatic Fever - - - - -	9	-	-	1	1	1	-	2	1	3	-	-
Meningitis - - - - -	34	12	11	3	2	1	1	1	2	1	-	-
Organic Heart Disease - - - - -	285	-	-	2	4	6	17	25	36	49	91	555
Bronchitis - - - - -	256	33	17	2	-	1	6	12	29	48	61	477
Pneumonia (all forms) - - - - -	304	64	78	8	2	15	17	25	22	28	28	177
Other Diseases of Respiratory Organs - - - - -	45	9	7	2	1	2	2	3	5	5	5	44
Diarrhoea and Enteritis (under 2 years) - - - - -	55	47	8	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	17	-	-	4	5	2	2	4	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	21	2	-	-	1	1	1	1	7	3	4	1
Other Diseases of Digestive System (under 2 years) - - - - -	27	22	5	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	84	-	2	-	-	4	10	9	17	18	14	10
Puerperal Sepsis - - - - -	16	-	-	-	-	5	8	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	19	-	-	-	-	5	8	6	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	233	229	2	2	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	119	15	10	7	5	12	16	12	13	17	6	6
Suicide - - - - -	12	-	-	-	-	2	2	2	5	-	1	-
Other Defined Diseases - - - - -	835	79	25	10	4	20	34	53	91	122	190	207
Diseases Ill defined or Unknown - - - - -	79	15	7	2	1	-	2	2	12	13	17	8
Total - - - - -	3353	624	409	98	45	152	206	249	317	400	467	386

GLASGOW—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	3	-	-	1	-	-	-	2	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	107	28	71	7	1	-	-	-	-	-	-	-
Scarlet Fever - - - - -	16	2	7	5	-	2	-	-	-	-	-	-
Whooping-cough - - - - -	30	17	13	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	11	2	9	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	-	-	-	-	-	1	-	-	2	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	121	-	4	4	4	26	38	19	11	13	2	-
Tuberculous Meningitis - - - - -	25	5	12	5	1	-	1	1	-	-	-	-
Abdominal Tuberculosis - - - - -	22	5	9	4	2	2	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	19	1	3	3	-	4	3	2	3	-	-	-
Cancer, Malignant Disease - - - - -	82	-	-	-	-	1	1	11	21	22	19	7
Rheumatic Fever - - - - -	5	-	-	-	1	-	-	2	-	2	-	-
Meningitis - - - - -	23	11	9	2	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	88	-	-	2	2	1	5	12	17	13	20	16
Bronchitis - - - - -	118	15	8	2	-	1	5	7	14	22	27	17
Pneumonia (all forms) - - - - -	149	32	44	5	1	3	9	11	13	15	11	5
Other Diseases of Respiratory Organs - - - - -	20	3	4	2	-	1	1	1	2	4	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	22	19	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	1	1	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	9	-	-	-	-	1	-	-	3	1	3	1
Other Diseases of Digestive System (under 2 years) - - - - -	12	8	4	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	43	-	1	-	-	2	7	5	8	8	7	5
Puerperal Sepsis - - - - -	9	-	-	-	-	3	5	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	13	-	-	-	-	4	5	4	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	104	101	2	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	53	5	4	4	2	6	6	7	7	7	1	4
Suicide - - - - -	7	-	-	-	-	1	2	-	4	-	-	-
Other Defined Diseases - - - - -	366	40	11	3	3	13	16	29	39	56	76	80
Diseases Ill-defined or Unknown - - - - -	46	7	5	1	1	-	2	1	9	9	8	3
Total - - - - -	1533	301	223	52	19	72	108	116	152	176	175	139

EDINBURGH—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	22	5	15	1	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	5	1	3	-	1	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	32	-	1	1	-	7	5	10	4	2	1	1
Tuberculous Meningitis - - - - -	7	1	3	3	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	12	1	4	1	-	1	3	-	-	2	-	-
Cancer, Malignant Disease - - - - -	41	-	-	-	-	-	-	5	6	11	13	6
Rheumatic Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	66	-	-	-	2	-	2	5	6	14	23	14
Bronchitis - - - - -	35	6	1	-	-	-	-	1	4	5	9	9
Pneumonia (all forms) - - - - -	45	5	12	1	1	3	1	2	3	4	8	5
Other Diseases of Respiratory Organs - - - - -	9	1	1	-	-	-	-	1	1	1	2	2
Diarrhoea and Enteritis (under 2 years) - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	16	-	1	-	-	-	1	1	3	2	4	4
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	12	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	14	3	1	2	-	-	1	2	-	1	3	1
Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Defined Diseases - - - - -	132	11	4	1	-	3	6	6	13	20	32	36
Diseases Ill-defined or Unknown - - - - -	5	2	-	-	-	-	-	-	1	1	-	1
Total - - - - -	484	57	51	12	5	17	21	37	44	65	96	79

DUNDEE—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	1	-	-	1	-	1	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	25	-	-	2	-	8	3	6	2	4	-	-
Tuberculous Meningitis - - - - -	6	2	1	1	1	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	19	-	-	-	-	-	-	3	5	6	1	4
Rheumatic Fever - - - - -	2	-	-	-	-	-	-	1	1	1	-	-
Meningitis - - - - -	2	-	-	1	-	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	26	-	-	-	-	1	3	1	4	3	8	6
Bronchitis - - - - -	18	-	-	-	-	-	-	1	4	3	6	4
Pneumonia (all forms) - - - - -	11	3	1	-	-	-	1	2	-	-	3	1
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	7	6	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	13	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	11	3	-	-	1	1	2	-	1	3	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	69	6	4	2	-	-	4	-	10	5	18	20
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	1	1	3	-
Total - - - - -	236	37	15	8	3	12	16	16	29	26	39	35

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	1	1	1	-	-	-	1	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	10	-	5	4	-	1	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	23	-	2	-	2	5	2	2	4	4	2	-
Tuberculous Meningitis - - - - -	3	1	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	1	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	-	-	1	4	2	4	4	5
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	27	-	-	-	-	3	1	1	1	4	15	2
Bronchitis - - - - -	19	3	-	-	-	-	-	1	1	5	2	7
Pneumonia (all forms) - - - - -	28	5	4	-	-	6	1	-	2	3	3	4
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	10	8	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	1	-	1	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	-	1	3	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	18	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	2	-	-	-	-	1	-	-	2	1	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - - - -	81	9	3	1	-	2	3	4	9	11	21	18
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Total - - - - -	276	53	22	6	4	18	13	13	22	37	51	37

PAISLEY—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	2	2	1	1	-	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	3	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	10	-	-	-	-	-	1	1	-	1	4	3
Bronchitis - - - - -	14	1	1	-	-	-	-	2	1	2	4	3
Pneumonia (all forms) - - - - -	6	2	-	-	-	1	1	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	19	18	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	1	1	-	-	-	-	1	1	-	-
Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - - - -	40	1	-	-	1	-	1	3	2	11	10	11
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Total - - - - -	137	32	15	3	1	5	6	10	10	17	19	19

LEITH—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	-	4	-	-	-	1	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	1	-	3	1	2	3	1	1	-	-
Tuberculous Meningitis - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	1	1	4	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	-	1	1	1	3	1	2
Bronchitis - - - - -	10	1	1	-	-	-	-	-	1	3	4	-
Pneumonia (all forms) - - - - -	9	1	3	1	-	-	1	-	2	-	1	-
Other Diseases of Respiratory Organs - - - - -	4	1	-	-	-	1	-	-	-	-	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	2	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	-	2	-	-	-	1	-	1	2	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	25	2	-	2	-	-	-	2	3	3	6	7
Diseases ill defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Total - - - - -	117	18	14	7	6	2	6	9	10	17	17	11

GREENOCK—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	1	-	-	2	2	2	5	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	16	-	-	-	-	-	2	-	3	2	6	3
Bronchitis - - - - -	9	2	4	-	-	-	-	-	1	1	-	1
Pneumonia (all forms) - - - - -	16	4	3	-	-	2	-	2	-	3	1	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	14	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	1	-	-	1	1	3	2	1	-	-	-
Suicide - - - - -	-	-	-	-	-	1	2	2	2	6	11	9
Other Defined Diseases - - - - -	35	2	-	-	-	-	-	-	-	-	-	-
Diseases ill-defined or Unknown - - - - -	4	1	1	-	-	-	-	-	-	1	-	1
Total - - - - -	136	28	14	-	2	8	10	10	14	15	20	15

PERTH—March 1914

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	1	-	-	-	-	-	1	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	4	-	-	-	-	2	1	1	-	-	-	-	
Tuberculous Meningitis	2	-	-	-	-	1	-	1	-	-	-	-	
Abdominal Tuberculosis	2	-	-	-	-	-	1	1	-	-	-	-	
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease	5	-	-	-	-	-	-	-	-	-	3	2	
Bronchitis	5	-	-	-	-	-	-	-	-	1	2	2	
Pneumonia (all forms)	3	-	1	-	-	-	1	1	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant)	1	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease	2	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Pre- mature Birth	4	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases	7	-	-	-	-	-	-	-	1	-	3	3	
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Total	38	4	1	-	1	3	3	6	2	2	8	8	

COATBRIDGE—March 1914.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	7	3	4	-	-	-	-	-	-	-	-	-	
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	6	2	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	5	-	-	-	-	2	-	2	1	-	-	-	
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis	2	-	1	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease	5	-	-	-	-	-	-	1	-	1	2	1	
Bronchitis	6	1	-	-	-	-	-	-	1	1	1	2	
Pneumonia (all forms)	5	1	1	-	-	-	1	2	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease	3	-	-	-	-	2	-	-	-	1	-	-	
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Pre- mature Birth	4	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	2	-	-	-	-	1	1	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases	10	3	-	-	-	-	-	1	-	1	2	3	
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	-	1	-	
Total	58	14	10	-	-	5	3	6	3	5	6	6	

MOTHERWELL—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	8	5	2	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	5	-	-	-	-	-	1	-	-	1	2	-
Pneumonia (all forms) - - - - -	9	4	2	1	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	2	1	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	1	-	1	-	-	-	-	1	2	4	2
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Total - - - - -	56	16	11	3	-	-	3	-	5	6	9	3

KIRKCALDY—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	1	-	-	2	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	-	1	-	1	2	4	1
Bronchitis - - - - -	5	2	1	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	1	-	-	1	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	2	1	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	1	-	-	-	-	-	1	2	2	4	5
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - - -	56	11	3	1	1	2	5	4	3	8	9	9

HAMILTON—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	1	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	1	-	3	-	-
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	3	-	2	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	4	-	1	-	-	-	-	-	1	-	-	-
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - - -	35	8	7	2	-	1	3	3	3	5	-	-

CLYDEBANK—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	-	1	3	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	4	1	1	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	1	1	-	-
Puerperal Sepsis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	3	1	-	-	-	1	2	4	1	1	-
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Total - - - - -	52	13	7	1	-	-	3	4	9	9	4	-

KILMARNOCK—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis	6	-	1	-	-	1	1	2	-	1	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease	6	-	-	-	-	1	-	1	-	1	1	2
Bronchitis	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms)	3	2	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	3	-	-	-	1	1	-	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	13	-	-	-	-	-	1	1	2	2	2	5
Diseases Ill-defined or Unknown	2	-	-	1	-	-	-	-	1	-	-	-
Total	53	11	2	1	2	4	2	6	4	6	7	8

FALKIRK—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	3	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	1	-	1	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	2	-	-	-	-	-	-	-	1	1	-	-
Tuberculous Meningitis	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	1	-	-	1
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	-	-	-	-	1	2	-	-	-
Bronchitis	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms)	8	2	-	-	-	-	1	3	-	1	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	6	-	1	-	-	1	-	1	1	1	-	1
Diseases Ill-defined or Unknown	3	1	-	-	-	-	-	1	-	-	1	-
Total	35	7	4	1	-	2	2	6	5	3	1	4

AYR—March 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	7	2	5	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	1	1	-	1	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	-	1	-	-	1	3	2
Bronchitis - - - - -	3	-	-	-	-	-	-	-	1	-	1	1
Pneumonia (all forms) - - - - -	4	2	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	-	-	-	-	-	-	1	1	1	-	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	51	14	10	1	1	1	2	3	2	3	6	8

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of MARCH 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.	AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.												
			Mean of		Difference from Average	Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.				Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.												
			Maximum (A).	Minimum (B.)		Day of Month.	Maximum	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.			Vapour Pressure.	Humidity.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.		
GLASGOW, Medical Officer of Health, Glasgow.	54	29.424	29.485	inch.	inch.	feet.	57	31st	26	9th	40.3	1.9	.212	85	21	4.11	+1.68	3	2	10	8	0	8	11	4	16	
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	28.989	29.472				56	30th	28	9th	39.4	1.6	.210	87	19	2.84	+1.37	1	5	1	4	10	13	22	5	1	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.281	29.465				56	31st	25	9th	38.5	1.2	.209	90	21	3.30	+1.42	1	8	0	13	0	26	4	10	0	
ABERDEEN,* The Meteorological Office.	90	29.332	29.434				59	31st	28	10, 11,	39.5	1.5	.212	88	18	3.00	+0.67	0	3	2	9	8	13	14	5		
PAISLEY, The Coats Observatory.	107	29.357	29.478				56	30, 31	28	9th	40.8	1.8	.217	86	23	5.37	+2.62	2	4	5	5	6	10	18	8	4	
LEITH, † JAMES BOLAM, Navigation School.	76	29.372	29.458				58	30th	29	9th	40.7	1.9	.215	85	22	2.83	+1.17	0	4	6	4	4	6	30	6	2	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.204	29.473				55	30th	27	9th	39.8	1.4	.217	89	24	7.42	+2.69	0	9	1	7	0	9	16	17	3	
PERTH, ALEX. M. RODGER, The Museum.	85	29.366	29.462				58	30, 31	20	9th	38.5	2.3	.189	82	23	3.89	+1.55	6	5	7	3	3	11	12	13	2	
Means	156	29.291	29.466				46.6	35.1	40.8	+0.5	39.7	1.7	.210	86	21	4.10	+1.65	2	5	4	7	4	11	16	9	4	
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																											

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

APRIL 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of April 1914 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5416 living children, of whom 2743 were male, and 2673 female. Male children registered in these towns during the month number 73 more than in March, and female children 10 more. The total children registered number 83 more than in March and 299 than the average number registered monthly during the preceding three months, but 31 fewer than in April of last year. The equivalent annual birth-rate is 28·8 per thousand of the estimated aggregate population of these sixteen towns, a rate which is 1·4 more than that of March, and 1·6 more than the mean of the birth-rates of the three preceding months, but is 0·5 less than the birth-rate of April of last year. In the individual towns the birth-rate ranged from 38·4 in Greenock, 35·5 in Motherwell, 35·1 in Coatbridge, and 35·0 in Clydebank, to 21·5 in Perth, 22·7 in Edinburgh, and 22·8 in Kirkcaldy. In Hamilton the birth-rate of the month was 30·3; in Glasgow, 30·1; in Paisley, 30·0; in Ayr, 29·0; in Falkirk, 28·5; in Leith, 28·1; in Aberdeen, 27·9; in Kilmarnock, 27·8; and in Dundee, 26·3.

Of the 5416 children registered during the month, 5050, or 93·2 per cent., were legitimate, while 366, or 6·8 per cent., were illegitimate. These illegitimate children number 31 more than in March, 8 more than the average during the preceding three months, and 21 more than in April of last year. The illegitimate rate is 0·5 more than that of March, and the same amount more than that of April of last year, but is 0·2 less than the mean of the illegitimate rates of the preceding three months. In the individual towns this rate ranged from 13·9 in Ayr, 9·9 in Kilmarnock, and 8·3 in Edinburgh and in Hamilton, to 1·3 in Falkirk, and 2·5 in Motherwell. In Aberdeen this rate was 8·2; in Dundee, 7·6; in Perth 6·7; in Glasgow, 6·6; in Greenock, 6·5; in Clydebank, 6·2; in Leith, 6·0; in Coatbridge, 4·8; in Kirkcaldy, 3·9; and in Paisley, 3·8.

Marriages registered in these towns during the month numbered 1998, and for this number the equivalent annual marriage-rate is 10·6 per thousand. These marriages are 711 more than registered in March, 401 more than the average

during the preceding three months, and 257 more than in April of last year. The marriage-rate of the month is 4·0 more than that of March, 1·2 more than that of April of last year, and 2·2 more than the mean of those of the three preceding months. In the individual towns the marriage-rate of the month ranged from 14·0 in Dundee, 11·7 in Glasgow, and 11·6 in Paisley, to 4·7 in Kirkcaldy and in Hamilton, and 5·3 in Motherwell. In Greenock the marriage-rate of the month was 10·8; in Perth, 10·7; in Kilmarnock, 10·6; in Ayr, 10·3; in Edinburgh 9·8; in Aberdeen, 9·7; in Clydebank, 7·4; in Coatbridge, 7·1; in Leith, 6·6; and in Falkirk, 6·2.

Deaths registered during the month numbered 3124, 1611 being of males, and 1513 of females. Of these deaths 233 were of persons having usual residences outwith the town of registration, but the deaths of 199 persons with usual residence within one or other of these towns were registered elsewhere in Scotland during the month, and the difference, 34, falls to be deducted to obtain the corrected number of deaths of the month, which accordingly is found to be 3090. The corrected number of deaths is 263 less than in March, 131 less than in April of last year, and 363 less than the average during the preceding three months.

The death-rate of the month, corrected, is 16·4 per thousand, and is 0·8 less than in March, and 1·0 less than in April of last year, and is 1·9 less than the mean of the death-rates of the three preceding months. In the individual towns the death-rate of the month ranged from 19·1 in Ayr, 18·9 in Aberdeen, and 18·4 in Coatbridge, to 12·4 in Leith, 12·4 in Falkirk, and 13·6 in Perth. In Greenock the corrected death-rate of the month was 18·0; in Hamilton, 17·7; in Glasgow, 16·6; in Edinburgh, 16·6; in Dundee, 15·7; in Motherwell, 15·6; in Kilmarnock, 15·4; in Kirkcaldy, 15·4; in Paisley, 15·0; and in Clydebank, 14·2.

Of the deaths of residents of these towns 897, or 29·0 per cent., were of children of less than five years old, while 738, or 23·9 per cent., were of persons of over sixty-five. The former are 136 fewer than in March, and 95 fewer than in April of last year. The latter are 115 fewer than in March, and 86 fewer than in April of last year.

Deaths of children of less than one year old numbered 541, and are equal to an infantile mortality rate of 110 per thousand of the average number of births registered monthly in these towns during the preceding twelve months. These deaths are 83 fewer than in March, and 44 fewer than in April of last year, and are 137 fewer than the mean of the numbers of the three preceding months. This rate is 12 less than that of March, 1 less than that of April of last year, and 28 less than the mean of the rates of the three preceding months. In the individual towns the infantile mortality rate of the month ranged from 190 in Kirkcaldy, 178 in Kilmarnock, 143 in Coatbridge, 143 in Ayr, and 138 in Aberdeen, to 36 in Perth, 68 in Falkirk, and 75 in Greenock. In Hamilton, the infantile mortality rate of the month was 123; in Glasgow, 117; in Dundee, 99; in Clydebank, 94; in Leith, 92; in Motherwell, 90; in Paisley, 86; and in Edinburgh, 79.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 271. They are 69 fewer than in March, and 68 fewer than in April of last year, and are 77 less than the average during the preceding three months. The monthly death-rate from these causes is 1·4 per thousand, which is 0·3 less than that of the previous month, 0·4 less than the mean of those of the three preceding months, and 0·4 less than that of April of last year. In the individual towns the death-rate from these causes ranged from 4·0 in Coatbridge, 2·8 in Hamilton, 2·4 in Motherwell, and 2·1 in Kilmarnock, to 0·4 in Perth, 0·5 in Leith, and 0·7 in Falkirk. In Glasgow this rate was 1·8; in Ayr, 1·8; in Aberdeen, 1·4; in Kirkcaldy, 1·2; in Dundee, 0·9; in Edinburgh, 0·8; in Paisley, 0·8; in Greenock, 0·8; and in Clydebank, 0·8.

Deaths from measles numbered 107; from scarlet fever, 20; from whooping-cough, 52; from diphtheria, 31; from enteric fever, 10; and from the diarrhœas of childhood, 51. Compared with the figures of the previous month, the deaths from measles are 58 fewer, from scarlet fever 13 fewer, from diphtheria 7 fewer, and from the diarrhœas of childhood 4 fewer, but those from enteric fever are 6 more, and those from whooping-cough are 8 more.

No deaths from either typhus fever or from smallpox were registered in these towns during the month. Deaths from influenza (uncomplicated) numbered 5; from malignant disease, 178; from heart disease, 264; from puerperal septic conditions, 8; and from violence, 129, of which 11 were attributed to suicide.

Deaths from pneumonia numbered 294, and constituted 9·5 per cent. of the total deaths of the month. They are 10 fewer than in March, but 2 more than in April of last year. Deaths from bronchitis numbered 224, and constituted 7·2 per cent. of the total deaths of the month. They are 32 fewer than in March, and 15 fewer than in April of last year.

Deaths from tuberculosis, all forms, numbered 426, and constituted 13·8 per cent. of the total deaths of the month. They are 23 more than in March, and 21 more than in April of last year. Of them 275 were attributed to phthisis, a number which is 13 more than in March, and 11 more than in April. The deaths from phthisis constituted 8·9 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·5 per thousand. In the individual towns the phthisis death-rate ranged from 2·2 per thousand in Greenock and in Falkirk, to 0·9 per thousand in Kirkcaldy and in Hamilton. In Ayr this rate was 1·8; in Dundee, 1·7; in Edinburgh, 1·5; in Aberdeen, 1·5; in Motherwell, 1·5; in Glasgow, 1·4; in Coatbridge, 1·4; in Clydebank, 1·4; in Leith, 1·2; in Paisley 1·1; in Perth, 1·1; and in Kilmarnock, 1·0.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

APRIL 1914.

Mean barometric pressure, 29·943 in.; greater than the average of 1856–1905 by 0·050 in.

Mean temperature, 48°·5; greater by 3°·7.

Mean daily range of temperature, 17°·2; greater by 3°·2.

Rain, number of days, 12; less by 2 days.

Rain, depth in inches, 1·72; less by 0·37 in.

Wind, direction of: an 8 days' excess of winds from S.W. and W.

Hence the month was characterised by a somewhat high mean pressure; an abnormally high mean temperature, with an abnormally high mean daily range; a slightly low mean rainfall; and a large excess of winds from S.W. and W.

The mean pressure was 29·943 in., or 0·050 in. above the normal. During the first twelve days or so conditions were very unsettled, as had been the case throughout the whole of March. During the latter half of the month, however, the weather over our Islands was almost continuously controlled by an extensive high pressure area, though from 22nd to 24th a low pressure system to the north affected Scotland. At Leith, at sea-level, the barometer remained above 30 in. from 14th to 30th, with readings as high as 30½ in. on 15th and 26th, the extremes there being 30·509 in. on 26th and 29·031 in. on 6th.

The mean temperature was 48°·5, or 3°·7 above the normal, and since observations were first organised in 1856 so warm an April has been recorded only in 1896. With a mean night temperature 2°·1 above the normal and a mean day temperature

in excess by as much as 5°·3, the mean daily range was abnormally large. During the first half of the month strong south-westerly and westerly winds maintained a mild type of conditions, whilst during the latter half high temperatures were associated with unusually large amounts of sunshine. For the week ending 25th, several districts had mean temperatures above the average by 7° or 8°, and on 20th or 21st Gordon Castle and Perth recorded readings of 75° in the shade. On 30th, with a damp easterly wind, there was a considerable fall of temperature. Lowest readings occurred about 4th, 8th, or 15th, the minimum reported at the chief towns being 29° at Perth on 15th.

The mean rainfall was 1·72 in., or 18 per cent. below the normal, There was a sharp separation between eastern and western districts. Towards the east and also in the south there was a well-marked deficiency, and many eastern stations had aggregates of less than 1 in. At Aberdeen the aggregate of 0·66 in. was hardly one-third of the normal. At Glasgow the amount hardly reached the normal, but at Greenock and Paisley there was an excess, whilst towards the north-west amounts were much above the normal—at Fort William by as much as 85 per cent. Early in the month some rather heavy falls occurred in the west, as much as 1·40 in. at Greenock on 12th, whilst in the North-West Highlands Glencarron had 1½ in. on 5th and 2 in. on 12th, and an aggregate for the first twelve days of 7½ in. From 14th onwards conditions were of an extremely settled character except for some moderate falls on 22nd or 23rd and trifling falls on 30th. At Dundee after the 9th there were only 2 days on which rain fell, and on both of these the amounts were trifling.

Early in the month wind force was high, reaching a gale at times. On 5th a thunderstorm occurred in Edinburgh and elsewhere, and on the afternoon of 9th one of considerable intensity was widely experienced.

Sunshine amounts were greatly above the normal in many districts, and towards the south-east the amounts were remarkable. At Marchmont in Berwickshire the aggregate of 235 hours exceeded by an average of one hour per day that for any April back to 1881, when the Campbell-Stokes recorder came into use.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, APRIL 1914.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,047,000	1268	1317	2585	2415	170	1008	762	679	1441	67	81	1427
EDINBURGH, . .	320,769	321,900	318	281	599	549	50	259	241	242	483	36	79	440
DUNDEE, . . .	176,085	176,300	195	186	381	352	29	203	104	118	222	10	5	227
ABERDEEN, . .	163,891	159,500	191	174	365	335	30	127	135	113	248	22	23	247
PAISLEY, . . .	84,455	86,000	108	104	212	204	8	82	48	59	107	3	4	106
LEITH, . . .	80,601	79,800	97	87	184	173	11	43	41	28	69	12	0	81
GREENOCK, . .	75,140	78,000	132	114	246	230	16	69	58	61	119	5	9	115
PERTH, . . .	35,854	34,000	31	29	60	56	4	30	24	21	45	2	9	38
TOTAL . (EIGHT TOWNS)	1,945,282	1,982,500	2340	2292	4632	4314	318	1821	1413	1321	2734	157	210	2681
COATBRIDGE, .	43,286	43,000	60	64	124	118	6	25	33	32	65	4	4	65
MOTHERWELL .	40,380	41,500	53	68	121	118	3	18	26	22	48	7	2	53
KIRKCALDY . .	39,601	41,100	45	32	77	74	3	16	20	30	50	2	0	52
HAMILTON, . .	38,644	38,600	48	48	96	88	8	15	25	26	51	7	2	56
CLYDEBANK, .	37,548	44,600	69	59	128	120	8	27	15	22	37	16	1	52
KILMARNOCK, .	34,728	35,500	42	39	81	73	8	31	26	21	47	4	6	45
FALKIRK, . . .	33,574	33,300	42	36	78	77	1	17	22	12	34	1	1	34
AYR, . . .	32,986	33,100	44	35	79	68	11	23	31	27	58	1	7	52
TOTAL . (SIXTEEN TOWNS)	2,246,029	2,293,200	2743	2673	5416	5050	366	1998	1611	1513	3124	199	233	3090

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, APRIL 1914.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.*		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	30·1	6·6	11·7	16·8	16·6	1·8	2·2	1·4	3·3	278	117
EDINBURGH, .	22·7	8·3	9·8	18·3	16·6	0·8	2·1	1·5	3·4	42	79
DUNDEE, .	26·3	7·6	14·0	15·3	15·7	0·9	2·5	1·7	2·4	35	99
ABERDEEN, .	27·9	8·2	9·7	18·9	18·9	1·4	2·0	1·5	3·7	44	138
PAISLEY, .	30·0	3·8	11·6	15·1	15·0	0·8	2·3	1·1	2·1	16	86
LEITH, .	28·1	6·0	6·6	10·5	12·4	0·5	1·7	1·2	1·4	16	92
GREENOCK, .	38·4	6·5	10·8	18·6	18·0	0·8	3·0	2·2	3·9	15	75
PERTH, .	21·5	6·7	10·7	16·1	13·6	0·4	3·2	1·1	1·8	2	36
TOTAL . (EIGHT TOWNS)	28·4	6·9	11·2	16·8	16·5	1·4	2·2	1·5	3·1	448	107
COATBRIDGE, .	35·1	4·8	7·1	18·4	18·4	4·0	2·8	1·4	2·5	16	143
MOTHERWELL, .	35·5	2·5	5·3	14·1	15·6	2·4	3·2	1·5	1·5	10	90
KIRKCALDY, .	22·8	3·9	4·7	14·8	15·4	1·2	1·5	0·9	2·4	15	190
HAMILTON, .	30·3	8·3	4·7	16·1	17·7	2·8	1·9	0·9	4·1	13	123
CLYDEBANK, .	35·0	6·2	7·4	10·1	14·2	0·8	1·6	1·4	3·3	11	94
KILMARNOCK, .	27·8	9·9	10·6	16·1	15·4	2·1	2·7	1·0	3·8	13	178
FALKIRK, .	28·5	1·3	6·2	12·4	12·4	0·7	2·6	2·2	1·8	5	68
AYR, .	29·0	13·9	10·3	21·3	19·1	1·8	2·9	1·8	1·5	10	143
TOTAL . (SIXTEEN TOWNS)	28·8	6·8	10·6	16·6	16·4	1·4	2·3	1·5	3·1	541	110

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR APRIL 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Snalipox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
APR. 1914, .	28·4	6·9	11·2	16·5	0	94	17	33	25	9	42	107	48°·5
APR. 1913, .	28·9	6·7	9·8	17·7	0	61	13	150	28	9	48	113	44°·8
APR. 1912, .	30·3	7·1	10·7	17·7	0	151	18	41	21	2	33	119	47°·4
APR. 1911, .	26·4	7·0	9·5	18·2	0	33	9	183	25	4	31	123	45°·4
APR. 1910, .	29·4	6·9	7·9	19·5	0	254	21	27	28	2	69	140	43°·3
APR. 1909, .	31·1	6·9	8·3	19·5	0	17	17	224	29	16	61	135	45°·7
APR. 1908, .	32·1	7·1	10·0	19·9	0	147	20	74	22	3	—	144	42°·1
APR. 1907, .	32·4	6·9	11·6	22·2	0	45	9	224	19	17	—	147	44°·8
APR. 1906, .	31·7	6·4	10·6	19·8	0	83	7	67	22	6	—	125	44°·3
APR. 1905, .	30·4	6·5	8·8	17·9	0	75	6	115	19	8	—	126	42°·9
APR. 1904, .	31·3	7·2	8·5	21·0	18	90	11	94	16	18	—	141	46°·4

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	10	1	—	—	1	2	2	3	1	—	—	—
Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
Measles	107	29	73	5	—	—	—	—	—	—	—	—
Scarlet Fever	20	1	11	4	1	2	1	—	—	—	—	—
Whooping-cough	52	30	22	—	—	—	—	—	—	—	—	—
Diphtheria and Croup	31	5	16	8	—	1	1	—	—	—	—	—
Influenza	5	—	—	—	—	—	—	—	—	—	2	3
Erysipelas	13	3	—	—	—	1	1	2	4	1	—	1
Phthisis, Pulmonary Tuberculosis	275	—	7	2	10	52	55	70	39	26	11	3
Tuberculous Meningitis	57	18	21	11	5	1	—	—	1	—	—	—
Abdominal Tuberculosis	41	2	17	10	2	4	2	2	1	1	—	—
Other Tuberculous Diseases	53	6	14	4	4	9	5	4	3	2	1	1
Cancer, Malignant Disease	178	—	—	—	—	2	8	18	40	46	39	25
Rheumatic Fever	15	—	—	2	1	2	1	5	1	2	—	1
Meningitis	35	10	15	5	—	—	2	—	2	1	—	—
Organic Heart Disease	264	2	3	2	6	13	15	24	34	66	64	35
Bronchitis	224	36	16	1	—	2	1	8	21	37	65	37
Pneumonia (all forms)	294	58	60	3	5	11	26	26	24	24	34	23
Other Diseases of Respiratory Organs	57	5	15	—	1	1	1	5	5	11	4	9
Diarrhoea and Enteritis (under 2 years)	51	44	7	—	—	—	—	—	—	—	—	—
Appendicitis and Typhlitis	18	—	—	1	4	6	4	1	1	—	1	—
All Liver Diseases (not Malignant)	34	—	—	—	—	—	3	1	8	11	10	1
Other Diseases of Digestive System (under 2 years)	22	19	3	—	—	—	—	—	—	—	—	—
Nephritis and Bright's Disease	103	2	3	1	2	4	10	11	22	27	16	4
Puerperal Sepsis	8	—	—	—	—	2	4	2	—	—	—	—
Other Diseases & Accidents of Pregnancy & Parturition	20	—	—	—	—	2	9	9	—	—	—	—
Congenital Debility and Malformation, including Pre-mature Birth	180	176	3	—	—	1	—	—	—	—	—	—
Violent Deaths, excluding Suicide	118	10	15	9	5	14	11	7	17	20	6	4
Suicide	11	—	—	—	—	1	1	1	4	3	1	—
Other Defined Diseases	722	73	29	10	6	20	33	43	68	122	157	161
Diseases Ill-defined or Unknown	72	11	6	4	—	2	4	7	7	12	15	4
Total	3090	541	356	82	54	155	200	249	303	412	426	312

GLASGOW—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	8	1	—	—	1	1	2	2	1	—	—	—
Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
Measles	73	22	48	3	—	—	—	—	—	—	—	—
Scarlet Fever	13	1	7	3	—	1	1	—	—	—	—	—
Whooping-cough	27	14	13	—	—	—	—	—	—	—	—	—
Diphtheria and Croup	13	2	6	5	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	2
Erysipelas	4	1	—	—	—	—	—	2	1	—	—	—
Phthisis, Pulmonary Tuberculosis	124	—	5	2	3	21	25	33	17	11	6	1
Tuberculous Meningitis	30	12	11	4	3	—	—	—	—	—	—	—
Abdominal Tuberculosis	23	1	10	7	2	—	1	1	1	—	—	—
Other Tuberculous Diseases	15	1	2	2	2	2	2	1	1	1	—	1
Cancer, Malignant Disease	65	—	—	—	—	—	2	13	15	15	14	6
Rheumatic Fever	7	—	—	1	—	2	1	1	—	1	—	1
Meningitis	15	5	5	2	—	—	2	—	1	—	—	—
Organic Heart Disease	117	1	1	—	3	7	8	12	18	34	21	12
Bronchitis	109	21	7	1	—	—	—	4	10	17	36	13
Pneumonia (all forms)	141	29	36	—	3	7	14	9	10	13	11	9
Other Diseases of Respiratory Organs	31	4	10	—	1	1	—	3	2	5	2	3
Diarrhoea and Enteritis (under 2 years)	20	19	1	—	—	—	—	—	—	—	—	—
Appendicitis and Typhlitis	7	—	—	—	3	3	1	—	—	—	—	—
All Liver Diseases (not Malignant)	14	—	—	—	—	—	1	—	4	5	4	—
Other Diseases of Digestive System (under 2 years)	8	8	—	—	—	—	—	—	—	—	—	—
Nephritis and Bright's Disease	54	1	—	—	1	2	6	3	15	15	10	1
Puerperal Sepsis	3	—	—	—	—	—	2	1	—	—	—	—
Other Diseases & Accidents of Pregnancy & Parturition	6	—	—	—	—	—	3	3	—	—	—	—
Congenital Debility and Malformation, including Pre-mature Birth	85	83	1	—	—	1	—	—	—	—	—	—
Violent Deaths, excluding Suicide	55	6	6	3	3	8	5	3	9	6	3	3
Suicide	5	—	—	—	—	—	1	—	2	1	1	—
Other Defined Diseases	316	42	18	2	3	8	15	15	34	53	66	60
Diseases Ill-defined or Unknown	37	4	2	1	—	2	2	6	5	9	5	1
Total	1427	278	189	36	28	66	94	112	146	186	179	113

EDINBURGH—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	14	3	11	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	5	-	3	1	-	1	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	39	-	-	-	2	5	6	12	6	4	3	1
Tuberculous Meningitis - - - - -	9	3	5	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	5	-	3	-	-	-	-	-	1	-	1	-
Cancer, Malignant Disease - - - - -	43	-	-	-	-	-	3	1	14	13	5	7
Rheumatic Fever - - - - -	2	-	-	1	-	-	-	-	1	-	-	-
Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	52	-	1	-	-	-	5	4	7	12	18	5
Bronchitis - - - - -	27	2	1	-	-	-	-	-	-	7	8	9
Pneumonia (all forms) - - - - -	53	8	10	1	1	1	4	7	5	3	9	4
Other Diseases of Respiratory Organs - - - - -	9	-	2	-	-	-	-	-	-	4	1	2
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
All Liver Diseases (not Malignant) - - - - -	7	-	-	-	-	-	1	-	2	2	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	-	-	-	2	1	-	2	1	1
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	18	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12	2	2	-	-	2	2	1	1	2	-	-
Suicide - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Other Defined Diseases - - - - -	117	3	1	1	1	5	6	9	10	21	31	29
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	-	2	-	2
Total - - - - -	440	42	43	5	5	18	29	35	50	72	80	61

DUNDEE—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	24	-	-	-	1	3	4	9	3	3	1	-
Tuberculous Meningitis - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Abdominal Tuberculosis - - - - -	4	-	2	-	-	2	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	6	1	-	1	-	1	1	1	1	-	-	-
Cancer, Malignant Disease - - - - -	16	-	-	-	-	1	-	-	2	5	4	4
Rheumatic Fever - - - - -	2	-	-	-	1	-	-	1	-	-	-	-
Meningitis - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - - - -	22	-	-	-	1	1	1	4	2	5	5	3
Bronchitis - - - - -	15	-	1	-	-	-	-	1	4	4	2	3
Pneumonia (all forms) - - - - -	18	3	2	-	-	-	-	3	1	-	5	4
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	8	-	-	-	1	1	-	1	1	2	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	15	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	-	1	1	1	1	-	-	-	2	1	1
Suicide - - - - -	3	-	-	-	-	1	-	1	-	1	-	-
Other Defined Diseases - - - - -	57	5	1	1	-	2	1	3	4	11	17	12
Diseases Ill-defined or Unknown - - - - -	5	-	1	-	-	-	1	1	-	-	2	-
Total - - - - -	227	35	12	4	5	13	8	28	19	35	39	29

ABERDEEN—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	6	-	3	2	-	-	1	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	4	-	-	-	-	1	1	-	-	1	-	1
Phthisis, Pulmonary Tuberculosis	20	-	-	-	1	5	4	3	4	1	1	1
Tuberculous Meningitis -	3	-	-	2	1	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	3	-	1	-	1	1	-	-	-	-	-	-
Cancer, Malignant Disease -	7	-	-	-	-	-	-	1	1	1	3	1
Rheumatic Fever - - -	3	-	-	-	-	-	-	2	-	1	-	-
Meningitis - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease	18	-	-	1	-	1	-	-	2	5	5	4
Bronchitis - - - -	20	3	-	-	-	-	-	1	2	2	7	5
Pneumonia (all forms) - -	25	4	2	-	-	1	3	1	5	2	3	4
Other Diseases of Respiratory Organs	4	1	1	-	-	-	-	-	1	-	1	-
Diarrhoea and Enteritis (under 2 years)	8	7	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	3	-	-	-	1	1	1	-	-	-	-	-
All Liver Diseases (not Malignant)	3	-	-	-	-	-	-	-	-	-	3	-
Other Diseases of Digestive System (under 2 years)	5	3	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	14	-	2	-	-	1	1	2	3	3	1	1
Puerperal Sepsis - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	13	11	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	12	1	3	1	-	2	1	1	-	3	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	63	9	4	-	1	3	2	2	5	11	9	17
Diseases Ill-defined or Unknown	4	2	-	-	-	-	-	-	-	-	2	-
Total	247	44	21	6	6	16	16	15	24	30	35	34

PAISLEY—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	4	-	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis	8	-	-	-	-	2	3	1	1	1	-	-
Tuberculous Meningitis -	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	2	-	-	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases	4	1	-	-	-	1	1	1	-	-	-	-
Cancer, Malignant Disease	13	-	-	-	-	-	1	-	1	2	6	3
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	11	-	-	1	-	1	1	-	1	4	1	2
Bronchitis - - - - -	6	2	1	-	-	-	-	-	1	1	1	-
Pneumonia (all forms) - -	7	1	1	-	-	-	1	-	-	2	2	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant)	3	-	-	-	-	-	-	-	1	2	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	4	-	-	1	1	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	4	-	1	1	-	-	-	-	1	1	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	21	2	-	1	-	-	1	-	2	4	4	7
Diseases Ill-defined or Unknown	1	1	-	-	-	-	-	-	-	-	-	-
Total	106	16	9	6	1	5	9	3	11	19	14	13

LEITH—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	8	-	1	-	-	4	-	1	2	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	3	-	2	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease	7	-	-	-	-	-	-	1	2	2	2	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	5	-	-	-	-	-	-	-	-	2	1	2
Bronchitis	2	-	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms)	6	3	-	1	-	-	-	-	2	-	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	3	-	-	-	-	-	-	1	-	1	1	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	9	1	1	-	1	1	-	-	4	1	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	24	3	-	1	-	1	2	4	3	2	5	3
Diseases Ill defined or Unknown	1	-	-	-	-	-	-	-	-	-	1	-
Total	81	16	7	2	1	6	3	7	13	10	10	6

GREENOCK—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	1	-	1	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	14	-	-	-	-	4	4	2	3	1	-	-
Tuberculous Meningitis	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease	9	-	-	-	-	-	1	1	2	3	1	1
Rheumatic Fever	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	7	-	-	-	-	-	-	1	1	-	4	1
Bronchitis	11	1	2	-	-	-	1	-	1	3	3	-
Pneumonia (all forms)	13	2	4	-	-	-	3	2	-	1	-	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2	-	1	-	-	-	-	1	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	5	-	-	1	-	-	-	-	1	1	2	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	30	2	1	3	1	-	-	2	3	7	7	4
Diseases Ill-defined or Unknown	3	1	-	-	-	-	-	-	-	-	2	-
Total	115	15	14	5	1	6	10	10	11	16	19	8

CAUSES OF DEATH (corrected for Transfers)

PERTH—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Tuberculous Meningitis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	1	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	-	-	-	2	1	1	2
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	3	-	1	-	1	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	10	-	-	-	-	-	-	1	1	-	5	-
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	2	-	-	-
Total - - - - -	38	2	4	2	2	2	-	4	6	2	8	6

COATBRIDGE—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	12	6	6	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	1	2	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	-	2	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	1	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	1	-	-	-	2	-	1	-	-	3	3
Bronchitis - - - - -	4	-	-	-	-	-	-	1	-	-	-	-
Pneumonia (all forms) - - - - -	5	1	1	-	-	-	-	-	1	-	2	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	3	-	-	-	-	-	-	-	2	1	3
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	-	-	1
Total - - - - -	65	16	12	2	1	5	3	3	4	2	12	-

MOTHERWELL—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	1	3	-	1	-	-	-
Tuberculous Meningitis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	1	-	-	-	-	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	-	-	1	-	-	-	-	2	3	2	4
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	53	10	10	3	-	4	7	-	6	3	5	5

KIRKCALDY—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	2	-	-	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	-	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	1	-	-	1	-	1	3	-
Bronchitis - - - - -	7	3	1	-	-	1	-	-	-	-	-	2
Pneumonia (all forms) - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	2	2	-	-	1	2	2	1	-	1	3
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	-	1	1
Total - - - - -	52	15	4	-	1	3	5	3	1	4	10	6

HAMILTON—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	3	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	1	-	1	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	1	1	-	1	-	-	-	2
Bronchitis - - - - -	6	-	3	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - - - -	6	1	1	-	-	-	1	-	-	2	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	1	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	4	-	1	-	-	-	1	-	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	56	13	12	1	2	3	4	7	1	1	6	-

CLYDEBANK—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	1	-	2	2	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	5	1	-	-	-	-	-	1	-	2	-	-
Pneumonia (all forms) - - - - -	5	2	-	-	-	-	-	3	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	1	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	1	-	-	1	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	-	-	-	-	-	2	2	-	2	2	-
Diseases Ill-defined or Unknown - - - - -	3	1	-	2	-	-	-	-	-	-	-	-
Total - - - - -	52	11	2	3	1	2	6	11	2	6	2	-

KILMARNOCK—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	3	2	1	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	3	-	-	-	-	1	-	2	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	3	-	1	-	-	-	-	1	-	1	-	-
Other Tuberculous Diseases	2	1	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	-	2	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	5	3	-	-	-	-	-	-	1	-	-	1
Pneumonia (all forms)	4	2	-	-	-	-	-	-	-	1	-	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	2	-	-	-
Diarrhoea and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	12	1	-	-	-	-	1	2	-	-	1	7
Diseases Ill-defined or Unknown	1	-	-	1	-	-	-	-	-	-	-	-
Total	45	13	5	2	-	1	1	5	3	5	1	9

FALKIRK—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis	6	-	-	-	-	3	1	1	1	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms)	4	1	2	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	3	-	1	-	-	-	-	2	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	9	1	-	-	-	-	-	1	-	4	1	2
Diseases Ill-defined or Unknown	2	-	-	-	-	-	1	-	-	1	-	-
Total	34	5	4	2	-	4	3	4	2	6	1	3

AYR—April 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	-	4	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	1	-	-	-	4	-	-
Tuberculous Meningitis - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	-	-	2	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	1	-	-	-	-	-	1	3	3	-
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	-	-	-	1	-
Total - - - - -	52	10	8	3	-	1	2	2	4	12	5	-

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of APRIL 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.										
				Mean of	Mean of A and B (Mean Tem- perature).		Absolute Maximum and Minimum.			Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.														
		Maximum (A).	Minimum (B.)		Maximum	Day of Month.	Minimum.	Day of Month.																			
															Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.									
														inch.	inch.		N	NE	E	SE	S	SW	W	NW	Calm or Variable.		
GLASGOW, Medical Officer of Health, Glasgow.	54	29.894	29.953	57.6	40.8	49.2	+3.4	72	21st	32	15th	47.3	2.9	.259	80	13	1.87	-0.01	0	2	3	1	6	15	12	4	17
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.478	29.964	56.0	41.4	48.7	+5.2	70	21st	34	8th	47.8	3.0	.263	80	15	1.29	-0.22	0	2	3	5	5	19	24	1	1
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.764	29.945	56.9	38.7	47.8	+3.2	74	21st	32	15th	46.8	1.9	.275	86	7	0.79	-1.13	0	2	3	12	0	33	2	8	0
ABERDEEN,* The Meteorological Office.	90	29.801	29.902	55.6	39.3	47.5	+3.7	70	20th	33	16th	47.7	3.4	.253	77	10	0.66	-1.43	1	3	0	5	15	16	9	8	3
PAISLEY, The Coats Observatory.	107	29.836	29.955	57.4	41.0	49.2	+4.1	71	21st	35	15th	48.4	3.4	.260	77	15	2.76	+0.79	2	0	8	0	5	7	28	4	6
LEITH,† JAMES BOLAM, Navigation School.	76	29.859	29.943	57.1	40.9	49.0	+3.8	70	22nd	35	4th	50.0	3.7	.271	76	14	1.00	-0.76	0	6	8	0	2	10	26	6	2
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.682	29.946	55.9	39.9	47.9	+3.4	70	21st	34	7th	47.8	2.5	.272	82	15	4.61	+1.15	0	3	1	10	0	13	20	12	1
PERTH, ALEX. M. RODGER, The Museum.	85	29.843	29.938	59.9	37.2	48.6	+3.4	75	21st	29	15th	46.5	2.9	.251	80	10	0.80	-1.32	1	2	4	6	2	19	20	3	3
Means	156	29.770	29.943	57.1	39.9	48.5	+3.7	47.8	3.0	.263	80	12	1.72	-0.37	1	2	4	5	4	17	17	6	4
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 28'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																											

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 28'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

MAY 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by

J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of May 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5282 living children, of whom 2660 were male, and 2622 female. The male children are 83 fewer than registered in the previous month, and the female children 51 fewer. The total children registered are 134 fewer than in the previous month, and 16 fewer than in the corresponding month of last year, but are 95 more than the mean of the numbers of the three preceding months. The equivalent annual birth-rate is 27·1 per thousand of the estimated population of these towns; it is 1·7 less than the birth-rate of the previous month, 0·8 less than the mean of those of the three preceding months, and 0·5 less than that of the corresponding month of last year. In the individual towns the birth-rate of the month ranged from 35·4 in Greenock, 32·0 in Coatbridge, 31·2 in Paisley, and 31·2 in Hamilton, to 20·8 in Perth, and 21·0 in Edinburgh. In Ayr the birth-rate of the month was 30·6; in Kirkcaldy, 29·8; in Motherwell, 29·3; in Clydebank, 28·8; in Glasgow, 28·1; in Dundee, 28·0; in Kilmarnock, 25·9; in Leith, 24·8; in Falkirk, 24·8; and in Aberdeen, 24·5.

Of the 5282 children whose births were registered, 4933, or 93·4 per cent., were legitimate, while 349, or 6·6 per cent. were illegitimate. These illegitimate children are 17 fewer than registered in April, 1 fewer than registered in May of last year, and 1 fewer than the mean of the numbers registered in the three preceding months. The illegitimate rate of the month is 0·2 less than that of the previous month, and 0·2 less than the mean of those of the three preceding months, but is the same as that of May of last year. In the individual towns the illegitimate rate of the month ranged from 10·7 in Dundee, 9·4 in Aberdeen, and 9·0 in Kilmarnock, to 0 in Motherwell, 1·8 in Leith, and 1·9 in Kirkcaldy. In Edinburgh the illegitimate rate of the month was 8·5; in Falkirk, 7·1; in Coatbridge, 6·8; in Glasgow, 6·7; in Paisley, 4·8; in Ayr, 4·7; in Clydebank, 3·7; in Greenock, 3·4; in Perth 3·3; and in Hamilton, 2·0.

Marriages registered in these towns during the month numbered 655. They are 1343 fewer than registered in April, 818 fewer than the mean of the numbers regis-

tered in the preceding three months, and 11 fewer than registered in May of last year. The marriage-rate of the month was 3·4 per thousand, and is 7·2 less than that of the previous month, 4·5 less than the mean of those of the three preceding months, and 0·1 less than that of May of last year. In the individual towns the marriage-rate of the month ranged from 4·0 in Glasgow, 3·6 in Edinburgh, and 3·5 in Aberdeen, to 1·4 in Falkirk, 1·6 in Coatbridge, and 1·9 in Clydebank. In Ayr the marriage-rate of the month was 2·8; in Greenock, 2·7; in Hamilton, 2·7; in Dundee, 2·6; in Paisley, 2·6; in Perth, 2·4; in Kirkcaldy, 2·3; in Leith, 2·2; in Motherwell, 2·0; and in Kilmarnock, 2·0.

Deaths registered in these towns during the month numbered 2974, 1496 being of males, and 1478 of females. Of these deaths 195 were of persons whose usual residence was outwith the towns of registration, but there were registered elsewhere in Scotland the deaths of 178 persons with usual residence in one or other of these towns, and the difference between these figures, 17, falls to be deducted to obtain the corrected number of deaths of the month, which is accordingly found to be 2957. The corrected number of deaths of the month is 133 less than that of the previous month, 204 less than the mean of those of the three preceding months, and 207 less than that of the corresponding month of last year.

The death-rate of the month, corrected, is 15·2 per thousand, which is 1·2 less than that of the previous month, 1·8 less than the mean of the death-rates of the three preceding months, and 1·3 less than that of May of last year. In the individual towns the death-rate of the month ranged from 18·9 in Hamilton, 17·8 in Ayr, and 17·5 in Coatbridge, to 11·1 in Motherwell, 11·7 in Falkirk, and 11·9 in Clydebank. In Kirkcaldy this rate was 16·3; in Glasgow, 15·7; in Greenock, 15·7; in Paisley, 15·3; in Dundee, 15·2; in Aberdeen, 14·8; in Edinburgh, 14·6; in Kilmarnock, 14·3; in Leith, 12·8; and in Perth, 12·8.

Of the deaths of residents of these towns 883, or 29·9 per cent., were of children of less than five years of age, and 725, or 24·5 per cent., of persons of over sixty-five. The former are 14 fewer than in the previous month, and 219 fewer than in May of last year. The latter are 13 fewer than in the previous month, but 63 more than in May of last year.

Deaths of children of less than one year old numbered 533, and are equal to an infantile mortality rate of 105 per thousand of the average number of births registered during the preceding twelve months. These deaths are 8 fewer than in April, 70 fewer than the mean of the numbers of the three preceding months, and 62 fewer than in May of last year. This death-rate is 5 less than in April, 19 less than the mean of the rates of the three preceding months, and 11 less than that of May of last year. In the individual towns the infantile mortality rate of the month ranged from 130 in Dundee, 123 in Paisley, and 114 in Glasgow, to 45 in Motherwell, 66 in Falkirk, and 78 in Edinburgh. In Hamilton this rate was 112; in Kirkcaldy, 108; in Perth, 105; in Aberdeen, 100; in Ayr, 95; in Clydebank, 91; in Coatbridge, 87; in Greenock, 87; in Leith, 84; and in Kilmarnock, 80.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhœas of childhood, numbered 266. They are 5 fewer than in the previous month, 187 fewer than in May of last year, and 48 fewer than the mean of the numbers of the three preceding months. The monthly death-rate from these causes is 1·4 per thousand, which is the same as that of the previous month, but is 0·3 less than the mean of those of the three preceding months, and 1·0 less than that of the corresponding month of last year. In the individual towns this rate ranged from 3·3 in Coatbridge, and 3·1 in Hamilton, to 0·3 in Leith, Greenock, and Perth. In Glasgow this rate was 1·7; in Kilmarnock, 1·7; in Clydebank, 1·6; in Dundee, 1·5; in Paisley, 1·4; in Falkirk,

1·4; in Ayr, 1·1; in Aberdeen, 1·0; in Kirkcaldy, 0·9; in Edinburgh, 0·6; and in Motherwell, 0·6.

Deaths from measles numbered 104; from scarlet fever, 21; from diphtheria, 22; from whooping cough, 72; from enteric fever, 5; and from the diarrhœas of childhood, 42. Compared with the returns of the previous month, the deaths from diphtheria and from the diarrhœas of childhood are both 9 fewer, those from enteric fever are 5 fewer, and from measles 3 fewer, but those from scarlet fever are 1 more, and those from whooping-cough are 20 more.

There were no deaths from smallpox in these towns during the month, and only one from typhus fever, it being registered in Glasgow. Deaths from influenza (uncomplicated) numbered 2; from malignant disease, 227; from heart disease, 252; from puerperal septic conditions, 12; and from violence, 116, of which 8 were attributed to suicide.

Deaths from pneumonia numbered 249, constituted 8·4 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·3 per thousand, while those due to bronchitis numbered 187, constituted 6·3 per cent. of the total, and equal a death-rate of 1·0 per thousand. The deaths from pneumonia are 45 fewer than in April, and 44 fewer than in May of last year, while those from bronchitis are 37 fewer than in April, but 10 more than in May of last year.

Deaths from all forms of tuberculous disease numbered 408, constituted 13·8 per cent. of the total deaths of the month, and are equal to a death-rate of 2·1 per thousand. These deaths are 18 fewer than in April, and 8 fewer than in May of last year. Of them 243 were attributed to phthisis, a number which is 32 less than in April, and 23 less than in May of last year. The deaths from phthisis constituted 8·2 per cent. of the total deaths of the month, and are equal to a death-rate of 1·2 per thousand. In the individual towns the phthisis death-rate of the month ranged from 1·7 per thousand in Perth, and 1·5 in Edinburgh, to 0·3 in Motherwell, and 0·4 in Falkirk. In Glasgow, Dundee, Leith, and Kilmarnock, the phthisis death-rate of the month was 1·3; in Hamilton it was 1·2; in Aberdeen, Greenock, Clydebank, and Ayr, it was 1·1; in Kirkcaldy it was 0·9; while in Paisley and Coatbridge it was 0·8.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

MAY 1914.

Mean barometric pressure, 30·023 in.; greater than the average of 1856–1905 by 0·075 in.

Mean temperature, 50°·2; greater by 0°·8.

Mean daily range of temperature, 14°·3; less by 0°·7.

Rain, number of days, 15; greater by 1 day.

Rain, depth in inches, 2·08; less by 0·09 in.

Wind, direction of: a 7 days' excess of winds from between S.W. and N.W.

Hence the month was characterised by a rather high mean pressure; a slightly high mean temperature, with a slightly low mean daily range; a mean rainfall almost equal to the normal; and a considerable excess of winds from between S.W. and N.W.

The mean pressure was 30·023 in., or 0·075 in. above the normal. Except from 3rd to 10th pressure conditions were as a rule very steady, and the most disturbing influence of the month was a secondary depression which travelled across the north of Scotland on 7th and 8th attended by very heavy rainfalls. At Leith, at sea-

level, the barometer was above 30 in. on 1st, 2nd, and 12th, and almost continuously from 14th to 30th, the extremes there being 30·416 in. on 19th, and 29·261 in. on 8th.

The mean temperature was 50°·2, or 0°·8 above the normal, the days being 0°·4 and the nights 1°·1 above their respective averages. The mean day temperature was only fractionally above that for the very warm month of April. During the third week the weather was in general fine and dry and temperature considerably above the normal, but about 2nd, 10th, and 25th very low temperatures for the time of year occurred throughout Great Britain. On 2nd in the English Midlands lower readings were recorded than in any May since 1879, and on 25th Braemar registered 19° in the screen and 12° on a thermometer exposed on the grass. In various districts severe damage was done to fruit and early vegetables. As regards the chief towns the extremes were 73° at Dundee on 17th and at Aberdeen on 18th, and 31° at Dundee and Perth on 10th.

The mean rainfall was 2·08 in., or 4 per cent. below the normal. Aberdeen had an excess of 37 per cent., the Edinburgh area an excess of 10 per cent., and Dundee almost its normal amount. At the other towns there was a deficiency. In the north of Scotland a large excess was general, due to very heavy falls on 7th and 8th. On 7th, several stations registered amounts exceeding 1 in., and on 8th, Ardrross Castle in Ross-shire had as much as 3·20 in., which was twice the rainfall at Perth for the entire month. From 12th onwards much dry weather was experienced, though moderate falls occurred between 19th and 23rd, and on 28th. On 8th Aberdeen had 1·09 in., but the only other falls of more than half an inch in 24 hours at the chief towns were 0·67 in. at Greenock on 4th, and 0·62 in. at Edinburgh on 8th.

Snow fell on the higher mountains on 2nd and 25th ; rather heavy hail occurred at times ; and thunderstorms here and there on 5th and 11th. Heavy flooding occurred in northern districts from 8th to 10th.

Sunshine amounts were below the average and far short of those for April. Thus at Marchmont in Berwickshire the aggregate was only 153 hours as compared with 235 hours in April.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, MAY 1914.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,047,000	1258	1240	2498	2330	168	358	759	661	1420	65	89	1396
EDINBURGH, . .	320,769	321,900	290	285	575	526	49	97	201	222	423	27	51	399
DUNDEE, . . .	176,085	176,300	216	203	419	374	45	39	101	127	228	5	5	228
ABERDEEN, . .	163,891	159,500	165	166	331	300	31	47	82	117	199	21	19	201
PAISLEY, . . .	84,455	86,000	118	110	228	217	11	19	56	56	112	5	5	112
LEITH, . . .	80,601	79,800	81	87	168	165	3	15	43	40	83	7	3	87
GREENOCK, . .	75,140	78,000	119	115	234	226	8	18	56	50	106	1	3	104
PERTH, . . .	35,854	34,000	26	34	60	58	2	7	21	21	42	0	5	37
TOTAL . . . (EIGHT TOWNS)	1,945,282	1,982,500	2273	2240	4513	4196	317	600	1319	1294	2613	131	180	2564
COATBRIDGE, . .	43,286	43,000	54	63	117	109	8	6	38	23	61	5	2	64
MOTHERWELL . .	40,380	41,500	53	50	103	103	0	7	23	10	33	6	0	39
KIRKCALDY . . .	39,601	41,100	52	52	104	102	2	8	17	29	46	12	1	57
HAMILTON, . . .	38,644	38,600	56	46	102	100	2	9	24	31	55	7	0	62
CLYDEBANK, . .	37,548	44,600	48	61	109	105	4	7	19	18	37	8	0	45
KILMARNOCK, . .	34,728	35,500	38	40	78	71	7	6	17	24	41	4	2	43
FALKIRK, . . .	33,574	33,300	32	38	70	65	5	4	19	17	36	1	4	33
AYR, . . .	32,986	33,100	54	32	86	82	4	8	20	32	52	4	6	50
TOTAL . . . (SIXTEEN TOWNS)	2,246,029	2,293,200	2660	2622	5282	4933	349	655	1496	1478	2974	178	195	2957

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, MAY 1914.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	28·1	6·7	4·0	16·0	15·7	1·7	2·2	1·3	2·7	281	114
EDINBURGH, .	21·0	8·5	3·6	15·5	14·6	0·6	2·2	1·5	2·0	43	78
DUNDEE, .	28·0	10·7	2·6	15·2	15·2	1·5	1·9	1·3	2·5	48	130
ABERDEEN, .	24·5	9·4	3·5	14·7	14·8	1·0	1·9	1·1	2·4	33	100
PAISLEY, .	31·2	4·8	2·6	15·3	15·3	1·4	1·5	0·8	2·3	24	123
LEITH, .	24·8	1·8	2·2	12·2	12·8	0·3	2·4	1·3	2·4	15	84
GREENOCK, .	35·4	3·4	2·7	16·0	15·7	0·3	2·1	1·1	2·9	18	87
PERTH, .	20·8	3·3	2·4	14·6	12·8	0·3	2·8	1·7	1·0	6	105
TOTAL . (EIGHT TOWNS)	26·8	7·0	3·6	15·5	15·2	1·3	2·1	1·3	2·5	468	108
COATBRIDGE, .	32·0	6·8	1·6	16·7	17·5	3·3	1·9	0·8	3·8	10	87
MOTHERWELL, .	29·3	0·0	2·0	9·4	11·1	0·6	1·7	0·3	1·7	5	45
KIRKCALDY, .	29·8	1·9	2·3	13·2	16·3	0·9	2·3	0·9	2·3	9	108
HAMILTON, .	31·2	2·0	2·7	16·8	18·9	3·1	2·4	1·2	2·1	12	112
CLYDEBANK, .	28·8	3·7	1·9	9·8	11·9	1·6	2·1	1·1	1·6	11	91
KILMARNOCK, .	25·9	9·0	2·0	13·6	14·3	1·7	2·0	1·3	1·3	6	80
FALKIRK, .	24·8	7·1	1·4	12·7	11·7	1·4	0·7	0·4	2·8	5	66
AYR, .	30·6	4·7	2·8	18·5	17·8	1·1	1·4	1·1	1·8	7	95
TOTAL . (SIXTEEN TOWNS)	27·1	6·6	3·4	15·3	15·2	1·4	2·1	1·2	2·4	533	105

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR MAY 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Group.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
MAY 1914, .	26·8	7·0	3·6	15·2	0	89	16	57	19	4	36	108	50°·2
MAY 1913, .	27·0	7·0	3·7	17·0	0	144	22	148	30	8	64	122	50°·0
MAY 1912, .	27·5	8·3	3·5	16·4	0	86	14	48	22	7	45	108	51°·0
MAY 1911, .	29·7	7·4	4·5	17·5	1	50	17	186	16	7	33	134	53°·2
MAY 1910, .	29·6	7·6	4·6	16·7	0	184	20	36	14	3	43	111	49°·9
MAY 1909, .	29·0	6·9	4·2	17·7	0	25	20	153	23	2	50	121	50°·1
MAY 1908, .	29·4	6·7	4·0	16·9	0	80	15	60	14	3	-	120	52°·0
MAY 1907, .	30·9	6·4	3·7	20·1	0	36	13	192	15	11	-	123	48°·0
MAY 1906, .	30·8	6·9	3·7	19·1	0	82	12	82	21	5	-	126	48°·2
MAY 1905, .	34·0	6·8	4·6	19·6	0	132	10	122	22	11	-	133	50°·6
MAY 1904, .	31·5	6·6	4·3	18·8	10	69	17	114	12	8	-	121	49°·0

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	5	-	-	-	-	1	2	2	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	104	26	74	3	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	21	2	10	4	1	3	-	-	1	-	-	-
Whooping-cough - - - - -	72	32	39	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	22	8	12	1	1	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - -	5	-	-	-	-	1	-	-	2	1	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	243	1	6	6	9	54	61	39	38	22	5	2
Tuberculous Meningitis - - - - -	70	19	31	12	4	2	2	-	-	-	-	-
Abdominal Tuberculosis - - - - -	48	6	18	8	5	7	2	2	-	-	-	-
Other Tuberculous Diseases - - - - -	47	8	5	5	3	10	7	3	3	3	-	-
Cancer, Malignant Disease - - - - -	227	-	1	-	-	2	6	18	42	64	66	28
Rheumatic Fever - - - - -	18	-	1	2	3	2	2	4	3	1	-	-
Meningitis - - - - -	43	16	15	-	2	2	2	6	-	-	-	-
Organic Heart Disease - - - - -	252	2	1	4	-	11	17	16	49	52	55	45
Bronchitis - - - - -	187	30	15	1	-	-	2	16	22	29	43	29
Pneumonia (all forms) - - - - -	249	50	60	4	3	11	17	19	18	28	29	10
Other Diseases of Respiratory Organs - - - - -	40	5	7	2	-	1	2	1	4	5	9	4
Diarrhoea and Enteritis (under 2 years) - - - - -	42	32	10	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	16	-	-	3	3	1	3	1	1	2	2	-
All Liver Diseases (not Malignant) - - - - -	22	1	2	-	-	-	3	2	3	4	4	3
Other Diseases of Digestive System (under 2 years) - - - - -	17	15	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	85	1	1	1	-	1	10	9	15	20	20	7
Puerperal Sepsis - - - - -	12	-	-	-	-	4	5	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	22	-	-	-	-	5	9	8	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	197	196	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	108	14	10	8	1	8	17	12	23	6	8	1
Suicide - - - - -	8	-	-	-	-	1	3	1	1	1	1	-
Other Defined Diseases - - - - -	714	67	24	7	12	15	33	33	77	114	156	176
Diseases Ill defined or Unknown - - - - -	58	2	5	-	1	4	2	4	7	13	12	8
Total - - - - -	2957	533	350	72	48	147	208	199	309	366	410	315

GLASGOW—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	-	-	-	1	2	1	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	58	15	40	2	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	9	-	6	2	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	48	24	24	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	9	4	5	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	4	-	-	-	-	-	-	-	2	1	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	118	-	3	2	5	25	28	20	23	8	3	1
Tuberculous Meningitis - - - - -	33	7	15	6	3	-	2	-	-	-	-	-
Abdominal Tuberculosis - - - - -	24	4	6	2	4	6	2	-	-	-	-	-
Other Tuberculous Diseases - - - - -	21	4	1	2	2	4	4	1	1	2	-	-
Cancer, Malignant Disease - - - - -	85	-	-	-	-	1	4	12	17	22	20	9
Rheumatic Fever - - - - -	8	-	1	1	2	-	-	2	1	1	-	-
Meningitis - - - - -	25	12	7	-	1	1	1	3	-	-	-	-
Organic Heart Disease - - - - -	107	2	-	1	-	6	6	8	23	24	22	15
Bronchitis - - - - -	98	18	12	1	-	-	-	6	11	19	21	10
Pneumonia (all forms) - - - - -	124	27	34	2	-	3	10	8	10	14	14	2
Other Diseases of Respiratory Organs - - - - -	16	3	5	1	-	1	-	-	-	2	3	1
Diarrhoea and Enteritis (under 2 years) - - - - -	24	19	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	8	-	-	2	1	1	2	-	1	1	-	-
All Liver Diseases (not Malignant) - - - - -	5	1	-	-	-	-	-	-	2	-	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	44	-	-	-	-	1	6	5	8	11	8	5
Puerperal Sepsis - - - - -	6	-	-	-	-	3	2	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	9	-	-	-	-	4	3	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	98	98	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	57	8	4	4	-	4	10	8	12	3	4	-
Suicide - - - - -	4	-	-	-	-	-	1	1	-	1	1	-
Other Defined Diseases - - - - -	313	26	10	5	8	8	20	16	40	45	71	64
Diseases Ill-defined or Unknown - - - - -	27	1	1	-	1	2	1	3	4	6	5	3
Total - - - - -	1396	281	179	33	27	73	105	97	155	161	173	112

EDINBURGH—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	11	2	9	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	1	-	-	1	-	-	1	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	40	-	-	1	1	8	7	8	4	9	1	1
Tuberculous Meningitis - - - - -	6	3	1	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	7	-	4	2	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	6	-	1	1	-	-	-	2	2	-	-	-
Cancer, Malignant Disease - - - - -	36	-	1	-	-	-	1	1	2	12	15	4
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	42	-	-	1	-	1	3	3	6	7	13	8
Bronchitis - - - - -	13	-	-	-	-	-	-	-	1	2	5	5
Pneumonia (all forms) - - - - -	33	3	6	1	1	3	2	4	4	2	4	3
Other Diseases of Respiratory Organs - - - - -	10	1	1	-	-	-	1	1	2	1	2	1
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	1	-	-	-	1	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	9	-	1	-	-	-	1	-	-	2	3	2
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	16	-	1	-	-	-	2	1	1	6	5	-
Puerperal Sepsis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	22	22	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	10	-	-	2	-	-	2	1	3	-	1	1
Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - - - -	117	9	-	1	-	1	3	4	11	16	31	41
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	1	-	-	-	1	1	-
Total - - - - -	399	43	28	11	3	15	26	29	38	59	81	66

DUNDEE—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	14	3	10	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	20	1	-	1	-	6	4	1	3	4	-	-
Tuberculous Meningitis - - - - -	5	1	3	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	1	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	21	-	-	-	-	-	1	1	6	6	5	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	-	1	-	-	1	1	1	-	-	-	-
Organic Heart Disease - - - - -	19	-	-	1	-	-	1	1	7	3	4	2
Bronchitis - - - - -	19	3	-	-	-	-	-	3	3	-	6	4
Pneumonia (all forms) - - - - -	17	4	4	1	-	-	-	2	-	4	1	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	3	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	1	-	-	1	-	-	-	2	-
Puerperal Sepsis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	17	17	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	3	3	-	-	-	-	-	2	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	47	6	3	-	1	2	1	1	4	8	12	9
Diseases Ill-defined or Unknown - - - - -	9	-	-	-	-	-	-	-	1	4	2	2
Total - - - - -	228	48	29	6	2	13	10	11	27	30	32	20

ABERDEEN—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	6	1	3	1	1	-	-	-	-	-	-	-
Influenza	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas	1	-	-	-	-	1	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	15	-	-	-	1	2	4	3	4	1	-	-
Tuberculous Meningitis	4	2	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	5	-	-	1	1	1	1	-	-	1	-	-
Cancer, Malignant Disease	21	-	-	-	-	-	-	2	5	4	5	5
Rheumatic Fever	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease	20	-	1	-	-	2	-	1	3	2	3	8
Bronchitis	16	3	-	-	-	-	1	3	-	2	3	4
Pneumonia (all forms)	15	2	3	-	-	1	1	1	-	2	2	3
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years)	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant)	4	-	-	-	-	-	1	-	1	2	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	5	-	-	-	-	-	-	2	1	2	-	-
Puerperal Sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	4	-	1	1	-	1	-	-	-	-	1	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	53	9	1	-	1	2	1	2	4	13	5	15
Diseases Ill-defined or Unknown	3	-	2	-	-	-	-	-	-	-	1	-
Total	201	33	19	4	4	10	10	15	19	29	22	36

PAISLEY—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	1	1	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	6	-	1	1	-	2	1	1	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	3	1	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease	7	-	-	-	-	-	-	-	-	3	1	3
Rheumatic Fever	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis	2	-	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease	9	-	-	-	-	-	2	1	1	1	2	2
Bronchitis	8	1	-	-	-	-	1	1	3	-	2	-
Pneumonia (all forms)	8	5	1	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	1	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	2	-	-	-	1	-	1	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	4	-	-	-	-	-	1	-	1	-	1	1
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	2	-	-	1	-	-	-	-	1	-	-	-
Suicide	2	-	-	-	-	1	1	-	-	-	-	-
Other Defined Diseases	33	5	2	-	-	2	1	3	1	4	4	11
Diseases Ill-defined or Unknown	2	-	-	-	-	-	-	1	-	-	1	-
Total	112	24	12	2	3	6	10	11	7	8	12	17

LEITH—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	1	-	1	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	9	-	-	1	-	1	2	2	2	-	1	-
Tuberculous Meningitis	4	4	-	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	9	-	-	-	-	-	-	-	2	3	3	1
Rheumatic Fever	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis	2	1	-	-	-	-	-	1	-	-	-	-
Organic Heart Disease	6	-	-	1	-	-	-	-	1	2	2	-
Bronchitis	5	1	1	-	-	-	-	-	-	2	1	-
Pneumonia (all forms)	9	2	4	-	1	-	1	-	-	-	1	-
Other Diseases of Respiratory Organs	2	-	-	1	-	-	-	-	-	-	1	-
Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2	1	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	4	3	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	2	1	-	-	-	-	-	-	1	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	21	2	-	-	-	-	1	2	3	3	5	5
Diseases Ill defined or Unknown	4	-	1	-	-	-	-	-	-	-	1	2
Total	87	15	13	3	1	2	4	6	9	11	15	8

GREENOCK—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	7	-	-	-	-	3	3	1	-	-	-	-
Tuberculous Meningitis	3	-	1	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	3	-	1	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	6	-	-	-	-	1	-	-	1	1	3	-
Rheumatic Fever	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis	3	1	1	-	-	-	-	1	-	-	-	-
Organic Heart Disease	9	-	-	-	-	-	-	-	1	4	2	2
Bronchitis	3	1	1	-	-	-	-	-	1	-	-	-
Pneumonia (all forms)	12	3	-	-	1	2	-	-	1	1	3	1
Other Diseases of Respiratory Organs	4	1	-	-	-	-	-	-	1	-	1	1
Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	2	-	-	-	1	-	-	-	-	-	1	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	3	-	-	-	-	-	-	-	2	-	1	-
Puerperal Sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	6	-	-	-	-	1	-	1	1	2	1	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	25	-	-	-	-	-	1	3	4	8	6	3
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Total	104	18	5	4	2	8	7	7	12	16	18	7

CAUSES OF DEATH (corrected for Transfers)

PERTH—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	1	1	3	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	-	2	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	-	-	1	1	1	2	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	-	-	-	-	-	-	-	1	1	1	5
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	37	6	1	1	-	2	1	5	5	4	4	8

COATBRIDGE—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	10	4	6	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	1	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	2	1	-
Rheumatic Fever - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	5	-	-	-	-	-	-	2	1	1	-	1
Pneumonia (all forms) - - - - -	9	2	2	-	-	-	1	1	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	1	-	-	-	-	1	-	2	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	-	1	-	-	-	1	-	1	4	4	4
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	64	10	13	2	-	1	8	4	6	8	7	5

MOTHERWELL—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	2	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Pneumonia (all forms) - - - - -	3	-	-	-	-	1	-	-	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	1	1	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	3	1	-	-	-	1	1	-	1	-	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	39	5	5	-	1	6	3	3	6	3	4	3

KIRKCALDY—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	1	1	3	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	-	2	-	-	2	1	2
Bronchitis - - - - -	5	1	1	-	-	-	-	-	-	-	2	1
Pneumonia (all forms) - - - - -	3	-	2	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	1	1	-	2	-	-	-	2	2	3	3
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	1	-	1	-
Total - - - - -	57	9	11	-	2	2	4	2	4	7	10	6

CAUSES OF DEATH (corrected for Transfers).

HAMILTON—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	9	2	7	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	1	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	2	-	1	-
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	1	-	1	2	1	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	4	2	1	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	-	-	-	1	3	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	1	3	-	-	-	1	-	3	2	1	3
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Total - - - - -	62	12	13	3	1	5	7	3	8	5	2	3

CLYDEBANK—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	1	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	1	2	-	1	2	1	2
Bronchitis - - - - -	3	1	-	-	-	-	-	1	-	1	-	-
Pneumonia (all forms) - - - - -	3	-	2	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	2	-	-	-	-	-	-	-	2	2	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	45	11	8	-	-	2	6	1	2	7	5	3

KILMARNOCK—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	1	-	1	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	-	-	2	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	-	-	1	-	-	2	1	-	2	1	7
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	43	6	5	2	1	1	4	2	1	4	4	13

FALKIRK—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	-	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - - - -	4	-	-	-	-	-	-	-	-	3	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	1	1	-	-	-	-	-	2	2	4	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	33	5	4	1	-	1	-	-	4	6	10	2

CAUSES OF DEATH (corrected for Transfers).

AYR—May 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	1	-	2	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	-	2	3	1	2
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	-	1	-	1	1	2	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	2	1	-	-	-	-	-	1	1	6	2
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	-	1	-	-	1	-	1
Total - - - - -	50	7	5	-	1	-	3	3	6	8	11	6

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of MAY 1914.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.											
	Mean at Station and 32°.		Mean of		Difference from Average		Absolute Maximum and Minimum.		Mean at 9 A.M. and 9 P.M.		Number of Days.		Total Fall.		Difference from Average.		Number of Observations at 9 A.M. and 9 P.M.									
	feet.	inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	
GLASGOW, Medical Officer of Health, Glasgow.	54	29.975	30.034	57.5	44.3	50.9	+0.5	70	15,16,17	35	10th	49.1	3.3	.271	77	1.87	17	1	2	5	0	3	19	26	2	4
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.552	30.036	55.4	43.3	49.4	+1.4	70	17th	34	10th	48.3	2.9	.270	80	1.93	13	3	5	5	3	5	9	26	5	1
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.840	30.020	58.8	41.7	50.3	+1.0	73	17th	31	10th	49.4	2.4	.293	84	1.84	12	1	10	0	10	0	32	3	6	0
ABERDEEN,* The Meteorological Office.	90	29.892	29.993	56.5	42.2	49.4	+1.1	73	18th	32	25th	49.5	3.5	.270	76	2.94	17	8	5	1	2	12	11	9	10	4
PAISLEY, The Coats Observatory.	107	29.918	30.037	57.8	43.9	50.9	+0.2	71	15th	36	10,12,24	49.8	3.6	.271	76	1.89	17	2	4	4	4	2	7	21	15	3
LEITH,† JAMES BOLAM, Navigation School.	76	29.936	30.020	57.0	43.9	50.5	+1.0	71	17th	33	10th	51.4	4.1	.279	74	2.05	16	6	12	6	2	0	8	22	6	0
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.766	30.029	56.4	42.6	49.5	+0.2	68	17th	35	10,12,24	49.2	3.2	.274	78	2.55	16	0	8	2	6	0	8	18	20	0
PERTH, ALEX. M. RODGER, The Museum.	85	29.921	30.016	59.3	41.7	50.5	+0.9	72	17th	31	10th	49.5	3.3	.274	77	1.56	15	2	10	8	3	3	16	13	3	4
Means	156	29.850	30.023	57.3	43.0	50.2	+0.8	49.5	3.3	.275	78	2.08	15	3	6	4	4	3	14	17	9	2

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

North Latitude.—Glasgow, 56° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JUNE 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by

J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of June 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5604 living children, of whom 2819 were male, and 2785 female. The male children number 159 more than registered during the previous month, May, and the female children, 163 more. The total children registered number 322 more than in the previous month, 260 more than the average of the preceding three months, and 440 more than in June of last year. The equivalent annual birth-rate is 29·8 per thousand of the estimated aggregate population of these towns, a rate which is 2·7 more than that of the previous month, 2·0 more than the mean of those of the three preceding months, and 2·0 more than that of June of last year. In the individual towns the birth-rate of the month ranged from 37·6 in Motherwell, 36·2 in Coatbridge, 35·0 in Greenock, and 34·1 in Hamilton, to 22·2 in Perth, 23·1 in Edinburgh, and 24·2 in Ayr. In Glasgow the birth-rate of the month was 31·8; in Paisley, 31·7; in Clydebank, 30·6; in Dundee, 29·1; in Kilmarnock, 28·4; in Falkirk, 28·2; in Aberdeen, 27·2; in Kirkcaldy, 26·9; and in Leith, 26·5.

Of the 5604 living children registered, 5186, or 92·5 per cent., were legitimate, and 418, or 7·5 per cent. illegitimate. The illegitimate children registered during the month number 69 more than those registered in May, 68 more than the average of the numbers registered in the preceding three months, and 40 more than in June of last year. The illegitimate rate of the month is 0·9 more than that of the previous month, the same amount more than the mean of those of the three preceding months, and 0·2 more than that of June of last year. In the individual towns the illegitimate rate of the month varied from 10·8 in Kilmarnock, 10·3 in Edinburgh, and 10·0 in Dundee, to 0 in Clydebank, and 3·9 in Coatbridge and Motherwell. In Perth the illegitimate rate of the month was 9·7; in Aberdeen, 8·7; in Hamilton, 7·4; in Glasgow, 7·2; in Greenock, 7·1; in Kirkcaldy, 6·6; in Ayr, 6·1; in Paisley, 5·8; and in Leith and in Falkirk, 5·2.

Marriages registered in these towns during the month numbered 2649. They are 1994 more than in May, 1336 more than the mean of the numbers of the preceding three months, and 239 more than in June of last year. The equivalent annual

marriage-rate is 14·1 per thousand, which is 10·7 more than that of May, 7·2 more than the mean of those of the three preceding months, and 1·1 more than that of June of last year. In the individual towns the marriage-rate of the month varied from 16·6 per thousand in Edinburgh, 15·5 in Aberdeen, and 15·0 in Glasgow, to 8·7 in Clydebank, 9·3 in Coatbridge, and 9·4 in Motherwell. In Kilmarnock the marriage-rate of the month was 14·7; in Perth, 14·3; in Falkirk, 13·5; in Kirkcaldy, 12·1; in Dundee, 12·0; in Ayr, 11·8; in Hamilton, 11·7; in Leith, 11·6; in Greenock, 11·6; and in Paisley, 9·8.

Deaths registered in these towns during the month numbered 2871, 1477 being of males, and 1394 of females. Of these deaths 190 were of persons whose usual residence was outwith the town of registration, but there were registered elsewhere in Scotland the deaths of 178 persons with usual residence in one or other of these towns, and the difference, 12, falls to be deducted to get the corrected number of deaths of the month, which is thus found to be 2859. The corrected number of deaths of the month is 98 less than that of May, and 274 less than the mean of those of the three preceding months, but 102 more than that of June of last year.

The death-rate of the month, corrected, is 15·2 per thousand. It is the same as that of May, 1·1 less than the mean of those of the three preceding months, but 0·3 more than that of June of last year. In the individual towns the death-rate of the month, corrected, varied from 17·0 in Aberdeen, 16·5 in Ayr, and 16·3 in Kirkcaldy, to 9·6 in Kilmarnock, 11·7 in Falkirk, and 13·0 in Edinburgh. In Glasgow the death-rate of the month was 15·9; in Coatbridge, 15·8; in Greenock, 15·6; in Leith, 15·4; in Dundee, 15·3; in Paisley, 15·0; in Perth, 15·0; in Hamilton, 14·2; in Motherwell, 13·5; and in Clydebank, 13·4.

Of the deaths of residents of these towns registered during the month, 857, or 30·0 per cent., were of children of less than five years old, and 673, or 23·5 per cent., were of persons of over sixty-five. The former are 26 fewer than in May, and 14 fewer than in June of last year. The latter are 52 fewer than in May, but 61 more than in June of last year.

Deaths of children of less than one year old numbered 542, and are equal to an infantile mortality rate of 109 per thousand of the average number of births registered monthly during the preceding twelve months. These deaths are 9 more than in May, and 52 more than in June of last year, but are 24 less than the mean of the numbers of the three preceding months. This rate is 4 more than in May, and 13 more than in June of last year, but 3 less than the mean of the rates of the three preceding months. In the individual towns the infantile mortality rate of the month varied from 146 in Hamilton, 143 in Coatbridge, and 125 in Kirkcaldy, to 41 in Kilmarnock, 68 in Falkirk, and 75 in Edinburgh. In Glasgow this rate was 120; in Aberdeen, 118; in Leith, 111; in Dundee, 108; in Paisley, 100; in Greenock, 94; in Motherwell, 91; in Perth, 89; in Clydebank, 85; and in Ayr, 83.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhœas of childhood, numbered 247. They are 19 fewer than in the previous month, and 45 fewer than the mean of the numbers of the three preceding months. The death-rate of the month from these causes is 1·3 per thousand, which is 0·1 less than that of May, and 0·2 less than the mean of those of the three preceding months. In the individual towns this death-rate varied from 2·8 in Hamilton, and 2·2 in Clydebank, to 0 in Kirkcaldy and Ayr, and 0·4 in Edinburgh. In Glasgow this rate was 1·6; in Dundee, 1·6; in Aberdeen, 1·5; in Motherwell, 1·5; in Coatbridge, 1·4; in Paisley, 1·3; in Leith, 1·2; in Greenock, 1·2; in Falkirk, 1·1; in Kilmarnock, 1·0; and in Perth 0·7.

Deaths from measles numbered 60; from scarlet fever, 24; from diphtheria, 22; from whooping-cough, 74; from enteric fever, 6; and from the diarrhœas of

childhood, 61. Compared with the returns of the previous month, deaths from measles are 44 fewer, but those from diphtheria are of the same number, while those from enteric fever are 1 more, from whooping-cough 2 more, from scarlet fever 3 more, and from the diarrhoeas of childhood 19 more.

No deaths from either smallpox or typhus fever were registered in these towns during the month. Deaths from influenza (uncomplicated) numbered 4; from malignant disease, 216; from heart disease, 224; from puerperal septic conditions, 13; and from violence, 113, of which 12 were ascribed to suicide.

Deaths from pneumonia numbered 231, constituted 8·1 per cent. of the total deaths of the month, and are equal to an annual death-rate from this cause of 1·2 per thousand, while those due to bronchitis numbered 131, constituted 4·6 per cent. of the total, and are equal to an annual death-rate of 0·7 per thousand. The pneumonia deaths of the month are 18 fewer than those of May, but 27 more than those of June of last year. The bronchitis deaths of the month are 56 fewer than those of May, and 1 fewer than those of June of last year.

Deaths from all forms of tuberculosis numbered 411, constituted 14·4 per cent. of the total deaths of the month, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths are 3 more than in May, and 47 more than in June of last year. Of these deaths 260 were ascribed to phthisis, a number which is 17 more than in May and 33 more than in June of last year, and which is equal to an annual death-rate from this cause of 1·4 per thousand. In the individual towns the phthisis death-rate of the month ranged from 2·6 in Ayr, 2·1 in Kirkcaldy, and 1·8 in Perth, to 0·5 in Greenock, 0·7 in Falkirk, and 0·8 in Clydebank. In Glasgow this rate was 1·5; in Dundee, 1·5; in Aberdeen, 1·5; in Motherwell, 1·5; in Coatbridge, 1·4; in Edinburgh, 1·2; in Paisley, 1·1; in Kilmarnock, 1·0; in Leith, 0·9; and in Hamilton, 0·9.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JUNE 1914.

Mean barometric pressure, 30·038 in.; greater than the average of 1856–1905 by 0·089 in.

Mean temperature, 56°·8; greater by 1°·4.

Mean daily range of temperature, 16°·5; greater by 1°·2.

Rain, number of days, 11; less by 2 days.

Rain, depth in inches, 0·75; less by 1·51 in.

Wind, direction of: a 2 days' excess of winds from N.E. and a 2 days' excess of winds from S.W. and W.

Hence the month was characterised by a rather high mean pressure; a rather high mean temperature, with a high mean daily range; an abnormally low mean rainfall; and a slight excess of winds from both N.E. and S.W.

The mean pressure was 30·038 in., or 0·089 in. above the normal. Depressions extending from the Icelandic region encroached on Scotland about 7th and 21st, but except around these dates pressure was fairly high and steady, and during a great part of the month the weather was of an anticyclonic type. At Leith, at sea-level, the barometer was above 30 in. from 1st to 4th, from 11th to 17th, on 19th, and from 24th to 29th, the extremes there being 30·331 in. on 26th and 29·730 in. on 7th.

The mean temperature was 56°·8, or 1°·4 above the normal, the days being 1°·9 and the nights 0°·7 above their respective averages. Early in the month with rather deficient sunshine temperature reached only a moderately high level, with minimum readings for the month very generally on 1st or 7th, and for the second

week various districts had mean temperatures below the normal. The third week was characterised by brilliant sunshine and extremely warm weather, with highest readings very widely reported on 17th when various stations reached 80° in the shade. During the fourth week cooler conditions again prevailed, but at the end of the month there was a renewed outburst of warmth, and the Edinburgh area and other eastern districts had highest readings on 29th and 30th. On the night of 30th Edinburgh, Dundee and Perth experienced the unusually high minimum temperature of 63° and Aberdeen 60°. As regards the chief towns, the extremes were 83° at Perth on 17th and 35°, also at Perth on 7th.

The mean rainfall of 0·75 in. was 67 per cent. below the normal. In eastern districts as a rule several drier Junes have been recorded, but at Perth the month appears to have been the driest June for at least 50 years, and in the Glasgow and lower Clyde area the deficiency was remarkable. Thus, at Glasgow Observatory the month's small aggregate of 0·54 in. has been approached only in June 1905, when the aggregate was 0·64 in. Towards the Borders there was at various points nearly the average rainfall, but the shortage was very decided over a great part of the country, though only moderate in some northern districts and towards the north-west. Within the area of greatest deficiency wide districts had aggregates of less than 1 in. ; considerable areas less than half an inch ; and Perth, Crieff, Glasgow, Dumfries and Drumlanrig only one-fifth or less of their normal June amounts. Many "rain days" had merely nominal amounts, and at the chief towns only Edinburgh and Greenock had as many as four days with amounts of one-tenth of an inch or more. Falls of importance occurred very locally and only in association with thunderstorms. On 18th Dundee had 0·60 in. and Pitlochry 1·55 in.

Thunderstorms occurred more or less widely during the third week, though none were reported at the western towns, and on the afternoon of 18th a disastrous railway accident occurred at Carrbridge as a result of sudden and destructive flooding.

Sunshine amounts were in general above the normal, but not conspicuously so except towards the south-east, where at Marchmont, in Berwickshire, the month was the sunniest June on record.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, JUNE 1914.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.				
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,047,000	1374	1364	2738	2541	197	1288	703	645	1348	78	61	1365
EDINBURGH, . . .	320,769	321,900	308	303	611	548	63	438	188	187	375	20	51	344
DUNDEE, . . .	176,085	176,300	211	211	422	380	42	174	106	113	219	11	8	222
ABERDEEN, . . .	163,891	159,500	182	174	356	325	31	203	103	123	226	17	20	223
PAISLEY, . . .	84,455	86,000	103	121	224	211	13	69	52	56	108	1	3	106
LEITH, . . .	80,601	79,800	88	86	174	165	9	76	48	44	92	10	1	101
GREENOCK, . . .	75,140	78,000	116	108	224	208	16	74	63	45	108	2	10	100
PERTH, . . .	35,854	34,000	30	32	62	56	6	40	23	22	45	2	5	42
TOTAL . (EIGHT TOWNS)	1,945,282	1,982,500	2412	2399	4811	4434	377	2362	1286	1235	2521	141	159	2503
COATBRIDGE, . . .	43,286	43,000	61	67	128	123	5	33	33	24	57	3	4	56
MOTHERWELL . . .	40,380	41,500	74	54	128	123	5	32	24	17	41	5	0	46
KIRKCALDY . . .	39,601	41,100	52	39	91	85	6	41	22	24	46	11	2	55
HAMILTON, . . .	38,644	38,600	54	54	108	100	8	37	24	18	42	5	2	45
CLYDEBANK, . . .	37,548	44,600	52	60	112	112	0	32	25	14	39	11	1	49
KILMARNOCK, . . .	34,728	35,500	41	42	83	74	9	43	15	17	32	2	6	28
FALKIRK, . . .	33,574	33,300	42	35	77	73	4	37	18	20	38	0	6	32
AYR, . . .	32,986	33,100	31	35	66	62	4	32	30	25	55	0	10	45
TOTAL . (SIXTEEN TOWNS)	2,246,029	2,293,200	2819	2785	5604	5186	418	2649	1477	1394	2871	178	190	2859

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, JUNE 1914.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	31·8	7·2	15·0	15·7	15·9	1·6	2·3	1·5	2·5	288	120
EDINBURGH, .	23·1	10·3	16·6	14·2	13·0	0·4	1·9	1·2	1·3	40	75
DUNDEE, .	29·1	10·0	12·0	15·1	15·3	1·6	2·3	1·5	1·9	39	108
ABERDEEN, .	27·2	8·7	15·5	17·3	17·0	1·5	2·2	1·5	2·0	38	118
PAISLEY, .	31·7	5·8	9·8	15·3	15·0	1·3	1·4	1·1	1·8	19	100
LEITH, .	26·5	5·2	11·6	14·0	15·4	1·2	1·8	0·9	2·4	19	111
GREENOCK, .	35·0	7·1	11·6	16·9	15·6	1·2	1·7	0·5	2·7	19	94
PERTH, .	22·2	9·7	14·3	16·1	15·0	0·7	2·5	1·8	2·5	5	89
TOTAL . (EIGHT TOWNS)	29·5	7·8	14·5	15·5	15·4	1·3	2·1	1·4	2·2	467	110
COATBRIDGE, .	36·2	3·9	9·3	16·1	15·8	1·4	2·8	1·4	2·5	16	143
MOTHERWELL, .	37·6	3·9	9·4	12·0	13·5	1·5	2·9	1·5	1·5	10	91
KIRKCALDY, .	26·9	6·6	12·1	13·6	16·3	0·0	3·3	2·1	1·8	10	125
HAMILTON, .	34·1	7·4	11·7	13·3	14·2	2·8	2·2	0·9	0·9	15	146
CLYDEBANK, .	30·6	0·0	8·7	10·7	13·4	2·2	1·9	0·8	0·8	10	85
KILMARNOCK, .	28·4	10·8	14·7	11·0	9·6	1·0	1·0	1·0	1·7	3	41
FALKIRK, .	28·2	5·2	13·5	13·9	11·7	1·1	1·8	0·7	2·6	5	68
AYR, .	24·2	6·1	11·8	20·2	16·5	0·0	2·9	2·6	2·6	6	83
TOTAL . (SIXTEEN TOWNS)	29·8	7·5	14·1	15·2	15·2	1·3	2·2	1·4	2·1	542	109

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JUNE 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JUNE 1914, .	29·5	7·8	14·5	15·4	0	50	20	66	18	5	55	110	56°·8
JUNE 1913, .	27·5	7·9	13·4	15·0	0	141	20	83	24	4	41	98	55°·7
JUNE 1912, .	24·5	8·4	13·5	14·7	0	84	11	43	19	3	52	109	54°·6
JUNE 1911, .	27·9	8·2	14·3	14·5	0	58	9	127	17	3	43	95	56°·2
JUNE 1910, .	28·9	7·2	14·1	15·4	0	56	20	38	20	4	64	101	55°·8
JUNE 1909, .	30·1	7·6	14·2	15·9	0	29	14	80	21	6	50	98	54°·0
JUNE 1908, .	32·5	6·9	15·7	15·7	0	38	9	60	15	6	-	98	56°·1
JUNE 1907, .	29·3	7·7	14·4	17·5	0	25	3	175	12	7	-	119	52°·5
JUNE 1906, .	31·5	6·9	15·3	16·3	0	59	7	50	23	12	-	103	57°·6
JUNE 1905, .	32·2	6·7	14·6	16·8	0	84	6	109	10	9	-	109	56°·3
JUNE 1904, .	32·6	6·8	15·5	17·3	9	63	9	105	19	12	-	111	55°·0

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	6	-	-	-	-	-	5	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	60	18	42	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	24	1	13	7	2	-	1	-	-	-	-	-
Whooping-cough - - - - -	74	35	38	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	22	2	12	5	2	1	-	-	-	-	-	-
Influenza - - - - -	4	-	-	-	-	-	-	1	-	1	1	1
Erysipelas - - - - -	4	1	1	-	-	-	-	-	1	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	260	2	1	5	9	57	63	54	48	18	2	1
Tuberculous Meningitis - - - - -	63	13	36	8	3	1	-	1	1	-	-	-
Abdominal Tuberculosis - - - - -	41	7	9	6	6	5	4	2	1	1	-	-
Other Tuberculous Diseases - - - - -	47	6	14	3	2	12	2	5	1	1	-	1
Cancer, Malignant Disease - - - - -	216	-	1	-	-	-	7	23	46	65	51	23
Rheumatic Fever - - - - -	12	-	-	2	3	3	1	1	2	-	-	-
Meningitis - - - - -	36	13	11	1	4	2	2	1	2	-	-	-
Organic Heart Disease - - - - -	224	-	2	1	1	10	11	24	22	50	69	34
Bronchitis - - - - -	131	16	9	2	1	4	1	6	10	18	39	25
Pneumonia (all forms) - - - - -	231	49	51	9	2	12	12	20	20	22	20	14
Other Diseases of Respiratory Organs - - - - -	42	6	6	1	-	3	2	3	7	5	3	6
Diarrhoea and Enteritis (under 2 years) - - - - -	61	52	9	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	13	-	-	1	3	2	2	2	1	2	-	-
All Liver Diseases (not Malignant) - - - - -	21	-	-	1	-	-	2	3	6	3	6	-
Other Diseases of Digestive System (under 2 years) - - - - -	17	10	7	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	94	2	1	2	-	5	8	13	19	17	20	7
Puerperal Sepsis - - - - -	13	-	-	-	-	3	9	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	21	-	-	-	-	3	10	8	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	227	226	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	101	12	9	7	4	8	11	13	15	12	6	4
Suicide - - - - -	12	-	-	-	-	2	1	2	4	1	1	1
Other Defined Diseases - - - - -	717	60	37	9	6	16	34	62	66	104	153	170
Diseases Ill defined or Unknown - - - - -	65	11	5	1	2	-	3	6	10	13	8	6
Total - - - - -	2859	542	315	72	50	149	191	252	282	333	379	294

GLASGOW—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	5	-	-	-	-	-	4	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	32	9	23	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	10	-	7	2	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	56	24	31	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	7	1	5	1	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	130	1	1	4	5	29	30	30	20	9	1	-
Tuberculous Meningitis - - - - -	28	5	16	5	2	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	20	3	4	3	4	2	3	-	1	-	-	-
Other Tuberculous Diseases - - - - -	18	2	4	3	2	4	-	2	-	1	-	-
Cancer, Malignant Disease - - - - -	90	-	-	-	-	-	3	7	22	27	21	10
Rheumatic Fever - - - - -	7	-	-	1	2	3	1	-	-	-	-	-
Meningitis - - - - -	17	7	5	1	1	-	1	1	1	-	-	-
Organic Heart Disease - - - - -	79	-	-	-	1	6	5	8	11	17	25	6
Bronchitis - - - - -	67	7	5	-	-	3	-	3	3	12	22	12
Pneumonia (all forms) - - - - -	131	31	37	5	1	8	5	11	12	11	7	3
Other Diseases of Respiratory Organs - - - - -	21	5	6	-	-	1	2	-	3	3	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	25	20	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	5	-	-	-	2	1	1	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	7	-	-	1	-	-	-	1	2	-	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	10	7	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	56	2	-	1	-	5	6	7	12	10	9	4
Puerperal Sepsis - - - - -	9	-	-	-	-	3	5	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	6	-	-	-	-	1	2	3	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	124	123	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	58	7	4	5	3	2	7	7	11	6	2	4
Suicide - - - - -	5	-	-	-	-	2	-	-	2	-	1	-
Other Defined Diseases - - - - -	301	29	22	5	1	7	13	31	25	41	71	56
Diseases Ill-defined or Unknown - - - - -	38	5	3	1	1	-	3	4	5	9	4	3
Total - - - - -	1365	288	183	39	26	77	91	119	130	147	166	99

EDINBURGH—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	2	2	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	32	-	-	-	1	4	11	7	4	5	-	-
Tuberculous Meningitis - - - - -	3	-	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	6	1	2	-	-	1	-	1	-	1	-	-
Other Tuberculous Diseases - - - - -	10	1	4	-	-	2	1	2	-	-	-	-
Cancer, Malignant Disease - - - - -	40	-	1	-	-	-	1	6	5	11	12	4
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	42	-	-	-	-	2	-	3	1	10	17	9
Bronchitis - - - - -	9	1	-	-	-	-	-	1	2	-	3	2
Pneumonia (all forms) - - - - -	22	4	3	-	-	1	-	3	2	4	2	3
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	1	-	-	-	1	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	-	1	-	1	1	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	5	-	-	-	-	-	-	1	-	2	2	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	13	-	-	-	-	-	1	1	2	4	4	1
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	3	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	21	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	1	-	-	1	-	-	-	1	2	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	107	6	7	-	-	1	6	9	6	16	23	33
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	1	-	-	1	1
Total - - - - -	344	40	24	4	3	13	25	37	22	56	67	53

DUNDEE—June 1914.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	13	5	8	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	22	-	-	-	-	4	9	5	3	1	-	-	
Tuberculous Meningitis - - - - -	7	-	3	2	-	1	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	1	1	-	-	1	1	-	-	-	-	1	
Cancer, Malignant Disease - - - - -	22	-	-	-	-	-	-	-	5	10	2	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	22	-	1	-	-	-	1	3	4	3	6	4	
Bronchitis - - - - -	13	1	1	1	-	1	-	-	2	1	3	3	
Pneumonia (all forms) - - - - -	13	3	2	-	1	-	2	-	-	1	1	3	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	6	-	-	-	-	-	-	2	-	1	2	1	
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	4	-	-	-	-	1	1	2	-	-	-	-	
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	14	14	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	1	2	-	-	2	1	-	1	2	-	-	
Suicide - - - - -	3	-	-	-	-	-	-	1	1	-	-	1	
Other Defined Diseases - - - - -	52	6	-	2	1	1	3	3	4	6	12	14	
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	2	-	-	
Total - - - - -	222	39	19	7	3	12	19	17	21	27	26	32	

ABERDEEN—June 1914

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	8	-	3	2	2	1	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	19	1	-	-	1	5	3	6	3	-	-	-
Tuberculous Meningitis - - - - -	3	1	1	-	-	-	-	-	1	-	-	-
Abdominal Tuberculosis - - - - -	4	-	-	1	1	2	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	-	-	1	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	-	1	3	2	2	1
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	1	-	-	1	2	-	-	-	-	-	-
Organic Heart Disease - - - - -	17	-	-	-	-	1	2	2	1	3	3	5
Bronchitis - - - - -	8	3	1	-	-	-	-	1	-	-	3	-
Pneumonia (all forms) - - - - -	16	4	-	3	-	-	2	2	-	2	1	2
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	9	7	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	1	-	-	-	1	3	-	1	1
Puerperal Sepsis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	1	-	-	1	-	2	1	-
Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - - - -	80	7	3	-	2	2	4	3	9	12	12	26
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	223	38	13	9	8	14	16	19	23	22	24	37

PAISLEY—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	-	-	-	3	2	-	2	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	2	5	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	-	-	-	1	3	1	5	2	-
Bronchitis - - - - -	5	2	-	-	1	-	-	-	1	1	1	-
Pneumonia (all forms) - - - - -	6	1	-	1	-	1	-	-	-	1	2	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	1	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	1	-	-	1	2	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	33	2	-	-	-	1	2	4	2	5	7	10
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Total - - - - -	106	19	6	3	2	5	7	12	11	16	14	11

LEITH—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	1	1	1	-	3	-	-	-
Tuberculous Meningitis - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	-	1	-	3	5	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	-	-	1	1	1	1	-	5	3
Bronchitis - - - - -	9	2	-	-	-	-	-	1	-	1	4	1
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	1	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	4	-	-	-	-	-	-	1	-	-	-	3
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	-	1	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	23	2	1	-	1	-	2	2	5	3	4	3
Diseases ill defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Total - - - - -	101	19	9	1	2	3	6	9	12	9	21	10

GREENOCK—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	1	2	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	1	-	-	-	-	1	2	3	1
Bronchitis - - - - -	5	-	2	-	-	-	1	-	1	1	-	-
Pneumonia (all forms) - - - - -	10	2	-	-	-	-	1	-	3	1	3	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	1	-	-	-	1	1	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	30	2	2	-	-	-	2	-	2	5	8	9
Diseases ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	-	1	1
Total - - - - -	100	19	10	1	-	5	7	5	13	12	16	12

CAUSES OF DEATH (corrected for Transfers)

PERTH—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	-	2	-	2	1	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	-	2	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	4	-	1	-	-	-	-	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	1	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	10	-	-	-	-	1	-	-	2	1	3	3
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	42	5	3	1	-	2	2	2	9	2	10	6

COATBRIDGE—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	1	-	1	-	-	2	-	-	1
Tuberculous Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	1	1	2	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	1	-	-	4	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	7	3	3	-	-	-	-	-	1	1	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	8	1	-	-	-	-	-	1	1	-	5	-
Diseases Ill-defined or Unknown - - - - -	4	3	-	-	-	-	-	-	1	-	-	-
Total - - - - -	56	16	7	1	1	1	3	4	7	4	10	2

MOTHERWELL—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	-	1	3	-	1	-	-
Tuberculous Meningitis - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	1	2	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	1	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	-	1	1	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	-	-	1	-	-	1	1	1	2	-	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	46	10	11	1	-	1	3	7	3	5	2	3

KIRKCALDY—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	2	1	1	3	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	1	1	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	1	1	2	2	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	1	-	-	-	-	1	-	1	1	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	1	-	-	2	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	1	-	1	-	1	1	1	2	3	1	3
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - - -	55	10	3	2	-	3	3	7	7	7	6	7

HAMILTON—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	1	-	-	-	-	-	2	2	3	2	-
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	45	15	6	-	1	1	1	4	4	6	4	-

CLYDEBANK—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	-	2	-	-	-
Tuberculous Meningitis - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	3	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	2	1	-	-	-	-	1	-	4	2	-
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - - -	49	10	9	1	-	4	3	1	7	9	3	-

KILMARNOCK—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	-	1	-	1	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	2	-	1
Bronchitis - - - - -	3	-	-	1	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	-	1	-	1	-	-	1	-	1	2	1
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Total - - - - -	28	3	3	1	3	2	2	1	1	6	4	2

FALKIRK—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	6	-	4	-	-	-	-	1	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	1	-	-	-	2	-	2	5	-	1	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	32	5	5	1	1	3	-	3	6	3	2	3

AYR—June 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	3	2	-	2	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	2	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	1	2	-	-	-	2
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	-	-	-	-	1	-	2	-	6
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - - -	45	6	4	-	-	3	3	5	6	2	4	12

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JUNE 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.													
				Mean of				Difference from Average	Absolute Maximum and Minimum.		Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.		Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.									
		Maximum (A).	Minimum (B.)	°	°	°	°		°	°	°	°	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.		Humidity.	°		inch.	per cent.	inch.	inch.	N	NE	E	SE	S	SW
		inch.	inch.	feet.																									
GLASGOW, Medical Officer of Health, Glasgow.	54	29.974	30.032	65.5	48.1	56.8	+0.8	80	19th	40	1st	58.2	5.2	.340	70	9	0.35	-2.20	inch.	0	13	10	0	2	22	11	2	0	0
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.571	30.051	62.2	48.7	55.5	+1.5	74	30th	40	1st	54.8	3.6	.332	77	12	1.00	-0.91	inch.	1	13	6	0	2	7	25	2	4	4
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.858	30.036	66.6	48.5	57.6	+1.9	79	29th	39	1, 7,	56.8	3.0	.375	81	11	1.04	-0.95	inch.	0	10	9	12	0	18	5	6	0	0
ABERDEEN,* The Meteorological Office.	90	29.923	30.023	62.7	48.1	55.4	+1.5	79	30th	38	3rd	55.3	3.3	.346	79	12	0.74	-1.11	inch.	11	7	4	5	5	5	5	9	9	9
PAISLEY, The Coats Observatory.	107	29.927	30.044	66.4	49.6	58.0	+1.6	79	17th	42	1, 8	57.5	4.7	.341	72	13	0.48	-1.74	inch.	3	6	10	3	1	13	11	11	2	2
LEITH,† JAMES BOLAM, Navigation School.	76	29.956	30.039	63.1	49.9	56.5	+0.7	74	30th	41	1st	57.3	4.1	.353	75	12	0.80	-1.20	inch.	6	14	14	0	0	10	18	4	0	0
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.788	30.048	64.7	48.4	56.6	+1.6	78	17th	40	1, 7	57.3	4.7	.338	72	12	1.19	-2.25	inch.	0	8	7	3	0	6	22	14	0	0
PERTH, ALEX. M. RODGER, The Museum.	85	29.938	30.031	68.8	47.0	57.9	+2.0	83	17th	35	7th	57.1	4.1	.350	75	9	0.37	-1.74	inch.	2	7	12	5	4	19	9	1	1	1
Means	156	29.867	30.038	65.0	48.5	56.8	+1.4	56.8	4.1	.347	75	11	0.75	-1.51	inch.	2	10	9	4	2	12	13	6	2	2
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																													

* At King's College at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JULY 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of July 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5349 living children, of whom 2748 were male, and 2601 female. The male children, whose births were registered during the month, numbered 71 fewer than in the previous month, and the female children 184 fewer. The total children registered numbered 255 fewer than in the previous month, and 85 less than the average during the three preceding months, but are 221 more than in July of last year. The equivalent annual birth-rate is 27·5 per thousand of the estimated aggregate population of these towns, which rate is 2·3 less than that of June, 1·1 less than the mean of those of April, May and June, but is 1·8 more than that of July of last year. In the individual towns the birth-rate of the month ranged from 38·2 in Hamilton, 29·9 in Greenock, and 29·7 in Paisley, to 20·1 in Perth, 22·1 in Edinburgh, and 24·1 in Aberdeen. In Falkirk the birth-rate of the month was 29·7; in Coatbridge, 29·6; in Glasgow, 29·4; in Leith, 28·0; in Motherwell, 27·9; in Ayr, 27·4; in Clydebank, 27·0; in Dundee, 25·8; in Kirkcaldy, 24·4; and in Kilmarnock, 24·2.

Of the 5349 children registered during the month, 5016, or 93·8 per cent., were legitimate, while 333, or 6·2 per cent., were illegitimate. The illegitimate children registered numbered 85 fewer than in the previous month, 45 less than the mean of the numbers of the preceding three months, and 14 fewer than in July of last year. The illegitimate rate of the month is 1·3 less than that of the previous month, 0·8 less than the mean of those of the three preceding months, and 0·6 less than that of the corresponding month of last year. In the individual towns the illegitimate rate of the month varied from 13·0 in Ayr, 10·7 in Falkirk, and 10·1 in Aberdeen, to 1·0 in Motherwell and Clydebank, 1·4 in Kilmarnock, and 1·6 in Hamilton. In Edinburgh the illegitimate rate of the month was 8·4; in Dundee, 7·8; in Coatbridge, 6·5; in Glasgow, 6·1; in Perth, 5·2; in Leith, 4·7; in Kirkcaldy, 4·7; in Paisley, 3·2; and in Greenock, 3·0.

Marriages registered in these towns during the month numbered 2474, and are 175 fewer than in June, and 117 fewer in July of last year, but are 707 more than the mean of the numbers registered in April, May and June. The marriage-rate of

the month was 12·7 per thousand, which is 1·4 less than that of June, and 0·8 less than that of July of last year, but is 3·3 more than the mean of the marriage-rates of the three preceding months. In the individual towns the marriage-rate of the month ranged from 15·2 in Dundee, 13·9 in Glasgow, 13·3 in Edinburgh, and 13·2 in Perth, to 4·6 in Falkirk, 5·3 in Ayr, 8·3 in Kilmarnock, and 8·1 in Leith. In Hamilton the marriage-rate of the month was 12·8; in Greenock, 12·4; in Coatbridge, 11·8; in Aberdeen, 11·6; in Kirkcaldy, 11·2; in Paisley, 9·7; in Motherwell, 9·1; and in Clydebank, 9·0.

Deaths registered in these towns during the month numbered 2603, 1325 being of males, and 1278 of females, and the crude death-rate was 13·4 per thousand. But as the deaths of 225 non-residents were registered in these towns during the month, while the deaths of 198 residents of these towns were registered elsewhere in Scotland, the corrected number of deaths is 2576, and the corrected death-rate is 13·2. The corrected number of deaths of the month is 283 less than that of the previous month, 393 less than the mean of those of the three preceding months, and 64 less than that of July of last year. The corrected death-rate of the month is 2·0 less than that of the previous month, 2·4 less than the mean of those of the three preceding months, and 0·6 less than that of July of last year.

In the individual towns the death-rate of the month ranged from 15·2 in Perth, and 15·1 in Coatbridge, to 9·3 in Kilmarnock, 9·7 in Kirkcaldy, and 9·9 in Falkirk. In Dundee the corrected death-rate of the month was 14·4; in Greenock, 14·4; in Ayr, 14·2; in Glasgow 13·6; in Hamilton, 13·4; in Aberdeen, 13·2; in Edinburgh, 13·2; in Leith, 12·7; in Clydebank, 11·9; in Motherwell, 11·4; and in Paisley, 10·3.

Of the deaths of residents of these towns 731, or 28·4 per cent., were of children of less than five years old, while 587, or 22·8 per cent., were of persons of over sixty-five. The former are 126 fewer than in June, and 46 fewer than in July of last year. The latter are 86 fewer than in June, and 21 fewer than in July of last year.

Deaths of children of less than one year old numbered 470, and are equal to an infantile mortality rate of 91 per thousand of the average number of births registered in these towns during the preceding twelve months. These deaths are 72 less than in June, and 69 less than the mean of the numbers of the three preceding months, but are 33 more than those of July of last year. This rate is 18 less than that of June, and 17 less than the mean of those of the three preceding months, but is 5 more than that of July of last year. In the individual towns the infantile mortality rate of the month ranged from 125 in Dundee, 123 in Perth, and 120 in Ayr, to 12 in Kirkcaldy, 45 in Motherwell, 53 in Kilmarnock, and 58 in Greenock. In Hamilton the infantile mortality rate of the month was 119; in Aberdeen, 99; in Paisley, 97; in Glasgow, 94; in Clydebank, 93; in Edinburgh, 83; in Leith, 80; in Falkirk, 80; and in Coatbridge, 78.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 221. They are 26 fewer than in the previous month, 40 less than the mean of the numbers of the three preceding months, and 71 fewer than in July of last year. The monthly death-rate from these causes was 1·1 per thousand, which is 0·2 less than in the previous month, 0·3 less than the mean of the rates of the three preceding months, and 0·4 less than in July of last year. In the individual towns this rate ranged from 3·4 in Hamilton, and 3·0 in Coatbridge, to 0·3 in Kirkcaldy, 0·4 in Edinburgh, and 0·5 in Greenock and Clydebank. In Dundee the principal epidemic diseases death-rate of the month was 1·8; in Motherwell, 1·7; in Glasgow, 1·3; in Paisley, 1·1; in Falkirk, 1·1; in Perth, 1·0; in Aberdeen, 0·9; in Kilmarnock, 0·7; in Ayr, 0·7; and 0·6 in Leith.

Deaths from measles numbered 41 ; from scarlet fever, 21 ; from diphtheria, 15 ; from whooping-cough, 49 ; from enteric fever, 9 ; and from the diarrhoeas of childhood, 86. Compared with the returns of the previous month, deaths from whooping-cough are 25 fewer, from measles 19 fewer, from diphtheria 7 fewer, and from scarlet fever 3 fewer, but those from enteric fever are 3 more, and from the diarrhoeas of childhood 25 more.

No deaths from either smallpox or typhus fever were registered in these towns during the month. Deaths from malignant disease numbered 205 ; from heart disease, 239 ; from puerperal septic conditions, 12 ; and from violence, 116, of which 9 were ascribed to suicide.

Deaths from pneumonia numbered 167, constituted 6·5 per cent. of the total deaths of the month, and are equal to an annual death-rate from this cause of 0·9 per thousand, while those from bronchitis numbered 88, constituted 3·4 per cent. of the total, and are equal to a death-rate of 0·4 per thousand. The deaths from pneumonia are 64 fewer than those of the previous month, and 33 fewer than those of July of last year. The deaths from bronchitis are 43 fewer than those of the previous month, and 26 fewer than those of the corresponding month of last year.

Deaths from all forms of tuberculous disease numbered 321, constituted 12·5 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·6 per thousand. These deaths are 90 fewer than in June, and 20 fewer than in July of last year. Of the deaths from tuberculosis, 190 were ascribed to phthisis, a number which is 70 less than in the previous month, and 4 less than in July of last year. The deaths from phthisis constituted 7·4 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·0 per thousand. In the individual towns the phthisis death-rate of the month ranged from 1·4 in Dundee, 1·2 in Leith, and 1·1 in Glasgow, Coatbridge and Clydebank, to 0 in Hamilton and Falkirk, 0·3 in Greenock, and 0·4 in Ayr. In Edinburgh the phthisis death-rate of the month was 1·0 per thousand ; in Motherwell, 0·9 ; in Paisley, 0·8 ; in Perth, 0·7 ; in Kilmarnock, 0·7 ; in Kirkcaldy, 0·6 ; and in Aberdeen, 0·5.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JULY 1914.

Mean barometric pressure, 29·811 in. ; less than the average of 1856–1905 by 0·081 in.

Mean temperature, 58°·9 ; greater by 0°·9.

Mean daily range of temperature, 14°·3 ; greater by 0°·1.

Rain, number of days, 13 ; less by 3 days.

Rain, depth in inches, 2·72 ; less by 0·32 in.

Wind, direction of : a 7 days' excess of winds from N.W. or from between N. and E.

Hence the month was characterised by a rather low mean pressure ; a somewhat high mean temperature, with a normal mean daily range ; a slightly low mean rainfall ; and a large excess of winds from some northerly or easterly point.

The mean pressure was 29·811 in., or 0·081 in. below the normal. Shallow depressions affected our area at the beginning of the month, whilst pressure was highest from 9th to 13th. On 21st a large depression moved on a south-easterly track from Iceland, bringing minimum readings for the month over Scotland on 25th. At Leith, at sea-level, pressure was above 30 in. only on 4th, from 9th to 13th, and on 30th the extremes there being 30·255 in. on 10th, and 29·338 in. on 25th.

The mean temperature was 58°·9, or 0°·9 above the normal, the excess being equally well marked by day and by night. For the first three weeks temperature maintained on the whole a somewhat high level, though lowest readings for the month occurred over wide areas on 4th with easterly winds. On 21st day readings were extremely high, many stations reaching 80° in the shade, but on the following day with freshening north-westerly winds there was a decided fall in temperature, and warm conditions were not re-established. During the last few days of the month with easterly winds the nights were cold, with lowest readings in some districts on 25th, or some later date. At the chief towns the extremes were 84° at Dundee on 21st, and 40° at Perth on 29th.

The mean rainfall was 2·72 in. or 11 per cent. below the normal. In the north of Scotland there was a decided excess amounting at Aberdeen to 42 per cent. Towards the north-west and in the Border counties there was a very decided shortage, Fort William having less than one third of the normal, and Poltalloch, Marchmont, and Kelso less than one-half; whilst elsewhere there was a moderate shortage, though here and there, as at Paisley and Crieff, amounts were at least equal to the normal. A thunderstorm very early on 2nd brought heavy falls to many districts—more than 1 in. at Crieff and Glasgow; and there were somewhat heavy falls in north and north-east on 5th and 6th; about 1 in. at Aberdeen on 5th, and 1·21 in. at Dunrobin on 6th; and on 12th, Paisley registered 0·82 in. in a thunderstorm. From 15th to 18th conditions were unsettled, with as much as 1½ in. at Banff on 15th, but thereafter many districts received little or no rain until 31st, when very heavy falls were general, as much as 1·21 in. at Drumlanrig. Heavy falls, however, occurred towards north on 24th and 25th.

Wind force was in general moderate, though somewhat high from 22nd to 24th. Thunderstorms on 2nd and 12th were widely experienced.

Sunshine amounts were in general below the normal, and from about 10th to 21st rather dense coast fog occurred in east and north.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, JULY 1914.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,047,000	1346	1271	2617	2458	159	1237	604	596	1200	91	85	1206	
EDINBURGH, . .	320,769	321,900	311	294	605	554	51	364	190	184	374	38	51	361	
DUNDEE, . . .	176,085	176,300	192	194	386	356	30	227	104	114	218	13	15	216	
ABERDEEN, . . .	163,891	159,500	176	150	326	293	33	157	105	89	194	13	28	179	
PAISLEY, . . .	84,455	86,000	120	97	217	210	7	71	37	41	78	3	6	75	
LEITH, . . .	80,601	79,800	102	88	190	181	9	55	39	42	81	7	2	86	
GREENOCK, . . .	75,140	78,000	96	102	198	192	6	82	39	56	95	4	4	95	
PERTH, . . .	35,854	34,000	22	36	58	55	3	38	31	23	54	1	11	44	
TOTAL . (EIGHT TOWNS)	1,945,282	1,982,500	2365	2232	4597	4299	298	2231	1149	1145	2294	170	202	2262	
COATBRIDGE, . .	43,286	43,000	52	56	108	101	7	43	29	25	54	2	1	55	
MOTHERWELL . .	40,380	41,500	45	53	98	97	1	32	23	14	37	5	2	40	
KIRKCALDY . . .	39,601	41,100	39	46	85	81	4	39	13	20	33	3	2	34	
HAMILTON, . . .	38,644	38,600	73	52	125	123	2	42	30	9	39	6	1	44	
CLYDEBANK, . .	37,543	44,600	62	40	102	101	1	34	21	15	36	10	1	45	
KILMARNOCK, . .	34,728	35,500	35	38	73	72	1	25	13	18	31	0	3	28	
FALKIRK, . . .	33,574	33,300	41	43	84	75	9	13	17	12	29	2	3	28	
AYR, . . .	32,986	33,100	36	41	77	67	10	15	30	20	50	0	10	40	
TOTAL . . . (SIXTEEN TOWNS)	2,246,029	2,293,200	2748	2601	5349	5016	333	2474	1325	1278	2603	198	225	2576	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, JULY 1914.

TOWNS	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	29·4	6·1	13·9	13·5	13·6	1·3	1·9	1·1	1·5	234	94
EDINBURGH, .	22·1	8·4	13·3	13·7	13·2	0·4	1·6	1·0	1·4	46	83
DUNDEE, .	25·8	7·8	15·2	14·6	14·4	1·8	1·9	1·4	1·8	47	125
ABERDEEN, .	24·1	10·1	11·6	14·3	13·2	0·9	0·9	0·5	1·3	33	99
PAISLEY, .	29·7	3·2	9·7	10·7	10·3	1·1	1·0	0·8	1·5	19	97
LEITH, .	28·0	4·7	8·1	12·0	12·7	0·6	2·1	1·2	2·2	14	80
GREENOCK, .	29·9	3·0	12·4	14·4	14·4	0·5	1·5	0·3	2·0	12	58
PERTH, .	20·1	5·2	13·2	18·7	15·2	1·0	1·7	0·7	0·3	7	123
TOTAL . (EIGHT TOWNS)	27·3	6·5	13·3	13·6	13·4	1·1	1·7	1·0	1·5	412	94
COATBRIDGE, .	29·6	6·5	11·8	14·8	15·1	3·0	1·9	1·1	1·4	9	78
MOTHERWELL, .	27·9	1·0	9·1	10·5	11·4	1·7	1·1	0·9	1·7	5	45
KIRKCALDY, .	24·4	4·7	11·2	9·5	9·7	0·3	0·6	0·6	1·4	1	12
HAMILTON, .	38·2	1·6	12·8	11·9	13·4	3·4	0·9	0·0	1·5	13	119
CLYDEBANK, .	27·0	1·0	9·0	9·5	11·9	0·5	2·4	1·1	1·1	11	93
KILMARNOCK, .	24·2	1·4	8·3	10·3	9·3	0·7	0·7	0·7	0·7	4	53
FALKIRK, .	29·7	10·7	4·6	10·3	9·9	1·1	0·4	0·0	0·4	6	80
AYR, .	27·4	13·0	5·3	17·8	14·2	0·7	0·4	0·4	0·0	9	120
TOTAL . (SIXTEEN TOWNS)	27·5	6·2	12·7	13·4	13·2	1·1	1·6	1·0	1·5	470	91

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JULY 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JULY 1914, .	27·3	6·5	13·3	13·4	0	34	15	40	11	9	74	94	58°·9
JULY 1913, .	26·2	7·1	14·0	14·0	0	104	19	50	16	3	66	86	58°·3
JULY 1912, .	27·5	8·1	15·0	15·0	0	30	13	49	21	6	90	110	58°·1
JULY 1911, .	25·1	8·4	13·2	14·5	2	43	17	73	26	6	91	107	60°·6
JULY 1910, .	25·7	7·6	12·2	13·0	0	23	19	30	28	11	56	88	56°·7
JULY 1909, .	27·1	7·8	12·1	13·7	0	31	14	57	14	6	44	87	57°·0
JULY 1908, .	29·6	7·3	13·0	14·6	0	14	7	86	10	4	—	102	58°·6
JULY 1907, .	30·1	7·0	16·1	15·5	0	28	8	103	14	11	—	101	56°·5
JULY 1906, .	28·6	7·6	15·1	15·0	0	42	6	53	17	9	—	94	57°·4
JULY 1905, .	30·4	6·7	13·8	15·5	0	67	4	84	12	5	—	112	60°·5
JULY 1904, .	29·2	7·0	13·5	15·1	6	32	11	92	10	16	—	101	58°·2

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—July 1914.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	9	-	-	-	-	3	5	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	41	9	32	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	21	2	9	4	2	2	2	-	-	-	-	-	-
Whooping-cough - - - - -	49	26	23	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	15	1	11	3	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	-	-	-	-	1	-	-	-	-	1	1	-
Erysipelas - - - - -	5	1	-	-	-	-	1	1	1	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	190	2	9	5	2	32	46	43	29	15	6	-	-
Tuberculous Meningitis - - - - -	62	10	40	6	-	2	2	2	-	-	-	-	-
Abdominal Tuberculosis - - - - -	32	9	9	6	3	-	1	2	1	1	-	-	-
Other Tuberculous Diseases - - - - -	37	4	4	7	7	5	5	1	4	-	-	-	-
Cancer, Malignant Disease - - - - -	205	1	-	-	1	-	5	24	36	65	52	21	-
Rheumatic Fever - - - - -	7	-	-	1	2	2	1	-	1	-	-	-	-
Meningitis - - - - -	38	143	15	5	-	-	1	2	1	-	-	-	-
Organic Heart Disease - - - - -	239	1	1	-	6	17	8	19	36	48	61	42	-
Bronchitis - - - - -	88	12	3	-	1	1	3	5	5	15	22	21	-
Pneumonia (all forms) - - - - -	167	23	35	9	1	9	12	17	24	17	12	8	-
Other Diseases of Respiratory Organs - - - - -	33	7	4	1	1	2	2	2	3	2	3	6	-
Diarrhoea and Enteritis (under 2 years) - - - - -	86	71	15	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	25	-	1	2	5	4	6	1	2	3	-	1	-
All Liver Diseases (not Malignant) - - - - -	27	-	1	-	-	1	2	4	8	4	6	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	13	11	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	103	1	-	6	-	2	6	15	23	17	22	11	-
Puerperal Sepsis - - - - -	12	-	-	-	-	1	10	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	23	-	-	-	-	3	12	8	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	183	181	1	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	107	14	11	12	4	8	15	19	9	9	5	1	-
Suicide - - - - -	9	-	-	-	-	-	1	4	2	1	1	-	-
Other Defined Diseases - - - - -	689	61	32	9	12	15	38	60	81	112	146	123	-
Diseases Ill defined or Unknown - - - - -	58	9	3	-	1	1	1	8	7	14	10	4	-
Total - - - - -	2576	470	261	76	49	112	185	239	273	324	347	240	-

GLASGOW—July 1914.

CAUSES OF DEATH.	All Ages.	Age.											
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	6	-	-	-	-	2	4	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	18	2	16	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	7	1	4	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	35	20	15	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	6	1	3	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	1	-	-	-	-	1	-	-
Erysipelas - - - - -	5	1	-	-	-	-	1	1	1	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	102	-	6	5	3	14	25	25	18	5	1	-	-
Tuberculous Meningitis - - - - -	34	9	19	2	-	1	1	2	-	-	-	-	-
Abdominal Tuberculosis - - - - -	18	6	5	2	1	-	1	1	1	1	-	-	-
Other Tuberculous Diseases - - - - -	16	2	1	1	5	2	2	-	3	-	-	-	-
Cancer, Malignant Disease - - - - -	89	-	-	-	-	-	2	11	11	31	23	11	-
Rheumatic Fever - - - - -	5	-	-	1	2	1	1	-	-	-	-	-	-
Meningitis - - - - -	17	6	9	1	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	91	-	1	-	1	9	1	11	12	16	28	12	-
Bronchitis - - - - -	44	9	2	-	1	-	1	3	4	8	9	7	-
Pneumonia (all forms) - - - - -	79	13	19	3	-	7	6	5	10	8	7	1	-
Other Diseases of Respiratory Organs - - - - -	13	4	1	-	1	1	1	1	1	2	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	43	34	9	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	14	-	-	2	4	1	4	1	1	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	8	-	1	-	-	-	-	1	2	1	3	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	8	6	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	56	-	-	3	-	-	2	9	11	8	13	10	-
Puerperal Sepsis - - - - -	5	-	-	-	-	-	5	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	12	-	-	-	-	2	5	5	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	80	79	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	54	6	3	6	3	5	7	10	5	5	3	1	-
Suicide - - - - -	3	-	-	-	-	-	-	1	1	-	1	-	-
Other Defined Diseases - - - - -	308	31	17	5	3	7	19	27	40	52	65	42	-
Diseases Ill-defined or Unknown - - - - -	28	4	1	-	1	1	-	4	4	7	4	2	-
Total - - - - -	1206	234	135	34	26	54	88	119	125	146	158	87	-

EDINBURGH—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	26	-	-	-	-	4	5	7	3	4	3	-
Tuberculous Meningitis - - - - -	11	1	9	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	6	-	-	1	1	1	1	1	1	-	-	-
Cancer, Malignant Disease - - - - -	37	-	-	-	1	-	-	-	6	14	12	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	6	3	2	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	57	-	-	-	-	1	3	2	13	17	11	10
Bronchitis - - - - -	9	-	1	-	-	-	2	-	-	2	2	2
Pneumonia (all forms) - - - - -	23	2	4	-	-	-	1	6	3	3	-	4
Other Diseases of Respiratory Organs - - - - -	7	2	2	-	-	-	-	-	1	-	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	6	-	-	-	-	-	-	-	1	2	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	16	1	-	-	-	1	1	-	6	4	2	1
Puerperal Sepsis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	15	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	3	2	1	-	-	-	2	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	109	9	4	-	3	3	4	11	13	23	23	16
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	-	2	2	-
Total - - - - -	361	46	24	3	6	12	23	31	47	72	58	39

DUNDEE—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	11	5	6	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	5	1	2	1	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	21	-	1	-	-	5	8	3	-	3	1	-
Tuberculous Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	13	-	-	-	-	-	-	3	5	3	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Organic Heart Disease - - - - -	21	-	-	-	-	1	1	2	3	6	2	6
Bronchitis - - - - -	10	1	-	-	-	1	-	2	1	1	4	-
Pneumonia (all forms) - - - - -	12	-	4	2	1	-	-	1	3	1	-	-
Other Diseases of Respiratory Organs - - - - -	5	-	-	-	-	-	1	1	1	-	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	9	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	-	-	-	2	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	25	25	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	2	-	1	-	-	-	1	-	1	-	-
Suicide - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Other Defined Diseases - - - - -	51	2	2	-	1	1	2	6	8	4	13	12
Diseases Ill-defined or Unknown - - - - -	6	1	-	-	-	-	-	-	3	2	-	-
Total - - - - -	216	47	24	5	2	10	13	21	26	24	23	21

ABERDEEN—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75+
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	-	1	-	1	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	1	1	3	1	1	-	-
Tuberculous Meningitis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	13	-	-	-	-	-	-	1	4	5	1	2
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	20	1	-	-	-	1	1	-	1	1	7	8
Bronchitis - - - - -	9	1	-	-	-	-	-	-	-	2	-	6
Pneumonia (all forms) - - - - -	7	-	2	-	-	1	1	-	-	-	3	-
Other Diseases of Respiratory Organs - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	7	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	5	-	-	-	-	1	-	2	1	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	1	-	-	-	1	-	2	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	13	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	-	1	1	1	-	2	1	-	-	1	-
Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Other Defined Diseases - - - - -	62	9	3	2	2	3	1	4	3	7	14	14
Diseases Ill-defined or Unknown - - - - -	4	2	-	-	-	-	-	1	-	1	-	-
Total - - - - -	179	33	12	6	5	9	10	15	10	20	27	32

PAISLEY—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	1	1	1	2	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	2	-	-	1	-	2	2
Bronchitis - - - - -	3	1	-	-	-	-	-	-	1	1	1	-
Pneumonia (all forms) - - - - -	7	1	1	-	-	-	1	-	2	1	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhœa and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	1	1	-	-	-	-	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	18	2	1	-	-	-	1	3	3	4	1	3
Diseases Ill-defined or Unknown - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Total - - - - -	75	19	8	-	-	5	4	6	11	10	6	6

LEITH—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	2	-	-	1	2	2	1	-	-	-
Tuberculous Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	1	3	-	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	-	1	1	-	2	-	2	3	2
Bronchitis - - - - -	6	-	-	-	-	-	-	-	-	-	2	4
Pneumonia (all forms) - - - - -	6	2	1	-	-	-	-	1	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	3	-	-	1	-	1	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	18	1	-	-	-	-	2	-	2	4	4	5
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Total - - - - -	86	14	11	3	1	3	4	7	9	8	13	13

GREENOCK—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Tuberculous Meningitis - - - - -	3	-	2	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	-	2	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	2	1	2	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	1	-	-	-	-	2	-	2
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms) - - - - -	10	1	3	1	-	1	-	1	1	1	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	1	-	2	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	1	2	1	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	1	-	1	-	3	1	3	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	27	-	-	1	-	-	2	2	3	5	6	8
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Total - - - - -	95	12	9	6	2	4	9	11	8	12	10	12

PERTH—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Tuberculous-Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	2	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	2	-	1	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	1	-	-	1	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	21	2	1	1	1	1	-	1	1	1	8	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	44	7	3	3	1	1	2	4	4	2	12	1

COATBRIDGE—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	1	-	-	-	1	-	-	1	-	1	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	-	1	4	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	1	-	1	-	-	1	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	3	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	-	-	-	-	3	-	2	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	-	-	-	-	-	-	-	1	3	1	2
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Total - - - - -	55	9	10	4	-	3	5	1	5	7	9	2

MOTHERWELL—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	-	2	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	-	2	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	1	-	3	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	1	2	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	6	-	-	-	-	-	1	2	2	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	1	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	4	-	-	-	-	-	1	-	1	1	1	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	40	5	4	4	-	2	4	5	6	5	4	1

KIRKCALDY—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	1	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	1	-	-	1	1	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	3	-	-	1	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	-	1	-	-	-	-	-	1	-	5	5
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - - -	34	1	3	1	-	3	1	3	3	3	11	5

HAMILTON—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	-	1	1	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	1	-	-	-	-	1	1	-	3	-	-
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	1	-	-	-	-	1
Total - - - - -	44	13	10	3	-	1	6	1	1	3	4	-

CLYDEBANK—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	1	-	-	-	1	1	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	-	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	1	-	-	-	1	-	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	2	-	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	-	1	3	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	11	2	1	-	2	-	1	1	1	1	-	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	45	11	4	4	3	1	5	5	7	1	1	-

KILMARNOCK—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
teric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
phus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
all-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
asles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
arlet Fever - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
hooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
htheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
luenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
thsis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
berculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
dominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ncer, Malignant Disease - - - - -	4	-	-	-	-	-	1	-	-	-	1	2
neumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ganic Heart Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
onchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
euemonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
her Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
arrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
pendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
iver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
phritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
erperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ongenital Debility and Malformation, including Pre- mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
olent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
icide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Defined Diseases - - - - -	12	1	1	-	-	-	-	1	2	3	-	4
iseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	28	4	2	-	-	3	1	1	4	4	2	7

FALKIRK—July 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
teric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
phus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
hall-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
asles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
arlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
hooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
htheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
luenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
thsis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
berculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
dominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
ncer, Malignant Disease - - - - -	7	-	-	-	-	-	1	3	1	-	2	-
neumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
eningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
rganic Heart Disease - - - - -	3	-	-	-	1	-	1	-	-	1	-	-
ronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
euemonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
her Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
arrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
pendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
iver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
erperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
ongenital Debility and Malformation, including Pre- mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
olent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
icide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
her Defined Diseases - - - - -	8	-	-	-	-	-	3	1	1	-	1	2
iseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	28	6	1	-	1	-	6	4	2	3	3	2

AYR—July 1914.

CAUSES OF DEATH.	All Ages.	Age.									
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	1	-	-	2	-	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	2	-	-	-	-	1	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	-	1	1	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	1	-	-	-	1	2	1	1	4
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	-
Total - - - - -	40	9	1	-	2	1	4	5	5	4	6

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

AUGUST 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of August 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4932 living children, of whom 2427 were male, and 2505 female. The male children, whose births were registered during the month, number 321 fewer than those registered in July, the female children 96 fewer, and the total children 417 fewer. The male children number 109 more than registered in August of last year, the female children 227 more, and the total children 336 more. The total children registered number 480 fewer than the mean of the numbers of those registered during the preceding three months. The equivalent annual birth-rate was 25·3 per thousand of the estimated aggregate population of these towns, which rate is 2·2 less than that of July, and 2·8 less than the mean of the birth-rates of May, June and July, but is 1·3 more than that of August of last year. In the sixteen towns the birth-rate of the month ranged from 34·2 in Hamilton, 31·4 in Greenock, and 29·9 in Clydebank, to 20·0 in Edinburgh, 20·4 in Perth, and 22·0 in Ayr. In Falkirk the birth-rate of the month was 28·3; in Motherwell, 28·1; in Glasgow, 26·4; in Paisley, 26·3; in Aberdeen 26·0; in Coatbridge, 25·7; in Leith, 24·8; in Kilmarnock, 23·9; in Dundee, 23·6; and in Kirkcaldy, 22·9.

Of the 4932 children whose births were registered during the month, 4574, or 92·7 per cent., were legitimate, while 358, or 7·3 per cent., were illegitimate. The illegitimate children of the month are 25 more than those of July, and 47 more than those of August of last year, but are 9 less than the mean of the numbers of the three preceding months. The illegitimate rate of the month is 1·1 more than that of the previous month, 0·5 more than the mean of those of the three preceding months, and 0·5 more than that of August of last year. In the sixteen towns the illegitimate rate of the month ranged from 13·6 per cent. in Perth, 12·5 in Kirkcaldy, and 11·4 in Aberdeen, to 0 in Hamilton, 0·9 in Clydebank, 1·0 in Motherwell,

and 1·3 in Falkirk. In Ayr this rate was 9·7; in Dundee, 9·3; in Edinburgh, 8·8; in Glasgow, 7·7; in Coatbridge, 6·4; in Kilmarnock, 5·6; in Leith, 5·4; in Paisley, 3·1; and in Greenock, 2·4.

Marriages registered in these towns during the month numbered 1498; they are 976 fewer than registered in July, and 428 less than the average number registered during the months of May, June, and July, but are 316 more than registered in August of last year. The marriage-rate of the month was 7·7 per thousand; it is 5·0 less than that of the previous month, and 2·4 less than the mean of the marriage-rates of the three preceding months, but is 1·5 more than that of August of last year. In the individual towns the marriage-rate of the month ranged from 10·2 in Edinburgh, 10·0 in Paisley, and 9·8 in Aberdeen, to 2·8 in Motherwell, and 3·2 in Kirkcaldy and Clydebank. In Perth the marriage-rate of the month was 9·4; in Ayr, 9·2; in Kilmarnock, 8·3; in Falkirk, 8·1; in Glasgow, 7·8; in Greenock, 6·8; in Hamilton, 6·7; in Leith, 5·3; in Dundee, 4·7; and in Coatbridge, 4·4.

Deaths registered in these towns during the month numbered 2702, 1351 being of males, and the same number of females, and the crude death-rate was 13·9 per thousand. But the deaths registered in the towns included those of 195 non-residents, and those registered elsewhere in Scotland included those of 164 residents of these towns, and the difference, 31, falls to be deducted to get the corrected number of the month, which is thus found to be 2671. The corrected number of deaths of the month is 95 more than that of the previous month, and 121 more than that of August of last year, but is 126 less than the mean of the numbers of the preceding three months. The death-rate of the month is 0·5 more than that of the previous month, and 0·4 more than that of August of last year, but is 0·8 less than the mean of those of the three preceding months.

In the individual towns the corrected death-rate of the month varied from 18·1 in Ayr, 16·0 in Greenock, and 14·1 in Glasgow, to 7·0 in Hamilton, and 11·3 in Kilmarnock and Falkirk. In Perth the death-rate of the month was 13·9; in Dundee, 13·8; in Aberdeen, 13·8; in Edinburgh, 13·6; in Coatbridge, 13·4; in Paisley, 13·3; in Leith, 13·0; in Clydebank, 13·0; in Kirkcaldy, 12·9; and in Motherwell, 11·4.

Of the 2671 deaths, 870, or 32·6 per cent., were of children of less than five years old, and 575, or 21·5 per cent., were of persons of over sixty-five. The former are 139 more than in the previous month, but 3 fewer than in August of last year. The latter are 12 fewer than in the previous month, but 63 more than in August of last year.

Deaths of children of less than one year old numbered 591. They are 121 more than in July, 76 more than the mean of the numbers of May, June and July, and 40 more than in August of last year. These deaths are equal to an infantile mortality rate of 114 per thousand of the average number of births registered monthly during the preceding twelve months, a rate which is 23 more than that of the previous month, 12 more than the mean of those of the three preceding months, and 2 more than that of August of last year. In the individual towns this rate ranged from 189 in Ayr, 152 in Greenock, and 128 in Glasgow, to 52 in Perth and Kilmarnock, and 55 in Hamilton. In Paisley this rate was 111; in Dundee, 106; in Edinburgh, 101; in Aberdeen, 100; in Clydebank, 100; in Motherwell, 99; in Kirkcaldy, 94; in Leith, 84; in Falkirk, 79; and in Coatbridge, 70.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 359. They are 138 more than those of July, and 114 more than the mean of those of May, June and July, but are 15 fewer than those of August of last year. The monthly death-rate from these causes was 1·8 per thousand, which is 0·7 more than

that of July, and 0·5 more than the mean of the rates of May, June and July, but is 0·2 less than that of August of last year. In the individual towns this death-rate varied from 2·5 in Ayr, and 2·4 in Glasgow and Greenock, to 0·3 in Hamilton, 0·6 in Kirkcaldy, 0·7 in Perth, and 0·8 in Clydebank. In Dundee this rate was 1·9; in Falkirk, 1·8; in Motherwell, 1·7; in Coatbridge, 1·4; in Leith, 1·3; in Kilmarnock, 1·3; and in Edinburgh, Aberdeen and Paisley, 1·1.

Deaths from measles numbered 19; from scarlet fever, 26; from diphtheria, 32; from whooping cough, 62; from enteric fever, 19, and from the diarrhoeas of childhood, 201. Compared with the returns of the previous month, deaths from the diarrhoeas of childhood are 115 more; from diphtheria 17 more; from whooping-cough, 13 more; from enteric fever, 10 more; and from scarlet fever 5 more; but those from measles are 22 fewer.

No deaths from either smallpox or typhus fever were registered in these towns during the month. Deaths from malignant disease numbered 202; from heart disease, 214; from puerperal septic conditions, 10; and from violence, 127, of which 13 were ascribed to suicide.

Deaths from pneumonia numbered 166, constituted 6·2 per cent. of the total, and were equal to a death-rate of 0·9 per thousand. They are 1 fewer than in the previous month, and 3 fewer than in August of last year. Those from bronchitis numbered 119, constituted 4·5 per cent. of the total, and are equal to a death-rate of 0·6 per thousand. They are 31 more than in the previous month, and 28 more than in August of last year.

Deaths from all forms of tuberculous disease numbered 304, constituted 11·4 per cent. of the total deaths of the month, and are equal to a death-rate of 1·6 per thousand. These deaths are 17 fewer than in July, and 28 fewer than in August of last year. Of them 192 were ascribed to phthisis, 46 to tuberculous meningitis, 31 to abdominal tuberculosis, and 35 to other tuberculous diseases. The deaths from phthisis are 2 more than in the previous month, but are 3 fewer than in the corresponding month of last year. They constituted 7·2 per cent. of the total deaths, and are equal to an annual death-rate of 1·0 per thousand. In the individual towns the phthisis death-rate for the month ranged from 1·7 in Motherwell, 1·6 in Coatbridge, and 1·2 in Edinburgh, to 0 in Perth, 0·5 in Paisley, and 0·6 in Leith. In Glasgow, in Greenock, and in Falkirk it was 1·1; in Aberdeen, in Kirkcaldy, and in Hamilton 0·9; in Clydebank, 0·8; and in Dundee, in Kilmarnock, and in Ayr, 0·7.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

AUGUST 1914.

Mean barometric pressure, 29·934 in.; greater than the average of 1856–1905 by 0·076 in.

Mean temperature, 58°·6; greater by 1°·4.

Mean daily range of temperature, 14°·1; being equal to the average.

Rain, number of days, 16; less by 1 day.

Rain, depth in inches, 2·87; less by 0·67 in.

Wind, direction of: a 2 days' excess of winds from E. and a 5 days' excess of winds from S. and S.W.

Hence the month was characterised by a rather high mean pressure; a rather high mean temperature, with a normal mean daily range; a rather low mean rainfall; and an excess of easterly and also of southerly and south westerly winds.

The mean pressure was 29·934 in., or 0·076 in. above the normal. For the first ten days or so, with depressions to the north of our area, pressure was rather low and winds from south and south-west. From about 12th to 21st, conditions were anticyclonic and winds from between north-east and south-east, whilst thereafter the weather was again mainly of a cyclonic type until almost the end of the month. At Leith, at sea-level, pressure was above 30 in. from 11th to 21st, and from 28th to 31st, the extremes there being 30·380 in. on 31st, and 29·460 in. on 2nd.

The mean temperature was 58°·6, or 1°·4 above the normal, the excess being equally well marked by day and by night. For the first ten days or so temperature was decidedly low, with lowest readings for the month in many districts on 8th, but during the period of anticyclonic conditions which ensued the days became extremely warm, with high readings on 14th, when Dumfries, Perth, and Poltalloch registered 81° in the shade. With easterly winds, however, the nights remained cool. Thereafter conditions were more variable, and on the east coast highest readings occurred as a rule on 23rd or 29th. At the chief towns the lowest reading recorded was 43° at Aberdeen on 8th, and at Perth on 13th and 17th.

The mean rainfall was 2·87 in. or 19 per cent. below the normal. Glasgow had practically its normal rainfall, and a considerable area in the west a moderate excess. In east and south, however, there was a well marked shortage, and Aberdeen had less than one-half of the normal. Until 10th conditions were unsettled, with very heavy rains towards the north on 2nd, and in the Clyde area and in the south on 8th. On 2nd Balmoral had 1·54 in., and Crieff, 1·33 in.; and on 8th Greenock, 1·65 in. The period from 11th to 20th was nearly everywhere rainless, but thereafter conditions were more or less unsettled with one or two rather heavy falls—more than 1 in. at Fort William on 23rd, and at Helensburgh on 25th.

Thunderstorms occurred at Dundee and Edinburgh on 5th, and at the eastern towns and also at Glasgow on 21st.

Sunshine amounts were in general above the normal, though at Edinburgh hardly equal to it. Coast fog occurred at times, especially about 21st and 22nd.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, AUGUST 1914.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,047,000	1166	1176	2342	2162	180	691	627	640	1267	50	66	1251
EDINBURGH, . .	320,769	321,900	269	277	546	498	48	278	175	211	386	39	53	372
DUNDEE, . . .	176,085	176,300	154	199	353	320	33	70	96	111	207	10	10	207
ABERDEEN, . .	163,891	159,500	173	179	352	312	40	133	108	82	190	14	17	187
PAISLEY, . . .	84,455	86,000	90	102	192	186	6	73	56	43	99	3	5	97
LEITH,	80,601	79,800	88	80	168	159	9	36	55	26	81	9	2	88
GREENOCK, . .	75,140	78,000	98	110	208	203	5	45	60	53	113	2	9	106
PERTH,	35,854	34,000	31	28	59	51	8	27	21	26	47	3	10	40
TOTAL (EIGHT TOWNS)	1,945,282	1,982,500	2069	2151	4220	3891	329	1353	1198	1192	2390	130	172	2348
COATBRIDGE, .	43,286	43,000	53	41	94	88	6	16	23	26	49	1	1	49
MOTHERWELL .	40,380	41,500	50	49	99	98	1	10	20	15	35	5	0	40
KIRKCALDY . .	39,601	41,100	42	38	80	70	10	11	20	23	43	3	1	45
HAMILTON, . .	38,644	38,600	63	49	112	112	0	22	10	9	19	4	0	23
CLYDEBANK, .	37,548	44,600	52	61	113	112	1	12	16	19	35	15	1	49
KILMARNOCK, .	34,728	35,500	34	38	72	68	4	25	17	21	38	3	7	34
FALKIRK, . . .	33,574	33,300	36	44	80	79	1	23	22	11	33	3	4	32
AYR,	32,986	33,100	28	34	62	56	6	26	25	35	60	0	9	51
TOTAL (SIXTEEN TOWNS)	2,246,029	2,293,200	2427	2505	4932	4574	358	1498	1351	1351	2702	164	195	2671

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, AUGUST 1914.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	26·4	7·7	7·8	14·3	14·1	2·4	1·6	1·1	1·9	320	128
EDINBURGH, .	20·0	8·8	10·2	14·1	13·6	1·1	1·7	1·2	0·9	56	101
DUNDEE, .	23·6	9·3	4·7	13·8	13·8	1·9	1·5	0·7	1·8	40	106
ABERDEEN, .	26·0	11·4	9·8	14·0	13·8	1·1	1·4	0·9	1·9	34	100
PAISLEY, .	26·3	3·1	10·0	13·6	13·3	1·1	1·0	0·5	1·4	22	111
LEITH, .	24·8	5·4	5·3	12·0	13·0	1·3	1·0	0·6	1·3	15	84
GREENOCK, .	31·4	2·4	6·8	17·1	16·0	2·4	2·0	1·1	2·1	32	152
PERTH, .	20·4	13·6	9·4	16·3	13·9	0·7	0·7	0·0	1·0	3	52
TOTAL . (EIGHT TOWNS)	25·1	7·8	8·0	14·2	14·0	1·9	1·5	1·0	1·7	522	118
COATBRIDGE, .	25·7	6·4	4·4	13·4	13·4	1·4	2·2	1·6	0·5	8	70
MOTHERWELL, .	28·1	1·0	2·8	9·9	11·4	1·7	2·3	1·7	1·1	11	99
KIRKCALDY, .	22·9	12·5	3·2	12·3	12·9	0·6	0·9	0·9	2·0	8	94
HAMILTON, .	34·2	0·0	6·7	5·8	7·0	0·3	1·5	0·9	0·9	6	55
CLYDEBANK, .	29·9	0·9	3·2	9·3	13·0	0·8	2·1	0·8	1·3	12	100
KILMARNOCK, .	23·9	5·6	8·3	12·6	11·3	1·3	1·3	0·7	0·7	4	52
FALKIRK, .	28·3	1·3	8·1	11·7	11·3	1·8	1·1	1·1	1·1	6	79
AYR, .	22·0	9·7	9·2	21·3	18·1	2·5	2·1	0·7	1·8	14	189
TOTAL . (SIXTEEN TOWNS)	25·3	7·3	7·7	13·9	13·7	1·8	1·6	1·0	1·6	591	114

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR AUGUST 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth- Rate.	Illegitimate Birth- rate per 100 Births.	Marriage- Rate.	Death- Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
AUG. 1914, .	25·1	7·8	8·0	14·0	0	16	20	59	30	16	185	118	58°·6
AUG. 1913, .	23·7	7·1	6·5	13·7	0	60	14	34	30	3	190	120	58°·1
AUG. 1912, .	24·0	8·5	6·8	13·6	0	20	12	49	22	3	97	91	53°·6
AUG. 1911, .	24·9	6·9	7·1	15·1	2	32	7	41	18	8	290	157	60°·7
AUG. 1910, .	26·0	7·9	6·8	15·0	0	12	20	35	22	7	179	126	58°·1
AUG. 1909, .	26·4	7·5	6·9	13·8	0	22	19	42	21	11	113	109	58°·1
AUG. 1908, .	26·7	8·2	7·0	15·4	0	15	6	79	17	15	—	131	57°·1
AUG. 1907, .	26·1	7·4	6·8	14·1	0	19	7	93	21	14	—	94	55°·0
AUG. 1906, .	28·9	8·1	6·8	14·7	0	24	4	45	14	11	—	127	58°·5
AUG. 1905, .	28·9	7·5	7·2	15·0	0	45	6	63	8	11	—	129	56°·8
AUG. 1904, .	30·6	7·3	7·3	17·4	0	30	11	112	11	8	—	153	57°·5

In Columns 5–13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	19	1	-	3	3	2	5	4	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	19	3	16	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	26	4	11	9	1	-	1	-	-	-	-	-
Whooping-cough - - - - -	62	30	29	2	-	-	-	-	1	-	-	-
Diphtheria and Croup - - - - -	32	4	20	7	1	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	6	-	-	1	-	2	-	-	-	3	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	192	1	2	7	1	37	51	53	21	18	1	-
Tuberculous Meningitis - - - - -	46	13	21	8	-	1	-	2	1	-	-	-
Abdominal Tuberculosis - - - - -	31	6	13	3	3	3	1	-	2	-	-	-
Other Tuberculous Diseases - - - - -	35	3	4	2	5	4	3	7	3	1	3	-
Cancer, Malignant Disease - - - - -	202	-	1	-	1	1	1	28	46	48	52	24
Rheumatic Fever - - - - -	10	-	-	-	3	4	2	-	-	-	1	-
Meningitis - - - - -	33	7	14	3	1	2	-	3	2	-	1	-
Organic Heart Disease - - - - -	214	-	1	-	3	10	11	23	33	55	50	22
Bronchitis - - - - -	119	20	8	-	-	3	2	1	12	29	19	2
Pneumonia (all forms) - - - - -	166	34	41	8	3	5	10	13	16	19	14	3
Other Diseases of Respiratory Organs - - - - -	27	1	4	-	1	2	4	3	8	2	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	201	165	36	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	14	-	-	4	-	2	4	3	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	28	1	-	-	-	1	5	1	5	7	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	21	18	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	75	-	-	1	1	1	4	11	20	13	16	-
Puerperal Sepsis - - - - -	10	-	-	-	-	3	5	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	19	-	-	-	-	1	11	7	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	203	202	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	114	6	14	13	9	6	15	14	17	12	5	-
Suicide - - - - -	13	-	-	-	-	-	3	4	5	-	1	-
Other Defined Diseases - - - - -	671	65	38	9	10	15	26	45	84	90	138	151
Diseases Ill-defined or Unknown - - - - -	62	7	2	-	1	1	1	7	9	13	12	-
Total - - - - -	2671	591	279	80	47	106	165	231	286	311	317	258

GLASGOW—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	16	1	-	3	3	1	3	4	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	13	2	9	2	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	48	25	22	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	12	1	10	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	94	-	1	4	-	22	21	27	11	8	-	-
Tuberculous Meningitis - - - - -	21	8	8	3	-	1	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	15	2	7	2	2	1	-	-	1	-	-	-
Other Tuberculous Diseases - - - - -	13	-	1	1	4	1	1	3	1	-	1	-
Cancer, Malignant Disease - - - - -	82	-	1	-	-	-	1	14	20	25	16	-
Rheumatic Fever - - - - -	6	-	-	-	2	2	2	-	-	-	-	-
Meningitis - - - - -	17	3	7	2	-	2	-	2	1	-	-	-
Organic Heart Disease - - - - -	83	-	-	-	2	6	7	6	14	26	13	-
Bronchitis - - - - -	67	10	5	-	-	3	1	-	8	21	11	-
Pneumonia (all forms) - - - - -	86	20	23	5	2	3	5	5	7	10	6	-
Other Diseases of Respiratory Organs - - - - -	14	1	1	-	-	1	3	2	6	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	123	100	23	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	-	-	-	1	2	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	13	1	-	-	-	-	3	1	4	3	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	13	13	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	34	-	-	-	1	-	3	2	8	8	9	-
Puerperal Sepsis - - - - -	7	-	-	-	-	1	5	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	95	95	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	49	2	6	3	3	6	6	2	7	7	5	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	283	32	17	4	4	8	10	17	25	39	69	5
Diseases Ill defined or Unknown - - - - -	32	4	1	-	-	1	1	4	5	8	4	-
Total - - - - -	1251	320	146	31	23	59	75	95	119	158	134	98

EDINBURGH—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	1	1	-	-	-	-	-	1	-	-	-
Diphtheria and Croup - - - - -	10	-	5	4	1	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	32	-	1	-	1	4	13	2	5	5	1	-
Tuberculous Meningitis - - - - -	4	-	3	-	-	-	-	-	1	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	8	-	1	1	-	-	1	1	1	1	2	-
Cancer, Malignant Disease - - - - -	49	-	-	-	-	-	-	3	13	9	15	9
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	33	-	-	-	-	-	-	5	6	7	9	6
Bronchitis - - - - -	7	1	-	-	-	-	-	-	1	-	-	5
Pneumonia (all forms) - - - - -	14	-	4	1	1	-	1	-	-	3	3	1
Other Diseases of Respiratory Organs - - - - -	4	-	-	-	1	-	1	1	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	15	13	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	6	-	-	-	-	-	-	-	1	3	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	11	-	-	1	-	1	1	2	2	2	-	2
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	6	-	-	-	-	1	2	3	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	30	30	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12	-	-	3	-	-	-	6	2	1	-	-
Suicide - - - - -	4	-	-	-	-	-	-	1	2	-	1	-
Other Defined Diseases - - - - -	106	10	4	1	2	2	4	7	15	11	21	29
Diseases Ill-defined or Unknown - - - - -	7	-	1	-	-	-	-	-	-	2	2	2
Total - - - - -	372	56	24	12	6	10	25	32	50	46	56	55

DUNDEE—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	9	2	7	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	11	-	-	-	-	2	4	3	1	1	-	-
Tuberculous Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	5	1	2	-	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	13	-	-	-	-	-	-	2	4	2	2	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	15	-	-	-	-	1	2	1	3	1	4	3
Bronchitis - - - - -	10	-	1	-	-	-	-	1	-	1	3	4
Pneumonia (all forms) - - - - -	13	1	6	-	-	1	1	1	2	-	2	-
Other Diseases of Respiratory Organs - - - - -	4	-	1	-	-	1	-	-	-	1	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	16	14	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	1	1
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	-	-	-	-	-	-	2	-	1	1	2
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	11	10	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12	2	2	1	-	-	2	2	2	1	-	-
Suicide - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Defined Diseases - - - - -	57	6	2	2	-	2	4	6	10	4	12	9
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	1	1	3	-
Total - - - - -	207	40	29	5	1	8	16	21	23	12	28	23

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	1	3	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	1	2	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	-	1	-	5	1	4	-	1	-	-
Tuberculous Meningitis - - - - -	5	-	2	2	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	1	-	-	3	-	5	9	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	26	-	-	-	-	-	1	2	4	4	8	7
Bronchitis - - - - -	9	2	-	-	-	-	-	-	1	2	1	3
Pneumonia (all forms) - - - - -	17	6	2	2	-	-	1	2	-	2	-	2
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	6	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	2	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	-	-	-	-	1	1	1	4	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	1	2	2	-	-	-	-	-	-	1
Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Defined Diseases - - - - -	46	7	4	-	1	2	1	2	3	4	5	17
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - - -	187	34	14	15	4	11	4	16	10	19	27	33

PAISLEY—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	1	1	-	1	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	-	2	1	2	3	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	1	-	1	-	5	2	-
Bronchitis - - - - -	5	-	2	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - - - -	4	-	1	-	-	1	-	-	2	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	1	1	-	-	-	1	1	-	-	-
Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - - - -	28	6	2	1	-	-	3	1	2	6	4	3
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Total - - - - -	97	22	12	3	-	3	7	6	8	15	13	8

LEITH—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	-	2	2	-	-	-	-
Tuberculous Meningitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - - - -	14	-	-	-	1	1	-	1	3	2	4	2
Bronchitis - - - - -	4	-	-	-	-	-	-	-	1	1	-	2
Pneumonia (all forms) - - - - -	4	1	-	-	-	-	-	1	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	9	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	1	1	1	-	-	3	-	1	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	29	-	1	-	-	-	1	2	6	6	7	6
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	88	15	4	2	1	2	6	7	16	10	14	11

GREENOCK—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	1	-	-	-	1	1	1	3	-	-	-
Tuberculous Meningitis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	2	1	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	-	3	-
Bronchitis - - - - -	5	1	-	-	-	-	-	-	1	3	-	-
Pneumonia (all forms) - - - - -	8	2	2	-	-	1	-	-	1	2	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	12	7	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	2	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	1	-	-	-	-	1	1	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	21	2	2	-	-	-	1	-	4	4	6	2
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	2	2	-	1	-
Total - - - - -	106	32	13	1	-	4	5	7	18	11	11	4

PERTH—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	1	-	-	3	1	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	-	1	-	-	1	-	1	4	2	4	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	40	3	4	-	1	2	3	3	6	7	6	5

COATBRIDGE—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	1	-	5	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	1	-	1	1	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	1	-	2	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	-	-	-	-	-	-	1	2	4	-	5
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Total - - - - -	49	8	7	1	1	2	1	9	4	8	2	6

MOTHERWELL—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	-	3	3	-	-	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	1	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	-	-	1	-	-	1	1	2	2	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	40	11	4	1	3	-	4	5	4	3	2	3

KIRKCALDY—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	2	1	-	2	-
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	2	-	1	-	1	-	1	-	3	2
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	-	-	1	-	-	1	1
Total - - - - -	45	8	8	-	2	1	3	6	5	1	8	3

CAUSES OF DEATH (corrected for Transfers).

HAMILTON—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	2	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	2	-	-	3	-	-
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	1	-	-	-	-	1	1	-	-	3	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	23	6	1	-	-	2	5	1	2	3	3	-

CLYDEBANK—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	1	1	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	2	1	1	-
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	1	-	-	-	-	-	1	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	-	2	-	-	2	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	2	1	-	-	-	2	2	1	-	1
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Total - - - - -	49	12	4	5	2	1	5	7	8	2	2	1

KILMARNOCK—August 1914.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	-	-	2	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	2	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	1	2	-	-	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	-	-	-	-	-	-	1	5	2	-	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	34	4	-	1	1	1	4	3	8	7	2	3	

FALKIRK—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Measles -- -- -- -- --	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -- -- -- -- --	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -- -- -- -- --	3	-	-	2	-	1	-	-	-	-	-	-
Tuberculous Meningitis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -- -- -- -- --	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease -- -- -- -- --	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis -- -- -- -- --	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) -- -- -- -- --	2	-	-	-	-	-	1	-	-	1	-	-
Other Diseases of Respiratory Organs -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) -- -- -- -- --	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -- -- -- -- --	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth -- -- -- -- --	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -- -- -- -- --	2	-	-	-	-	1	-	1	-	-	-	-
Suicide -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases -- -- -- -- --	15	1	1	-	1	-	2	2	3	2	3	-
Diseases Ill-defined or Unknown -- -- -- -- --	-	-	-	-	-	-	-	-	-	-	-	-
Total -- -- -- -- --	32	6	3	2	1	-	2	4	3	3	4	4

AYR—August 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	1	-	-	-	-	1	1	2	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	5	2	1	-	-	-	1	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	1	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	-	-	-	-	-	1	1	1	2	3	5
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	51	14	6	1	1	2	3	5	3	6	5	5

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of AUGUST 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.										
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of		Difference from Average	Absolute Maximum and Minimum.		Mean at 9 A.M. and 9 P.M.		Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.												
				Maximum (A).	Minimum (B.)		Maximum (A.)	Minimum (B.)	Day of Month.	Maximum.				Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity. per cent.	inch.	per cent.						
																					N	NE	E	SE	S	SW
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29.728	29.928	65.2	52.6	58.9	+1.3	77	14th	49	8, 18,	57.6	2.7	.396	83	19	4.05	0	3	20	3	5	21	9	0	1
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.474	29.946	64.3	52.4	58.4	+2.5	75	23rd	50	7, 27,	56.7	2.5	.387	84	15	1.48	1	5	7	3	10	17	12	2	5
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.766	29.944	66.9	50.7	58.8	+1.3	75	29th	47	8, 25,	57.1	2.0	.407	87	15	2.68	0	1	13	11	0	32	1	4	0
ABERDEEN,* The Meteorological Office.	90	29.819	29.918	63.9	51.0	57.5	+1.0	76	23rd	43	8th	57.3	2.4	.399	84	13	1.37	0	2	7	9	21	9	3	2	9
PAISLEY, The Coats Observatory.	107	29.817	29.933	67.2	52.4	59.8	+1.8	79	14th	47	18th	58.6	3.0	.402	82	16	3.83	1	0	8	1	9	12	13	2	16
LEITH,† JAMES BOLAM, Navigation School.	76	29.858	29.940	64.5	52.8	58.7	+1.0	74	23rd	49	13th	59.5	3.5	.401	79	17	1.86	2	10	10	4	2	22	12	0	0
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.676	29.935	66.1	51.1	58.6	+1.5	79	14th	48	4, 27,	57.9	2.7	.400	83	16	5.63	0	8	9	4	0	13	21	7	0
PERTH, ALEX. M. RODGER, The Museum.	85	29.838	29.931	67.0	48.9	58.0	+0.4	81	14th	43	13, 17,	56.8	2.3	.394	85	17	2.05	1	3	18	3	11	20	2	0	4
Means	173	29.747	29.934	65.6	51.5	58.6	+1.4	57.7	2.6	.398	83	16	2.87	1	4	12	5	7	18	9	2	4
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																										

* At King's College at 7 A.M. and 6 P.M

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

SEPTEMBER 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by

J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of September 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4743 living children, of whom 2377 were male, and 2366 female. The births of male children registered number 50 fewer than in August, of female children 139 fewer, and the total number of children 189 fewer. Compared with the numbers of September of last year the male children are 121 more, the female children 31 more, and the total children 152 more. Compared with the mean of the numbers of the three preceding months the total children number 552 less. The equivalent annual birth-rate is 25·2 per thousand of the estimated population of these towns, a rate which is 0·1 less than that of August, and 2·3 less than the mean of those of the three preceding months, June, July and August, but is 0·5 more than that of September of last year. In the individual towns the birth-rate of the month ranged from 36·0 in Hamilton, 33·7 in Coatbridge, and 31·4 in Motherwell, to 20·4 in Edinburgh, and 22·0 in Aberdeen. In Leith the birth-rate of the month was 28·1; in Greenock, 27·9; in Clydebank, 27·9; in Kirkcaldy, 27·2; in Glasgow, 26·0; in Ayr, 24·6; in Paisley, 24·5; in Perth, 24·0; in Falkirk, 23·8; in Dundee, 23·7; and in Kilmarnock, 23·6.

Of the 4743 living children registered in these towns during the month 4408, or 92·9 per cent., were legitimate, while 335, or 7·1 per cent., were illegitimate. The illegitimate children of the month are 23 fewer than those of the previous month, and 35 fewer than the mean of the numbers of the three preceding months, but they are 32 more than registered during September of last year. The illegitimate rate of the month is 0·2 less than that of the previous month, but is 0·1 more than the mean of those of the three preceding months, and 0·5 more than that of September of last year. In the sixteen towns the illegitimate rate of the month varied from 12·5 per cent. in Dundee, 11·9 in Perth, 10·9 in Kirkcaldy, and 10·4 in Ayr, to 2·0 in Clydebank, 2·8 in Greenock, and 2·8 in Motherwell. In Aberdeen the illegitimate rate of the month was 9·4; in Edinburgh, 8·9; in Glasgow, 6·4; in Coatbridge, 5·9; in Paisley, 5·8; in Kilmarnock, 5·8; in Leith, 5·4; in Hamilton, 5·3; and in Falkirk, 4·6.

Marriages registered numbered 1892. They number 394 more than those

registered during the previous month; and 130 more than those registered in September of last year, but 315 less than the mean of the numbers registered during the preceding three months. The marriage-rate of the month was 10·0, which is 2·3 more than that of the previous month, and 0·5 more than that of September of last year, but is 1·5 less than the mean of those of the three preceding months. In the individual towns the marriage-rate of the month ranged from 13·9 in Falkirk, 12·6 in Edinburgh, 11·6 in Greenock, and 11·3 in Glasgow, to 4·4 in Motherwell, and 4·6 in Clydebank. In Perth this rate was 10·7; in Ayr, 9·6; in Aberdeen, 8·8; in Kilmarnock, 8·6; in Coatbridge, 7·1; in Dundee, 6·9; in Hamilton, 6·9; in Paisley, 6·8; in Kirkcaldy, 5·3; and in Leith, 5·2.

Deaths registered in these towns during the month numbered 3057, 1561 being of males, and 1496 of females, and the crude death-rate was 16·2 per thousand. The deaths registered in these towns during the month included 189 of non-resident persons, while the deaths of 184 residents of these towns were registered elsewhere in Scotland, and the difference, 5, falls to be deducted from the crude number to obtain the corrected number, which is thus found to be 3052. The corrected death-rate of the month is 16·2, and is 2·5 more than that of August, 2·2 more than the mean of those of June, July, and August, and 0·2 more than that of September of last year.

In the individual towns the corrected death-rate of the month ranged from 18·6 in Dundee, 17·6 in Greenock, 17·4 in Glasgow, and 17·3 in Coatbridge, to 11·8 in Kirkcaldy, 12·3 in Kilmarnock, and 12·9 in Ayr. In Paisley the corrected death-rate of the month was 16·7; in Leith, 15·7; in Hamilton, 15·2; in Perth, 15·0; in Edinburgh, 14·2; in Clydebank, 14·2; in Aberdeen, 13·8; in Motherwell, 13·5; and in Falkirk, 13·5.

Of the 3052 deaths, 1127, or 36·9 per cent., were of children of less than five years old, and 644, or 21·1 per cent., of persons of over sixty-five. The former are 257 more than in the previous month, and 106 more than in September of last year. The latter are 69 more than in the previous month, but 16 fewer than in September of last year.

Deaths of children of less than one year old numbered 811. They are 220 more than in August, 277 more than the mean of the numbers for June, July and August, and 89 more than in September of last year. These deaths are equal to an infantile mortality rate of 161 per thousand of the average number of births registered during the preceding twelve months, a rate which is 47 more than that of the previous month, 56 more than the mean of those of the three preceding months, and 8 more than that of September of last year. In the individual towns this rate ranged from 217 in Hamilton, 208 in Paisley, and 202 in Dundee, to 73 in Kirkcaldy, 76 in Aberdeen, and 99 in Leith and Ayr. In Motherwell the infantile mortality rate of the month was 194; in Glasgow, 186; in Coatbridge, 173; in Greenock, 138; in Perth, 138; in Falkirk, 122; in Edinburgh, 116; in Clydebank, 113; and in Kilmarnock, 110.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhœas of childhood, numbered 535. They are 176 more than those of the previous month, 259 more than the mean of those of the preceding three months, and 66 more than those of the corresponding month of last year. The monthly death-rate from these causes was 2·8 per thousand, which is 1·0 more than that of the previous month, 1·4 more than the mean of those of the three preceding months, and 0·3 more than that of September of last year. In the individual towns this death-rate ranged from 3·8 in Glasgow, 3·4 in Greenock, and 3·2 in Motherwell and Hamilton, to 0 in Perth, and 0·6 in Kirkcaldy. In Dundee the epidemic diseases death-rate of the month was 2·9; in Coatbridge, 2·8; in Kilmarnock, 2·4; in Paisley, 2·3; in

Aberdeen, 1·9; in Ayr, 1·8; in Edinburgh, 1·6; in Falkirk, 1·5; in Clydebank, 1·4; and in Leith, 1·2.

Deaths from measles numbered 8; from scarlet fever, 41; from diphtheria, 28; from whooping-cough, 62; from enteric fever, 13, and from the diarrhœas of childhood, 383. Compared with the returns of the previous month, deaths from the diarrhœas of childhood are 182 more; and from scarlet fever 15 more; but those from whooping-cough are of the same number, while those from diphtheria are 4 fewer, from enteric fever 6 fewer, and from measles 11 fewer.

No deaths from either smallpox or typhus fever were registered in these towns during the month. Deaths from malignant disease numbered 220; from heart disease, 231; from puerperal septic conditions, 10; and from violence, 120, of which 8 were ascribed to suicide.

Deaths from pneumonia numbered 158, constituted 5·2 per cent. of the total deaths of the month, and are equal to an annual death-rate from this cause of 0·8 per thousand. These deaths are 8 fewer than in August, and 14 fewer than in September of last year. Deaths from bronchitis numbered 117, constituted 3·8 per cent. of the total deaths of the month, and are equal to an annual death-rate of 0·6. The deaths from bronchitis are 2 fewer than in August, and 9 fewer than in September of last year.

Deaths from all forms of tuberculous disease numbered 319, constituted 10·5 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·7 per thousand. These deaths are 15 more than in August, but are 38 fewer than in September of last year. Of them 209 were ascribed to phthisis, 35 to tuberculous meningitis, 33 to abdominal tuberculosis, and 42 to other forms of tuberculous disease. The deaths from phthisis are 17 more than those of August, but 18 fewer than those of September of last year; they constituted 6·8 per cent. of the total deaths of the month. The phthisis death-rate amounted to 1·1 per thousand, which is 0·1 more than that of August, but is 0·1 less than that of September of last year. In the individual towns the phthisis death-rate of the month ranged from 2·1 in Kilmarnock, and 1·5 in Dundee and Leith, to 0·3 in Motherwell and Clydebank. In Perth this rate was 1·4; in Glasgow, 1·2; in Edinburgh, 1·2; in Aberdeen, 0·9; in Hamilton, 0·9; in Greenock, 0·8; in Falkirk, 0·7; in Ayr, 0·7; in Paisley, 0·6; in Coatbridge, 0·6; and in Kirkcaldy, 0·6.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

SEPTEMBER 1914.

Mean barometric pressure, 29·975 in.; greater than the average of 1856–1905 by 0·099 in.

Mean temperature, 54°·1; greater by 0°·6.

Mean daily range of temperature, 13°·6; greater by 0°·3.

Rain, number of days, 10; less by 6 days.

Rain, depth in inches, 1·33; less by 1·88 in.

Wind, direction of: a 1 day's excess of winds from N.W.

Hence the month was characterised by a rather high mean pressure; a slightly high mean temperature, with a fractionally high mean daily range; an abnormally low mean rainfall; and a slight excess of winds from N.W.

The mean pressure was 29·975 in., or 0·099 in. above the normal. For the first week or so, conditions were anticyclonic, but thereafter until 19th, pressure variations were considerable. From 20th onwards our Islands lay chiefly under the control of a high pressure area, though on 27th a large depression over

the north of Scandinavia was associated with violent westerly winds. At Leith, at sea-level, pressure was above 30 in. from 1st to 7th, from 20th to 27th, and on 29th and 30th, the extremes there being 30·382 in. on 29th, and 29·070 in. on evening of 14th.

The mean temperature was 54°·1, or 0°·6 above the normal, the days being 0·7 and the nights 0·4 above their respective averages. For the first ten days or so temperature was decidedly above the normal, with highest readings for the month in many districts on 2nd. Thereafter the nights were frequently cold, and on the night of 21st-22nd, with north-westerly winds, an unusually sharp frost for the time of year occurred. The thermometer in screen fell to 22° at West Linton and to 25° at Braemar, with readings in the open several degrees lower. The only lower readings on record for September occurred in 1879 and in 1885, when the temperature in screen fell to 21°. As regards the chief towns the extremes were 74° at Edinburgh, Paisley, and Perth on 2nd, and 28° at Perth on 22nd.

The mean rainfall was 1·33 in., or 59 per cent. below the normal. There was practically everywhere a decided shortage, though this was somewhat more pronounced in east and south than in west, and within the driest area numerous stations had aggregates of less than 1 in. Perth and Edinburgh had only about one quarter of the normal, wide districts less than one-half; and, on the whole, the month was the driest September since 1894, when considerable areas had less than one-tenth of an inch. After a rainless spell nearly everywhere during the first week, unsettled conditions became more or less general until 19th, with some fairly heavy falls in west on 12th, 14th and 16th. On 16th Fort William had 1·67 in. At Dundee, where rain only fell on 5 days, none was registered after 17th; at Leith, where only one day had more than one-tenth of an inch, none after 18th; and in east and south generally practically none after 19th. In west and north, however, on 23rd, and towards north on 30th, there were moderate to heavy falls.

On 14th a gale from W.S.W. was experienced in many districts, and on 27th a westerly gale was more or less general.

Thunderstorms occurred here and there in west on 8th and 9th, and somewhat widely in east on 17th.

Sunshine amounts were somewhat above the normal, except in the north.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, SEPTEMBER 1914.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,047,000	1108	1127	2235	2093	142	973	804	713	1517	55	77	1495	
EDINBURGH, . .	320,769	321,900	256	283	539	491	48	332	184	211	395	36	56	375	
DUNDEE, . . .	176,085	176,300	183	160	343	300	43	100	137	138	275	4	9	270	
ABERDEEN, . .	163,891	159,500	147	141	288	261	27	115	78	91	169	20	8	181	
PAISLEY, . . .	84,455	86,000	96	77	173	163	10	48	58	56	114	7	3	118	
LEITH,	80,601	79,800	93	91	184	174	10	34	45	43	88	15	0	103	
GREENOCK, . .	75,140	78,000	96	83	179	174	5	74	62	51	113	4	4	113	
PERTH,	35,854	34,000	31	36	67	59	8	30	22	23	45	4	7	42	
TOTAL (EIGHT TOWNS)	1,945,282	1,982,500	2010	1998	4008	3715	293	1706	1390	1326	2716	145	164	2697	
COATBRIDGE, .	43,286	43,000	56	63	119	112	7	25	30	31	61	3	3	61	
MOTHERWELL .	40,380	41,500	60	47	107	104	3	15	25	17	42	4	0	46	
KIRKCALDY . .	39,601	41,100	51	41	92	82	10	18	16	17	33	9	2	40	
HAMILTON, . .	38,644	38,600	52	62	114	108	6	22	25	18	43	7	2	48	
CLYDEBANK, .	37,543	44,600	55	47	102	100	2	17	23	19	42	10	0	52	
KILMARNOCK, .	34,728	35,500	29	40	69	65	4	25	16	21	37	4	5	36	
FALKIRK, . . .	33,574	33,300	35	30	65	62	3	38	21	18	39	1	3	37	
AYR,	32,986	33,100	29	38	67	60	7	26	15	29	44	1	10	35	
TOTAL (SIXTEEN TOWNS)	2,246,029	2,293,200	2377	2366	4743	4408	335	1892	1561	1496	3057	184	189	3052	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, SEPTEMBER 1914.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	26·0	6·4	11·3	17·6	17·4	3·8	1·8	1·2	1·7	450	186
EDINBURGH, .	20·4	8·9	12·6	14·9	14·2	1·6	1·6	1·2	1·4	63	116
DUNDEE, .	23·7	12·5	6·9	19·0	18·6	2·9	2·1	1·5	1·9	74	202
ABERDEEN, .	22·0	9·4	8·8	12·9	13·8	1·9	1·3	0·9	1·5	25	76
PAISLEY, .	24·5	5·8	6·8	16·1	16·7	2·3	1·0	0·6	2·0	40	208
LEITH, .	28·1	5·4	5·2	13·4	15·7	1·2	2·6	1·5	1·5	17	99
GREENOCK, .	27·9	2·8	11·6	17·6	17·6	3·4	2·2	0·8	2·2	28	138
PERTH, .	24·0	11·9	10·7	16·1	15·0	0·0	2·5	1·4	1·4	8	138
TOTAL . (EIGHT TOWNS)	24·6	7·3	10·5	16·7	16·6	3·0	1·8	1·2	1·7	705	165
COATBRIDGE, .	33·7	5·9	7·1	17·3	17·3	2·8	1·7	0·6	2·5	19	173
MOTHERWELL, .	31·4	2·8	4·4	12·3	13·5	3·2	0·6	0·3	0·9	21	194
KIRKCALDY, .	27·2	10·9	5·3	9·8	11·8	0·6	0·9	0·6	1·5	6	73
HAMILTON, .	36·0	5·3	6·9	13·6	15·2	3·2	0·9	0·9	1·9	23	217
CLYDEBANK, .	27·9	2·0	4·6	11·5	14·2	1·4	0·5	0·3	1·4	13	113
KILMARNOCK, .	23·6	5·8	8·6	12·7	12·3	2·4	2·4	2·1	1·0	8	110
FALKIRK, .	23·8	4·6	13·9	14·3	13·5	1·5	1·1	0·7	1·5	9	122
AYR, .	24·6	10·4	9·6	16·2	12·9	1·8	1·5	0·7	1·1	7	99
TOTAL . (SIXTEEN TOWNS)	25·2	7·1	10·0	16·2	16·2	2·8	1·7	1·1	1·7	811	161

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR SEPTEMBER 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SEPT. 1914,	24·6	7·3	10·5	16·6	0	8	39	59	24	11	340	165	54°·1
SEPT. 1913, .	23·9	6·8	10·0	16·4	0	48	15	21	30	10	290	158	54°·4
SEPT. 1912, .	24·0	8·0	8·6	13·2	0	2	5	23	30	4	61	91	51°·3
SEPT. 1911, .	23·7	7·6	8·6	15·9	0	13	12	40	37	8	265	162	54°·1
SEPT. 1910, .	24·6	7·3	7·8	14·9	0	7	21	36	43	8	184	133	54°·5
SEPT. 1909, .	25·5	7·9	7·9	14·2	0	11	25	24	34	11	100	104	51°·7
SEPT. 1908, .	26·6	8·0	7·9	15·1	0	10	10	56	26	9	—	130	54°·2
SEPT. 1907, .	25·6	7·1	8·6	14·4	0	14	4	67	12	9	—	107	54°·6
SEPT. 1906, .	26·4	7·4	8·0	16·4	0	11	12	41	18	20	—	151	55°·2
SEPT. 1905, .	26·9	7·2	7·6	15·1	0	19	13	38	26	18	—	118	53°·3
SEPT. 1904, .	28·1	6·9	8·0	16·6	1	15	11	74	19	28	—	143	53°·6

In Columns 5–13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	13	-	-	-	7	2	1	1	1	-	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	8	2	5	-	-	-	1	-	-	-	-	-
Scarlet Fever - - - - -	41	-	25	7	6	3	-	-	-	-	-	-
Whooping-cough - - - - -	62	29	32	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	28	2	17	8	1	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	6	1	-	-	-	1	1	-	-	3	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	209	-	1	1	12	48	53	44	28	16	5	-
Tuberculous Meningitis - - - - -	35	16	16	-	2	-	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	33	7	15	3	2	4	-	-	1	1	-	-
Other Tuberculous Diseases - - - - -	42	3	11	4	2	5	7	4	2	3	1	-
Cancer, Malignant Disease - - - - -	220	-	-	2	-	-	9	20	39	74	51	22
Rheumatic Fever - - - - -	9	-	-	-	2	3	1	1	1	1	-	-
Meningitis - - - - -	49	17	20	5	2	2	-	1	2	-	-	-
Organic Heart Disease - - - - -	231	1	-	3	6	5	13	12	36	67	51	33
Bronchitis - - - - -	117	11	10	-	1	2	3	4	11	19	29	2
Pneumonia (all forms) - - - - -	158	27	40	4	-	10	6	12	13	12	16	11
Other Diseases of Respiratory Organs - - - - -	38	1	9	2	-	2	2	3	5	3	4	-
Diarrhoea and Enteritis (under 2 years) - - - - -	383	327	56	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	24	1	-	7	7	2	2	2	2	-	-	-
All Liver Diseases (not Malignant) - - - - -	28	1	1	-	-	-	-	1	7	10	4	-
Other Diseases of Digestive System (under 2 years) - - - - -	31	29	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	98	1	3	4	2	3	8	10	14	23	21	-
Puerperal Sepsis - - - - -	10	-	-	-	-	1	6	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	16	-	-	-	-	1	7	7	1	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	244	241	2	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	112	14	6	10	7	9	10	18	15	11	5	-
Suicide - - - - -	8	-	-	-	-	-	-	3	3	-	2	-
Other Defined Diseases - - - - -	740	74	41	12	12	11	24	62	76	131	155	144
Diseases Ill-defined or Unknown - - - - -	57	6	4	-	2	2	2	7	7	8	9	110
Total - - - - -	3052	811	316	73	74	116	156	216	264	382	355	288

GLASGOW—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	7	-	-	-	4	1	-	1	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	1	3	-	-	-	1	-	-	-	-	-
Scarlet Fever - - - - -	21	-	16	3	2	-	-	-	-	-	-	-
Whooping-cough - - - - -	51	21	29	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	6	2	3	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	3	-	-	-	-	1	-	-	-	2	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	103	-	1	1	7	28	23	19	12	11	1	-
Tuberculous Meningitis - - - - -	14	9	5	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	16	3	8	1	1	2	-	-	-	1	-	-
Other Tuberculous Diseases - - - - -	20	1	5	3	1	3	3	2	1	1	-	-
Cancer, Malignant Disease - - - - -	125	-	-	2	-	-	5	10	22	43	29	11
Rheumatic Fever - - - - -	6	-	-	-	2	3	-	1	-	-	-	-
Meningitis - - - - -	24	8	10	4	2	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	87	1	-	1	3	3	7	6	11	24	19	11
Bronchitis - - - - -	54	5	2	-	1	1	3	3	6	7	15	11
Pneumonia (all forms) - - - - -	78	15	18	2	-	4	3	9	5	8	8	-
Other Diseases of Respiratory Organs - - - - -	18	1	3	1	-	-	2	1	3	1	2	-
Diarrhoea and Enteritis (under 2 years) - - - - -	237	206	31	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	10	-	-	2	1	2	2	1	2	-	-	-
All Liver Diseases (not Malignant) - - - - -	15	1	1	-	-	-	-	1	4	7	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	13	11	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	53	1	2	1	2	1	3	2	6	18	11	-
Puerperal Sepsis - - - - -	5	-	-	-	-	-	3	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	8	-	-	-	-	1	2	5	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	114	111	2	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	51	5	2	6	3	4	4	5	9	6	4	-
Suicide - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Other Defined Diseases - - - - -	322	44	23	5	3	5	15	25	35	49	64	55
Diseases Ill defined or Unknown - - - - -	25	4	2	-	1	-	1	3	3	7	1	-
Total - - - - -	1495	450	168	34	34	59	77	98	121	185	155	111

EDINBURGH—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	5	-	3	-	2	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	4	-	1	3	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	31	-	-	-	2	4	9	10	5	1	-	-
Tuberculous Meningitis - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	7	1	2	-	-	1	1	-	1	1	-	-
Cancer, Malignant Disease - - - - -	23	-	-	-	-	-	1	2	2	9	6	3
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	6	3	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	47	-	-	-	-	1	1	2	5	17	11	10
Bronchitis - - - - -	19	3	1	-	-	-	-	-	2	3	3	7
Pneumonia (all forms) - - - - -	11	2	1	-	-	-	1	-	1	2	3	1
Other Diseases of Respiratory Organs - - - - -	6	-	2	-	-	1	-	-	-	1	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	30	26	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
All Liver Diseases (not Malignant) - - - - -	6	-	-	-	-	-	-	-	1	1	2	2
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	12	-	-	-	-	-	5	1	3	2	-	1
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	16	16	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	19	4	1	1	1	1	-	6	1	1	1	2
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	114	6	2	2	1	2	4	9	11	21	34	22
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	1	-	-	-	4
Total - - - - -	375	63	23	6	6	11	25	33	33	59	62	54

DUNDEE—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	21	-	-	-	2	4	5	4	3	-	3	-
Tuberculous Meningitis - - - - -	4	2	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	16	-	-	-	-	-	-	-	5	4	5	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	1	1	-	-	-	-	-	2	-	-	-
Organic Heart Disease - - - - -	24	-	-	-	-	1	2	2	7	5	3	4
Bronchitis - - - - -	11	-	3	-	-	-	-	-	2	-	4	2
Pneumonia (all forms) - - - - -	15	1	4	1	-	1	1	1	-	-	2	4
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	35	27	8	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	10	-	-	-	-	2	-	1	1	1	2	2
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	30	30	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	14	4	-	2	1	1	1	1	1	2	-	1
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	59	3	6	3	2	-	1	3	4	12	15	10
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Total - - - - -	270	74	30	9	7	11	11	15	25	27	35	26

ABERDEEN—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	6	-	2	2	1	1	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	13	-	10	2	1	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	-	-	1	3	3	3	1	-	-	1
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	11	-	-	-	-	-	1	-	2	3	4	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	1	1	-	-	1	-	1	-	-	-	-
Organic Heart Disease - - - - -	20	-	-	1	-	-	-	-	4	5	5	5
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - - - -	11	-	4	-	-	1	-	1	-	1	2	2
Other Diseases of Respiratory Organs - - - - -	4	-	-	1	-	-	-	2	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	1	-	-	-	-	2	1	-	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	1	1	1	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	57	6	6	1	1	-	2	1	2	13	11	14
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Total - - - - -	181	25	27	8	7	7	9	12	12	25	24	25

PAISLEY—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	1	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	2	1	2	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	1	-	1	-	-	2	1	1
Bronchitis - - - - -	7	1	2	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - - - -	7	2	4	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	14	14	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	20	20	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	36	1	-	-	1	4	-	6	4	6	8	6
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	1	-	-	-	1	-	1	-
Total - - - - -	118	40	8	1	4	7	3	13	7	13	13	9

LEITH—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	4	-	3	1	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	10	-	-	-	-	2	3	1	2	2	-	-
Tuberculous Meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	2	-	1	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases	3	-	1	1	-	-	1	-	-	-	-	-
Cancer, Malignant Disease	9	-	-	-	-	-	-	1	2	2	1	3
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	7	-	-	1	-	-	1	-	1	1	2	1
Bronchitis	4	-	-	-	-	-	-	1	-	1	1	1
Pneumonia (all forms)	6	1	1	-	-	2	-	-	2	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	4	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	4	-	-	1	-	-	-	-	1	1	1	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	4	-	1	-	1	1	-	-	-	-	-	1
Suicide	2	-	-	-	-	-	-	-	1	-	1	-
Other Defined Diseases	28	2	1	-	2	-	-	5	5	5	2	6
Diseases Ill-defined or Unknown	2	-	-	-	-	1	-	-	-	-	1	-
Total	103	17	10	4	4	6	5	8	15	12	9	13

GREENOCK—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	5	-	-	-	-	1	1	1	1	-	1	-
Tuberculous Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	5	-	4	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	3	-	-	-	1	-	1	1	-	-	-	-
Cancer, Malignant Disease	6	-	-	-	-	-	-	2	1	2	1	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	3	-	1	1	-	1	-	-	-	-	-	-
Organic Heart Disease	12	-	-	-	-	-	-	1	3	5	3	-
Bronchitis	5	-	1	-	-	-	-	-	1	1	-	2
Pneumonia (all forms)	8	1	2	-	-	-	-	-	2	-	1	2
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years)	16	14	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	6	1	-	2	3	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	6	-	-	1	-	-	2	2	1	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	17	-	-	-	-	-	-	4	2	6	2	3
Diseases Ill-defined or Unknown	4	-	-	-	-	-	-	-	1	-	2	1
Total	113	28	12	5	5	2	5	11	12	14	11	8

PERTH—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	-	2	-	2	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	1	3	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	2	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	1	1	-	-	-	1	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	1	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	1	1	-	-	-	-	1	1	1	2	4
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - - -	42	8	4	1	1	-	5	1	5	6	5	6

COATBRIDGE—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - - - -	4	1	2	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	-	3	2	-
Bronchitis - - - - -	3	-	1	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	4	-	3	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	8	5	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	3	1	-	-	-	1	1	2	2	1	3
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	1	-	-	-	-
Total - - - - -	61	19	14	1	-	1	3	5	5	6	4	3

MOTHERWELL—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	1	-	-	1	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Bronchitis - - - - -	3	1	-	-	-	1	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	10	10	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	4	-	-	-	-	1	2	-	3	5	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	46	21	-	1	-	1	3	3	3	2	7	5

KIRKCALDY—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	1	1	1	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	1	1	2	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Pneumonia (all forms) - - - - -	3	1	-	1	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	-	-	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	-	-	-	-	-	1	2	5	1	3	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	40	6	1	2	-	1	2	3	5	10	7	3

CAUSES OF DEATH (corrected for Transfers).

HAMILTON—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	1	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	1	1	-	-	-	-	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	-	1	1	1	-	1	-	-	2	2	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	48	23	4	1	2	2	1	2	1	6	4	2

CLYDEBANK—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	-	3	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	2	-	1	1	3	-	-	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	1	1	-	-	-	-	1	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	3	-	-	-	-	-	2	3	3	3	1
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Total - - - - -	52	13	7	-	2	2	1	6	7	6	6	2

KILMARNOCK—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	1	4	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	-	-	-	-	-	-	1	3	4	2	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	36	8	2	-	-	2	4	3	5	4	3	5

FALKIRK—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	1	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	-	1	-	-	1	-	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	1	-	-	1	-	-	-	-	1	1	4
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	1	1	2	1
Total - - - - -	37	9	3	-	1	3	1	1	5	5	3	6

AYR—September 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	-	1	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - - - -	12	-	-	-	-	-	-	2	-	1	4	5
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	35	7	3	-	1	1	1	2	3	2	7	8

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of SEPTEMBER 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.			RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.												
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Mean of A and B (Mean Tem- perature).			Difference from Average	Absolute Maximum and Minimum.			Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity. per cent.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.									
					Maximum (A).	Minimum (B.)	Day of Month.		Maximum	Day of Month.	Minimum.								Day of Month.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29.777	29.978	59.6	48.2	53.9	+0.7	71	2nd	36	21, 22,	53.3	2.6	.336	82	12	1.97	inch.	0	5	10	0	2	14	21	5	3	
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.510	29.987	60.3	43.4	54.4	+1.6	74	2nd	37	22nd	53.3	2.6	.336	82	3	0.57	inch.	1	2	4	6	6	7	21	7	6	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.798	29.977	61.4	46.0	53.7	+0.2	71	2nd	34	21, 22,	52.4	2.0	.340	87	5	0.81	inch.	0	3	3	12	0	21	7	14	0	
ABERDEEN,* The Meteorological Office.	90	29.830	29.930	61.3	46.8	54.1	+1.1	73	30th	39	6th	52.9	1.8	.351	88	11	1.28	inch.	3	1	0	5	10	12	12	12	5	
PAISLEY, The Coats Observatory.	107	29.871	29.988	62.0	47.4	54.7	+0.3	74	2nd	34	21st	54.0	2.5	.347	83	14	1.73	inch.	5	1	5	1	3	6	15	7	17	
LEITH,† JAMES BOLAM, Navigation School.	76	29.902	29.985	60.0	48.3	54.2	-0.1	72	2nd	36	22nd	55.1	3.6	.336	77	9	0.45	inch.	4	6	8	0	2	10	22	2	6	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.724	29.985	60.9	47.3	54.1	+0.7	73	2nd	36	21st	54.1	2.5	.349	83	13	3.22	inch.	0	6	6	6	0	11	14	17	0	
PERTH, ALEX. M. RODGER, The Museum.	85	29.877	29.971	61.8	45.6	53.7	+0.4	74	2nd	28	22nd	52.4	2.4	.330	84	8	0.63	inch.	2	4	11	2	5	11	19	1	5	
Means	173	29.786	29.975	60.9	47.3	54.1	+0.6	73	53.4	2.5	.341	83	10	1.33	inch.	2	4	6	4	4	11	16	8	5	
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																												

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College at 7 A.M. and 6 P.M.
† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

OCTOBER 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of October 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5218 living children, of whom 2697 were male, and 2521 female. The male children number 320 more, and the female children 155 more, than registered in the previous month. The total children of the month number 475 more than registered in the previous month, 210 more than the mean of the numbers registered in the three preceding months, and 142 more than registered in October of last year. The equivalent annual birth-rate is 26·8 per thousand of the estimated aggregate population of these towns, which is 1·6 more than the September birth-rate, 0·8 more than the mean of the birth-rates of the three preceding months, July to September, and 0·3 more than the birth-rate of October of last year. In the individual towns the monthly birth-rate ranged from 38·8 in Hamilton, 32·9 in Greenock, and 30·1 in Coatbridge and in Clydebank, to 17·7 in Perth, 20·6 in Kirkcaldy, and 21·0 in Edinburgh. In Glasgow the birth-rate was 28·8; in Aberdeen, 28·4; in Falkirk, 26·2; in Paisley, 26·0; in Ayr, 26·0; in Kilmarnock, 24·5; in Leith, 23·9; in Dundee, 23·4; and in Motherwell, 23·0.

Of the 5218 children registered during the month 4845, or 92·9 per cent., were legitimate, while 373, or 7·1 per cent., were illegitimate. The illegitimate children of the month number 38 more than those of the previous month, 31 more than the mean of those of the preceding three months, and 25 more than those of October of last year. The illegitimate rate of the month is the same as that of the previous month, but is 0·2 more than the mean of those of the three preceding months, and the same amount more than that of October of last year. In the individual towns the illegitimate rate of the month ranged from 8·3 in Aberdeen, 8·2 in Edinburgh, and 8·0 in Dundee, to 1·9 in Leith, 2·8 in Kirkcaldy, 3·7 in Motherwell, and 3·9 in

Perth. In Clydebank the illegitimate rate of the month was 7·9 ; in Glasgow, 7·6 ; in Paisley, 6·8 ; in Kilmarnock, 6·8 ; in Falkirk, 6·8, in Ayr, 6·8 ; in Coatbridge, 6·4 ; in Hamilton, 5·5 ; and in Greenock, 5·0.

Marriages registered in these towns numbered 1346. They are 546 fewer than registered in the previous month, and 609 less than the mean of the numbers registered in the three preceding months, and 26 fewer than those registered in October of last year. The marriage-rate of the month is 6·9, which is 3·1 less than that of the previous month, 3·2 less than the mean of those of the three preceding months, and 0·3 less than that of October of last year. In the individual towns the marriage-rate of the month ranged from 8·5 in Ayr, 8·3 in Greenock, and 8·2 in Edinburgh, to 2·6 in Clydebank, 3·8 in Leith, 3·8 in Coatbridge, and 3·9 in Falkirk. In Glasgow this rate was 7·4 ; in Aberdeen, 7·3 ; in Kilmarnock, 7·3 ; in Dundee, 7·0 ; in Perth, 6·9 ; in Kirkcaldy, 5·4 ; in Hamilton, 4·9 ; in Paisley, 4·4 ; and in Motherwell, 4·0.

Deaths registered in these towns numbered 2957, 1521 being of males, and 1436 of females. The deaths registered in these towns include those of 220 non-resident persons, while the deaths of 169 residents of these towns were registered elsewhere in Scotland, and the difference, 51, falls to be deducted to get the corrected number, which is thus found to be 2906. The corrected death-rate of the month is 1·3 less than that of September, but is 0·5 more than the mean of those of the three preceding months, and the same amount more than that of October of last year.

In the individual towns the death-rate of the month corrected ranged from 17·5 in Greenock, 17·1 in Aberdeen, and 15·4 in Glasgow, to 9·7 in Motherwell, 9·8 in Clydebank, and 10·1 in Hamilton. In Paisley it was 15·3 ; in Edinburgh, 15·1 ; in Dundee, 14·8 ; in Leith, 14·5 ; in Kirkcaldy, 14·0 ; in Kilmarnock, 13·3 ; in Coatbridge, 12·9 ; in Perth, 12·8 ; in Ayr, 12·8 ; and in Falkirk, 12·0.

Of the 2906 deaths, 947 were of children of less than five years old, and 665 of persons of over sixty-five. The former are 180 fewer than in the previous month, but 31 more than in October of last year. The latter are 21 more than in the previous month, and 71 more than in October of last year.

Deaths of children of less than one year old numbered 640. They are 171 less than those of the previous month, but are 16 more than the mean of the numbers of the three preceding months, and 32 more than those of October of last year. These deaths are equal to an infantile mortality rate of 123 per thousand of the average number of births registered monthly during the preceding twelve months, a rate which is 38 less than that of the previous month, but is 1 more than the mean of those of the three preceding months, and 6 more than that of October of last year. In the individual towns the infantile mortality rate of the month ranged from 147 in Ayr, 143 in Falkirk, and 140 in Paisley, to 33 in Perth, 71 in Kirkcaldy, and 76 in Clydebank. In Glasgow this rate was 133 ; in Dundee, 132 ; in Greenock, 128 ; in Aberdeen, 120 ; in Edinburgh, 117 ; in Motherwell, 101 ; in Leith, 96 ; in Kilmarnock, 93 ; in Hamilton, 90 ; and in Coatbridge, 89.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhœas of childhood, numbered 383. They are 152 less than in the previous month, but are 11 more than the mean of the numbers in the three preceding months, and 38 more than in October of last year. The monthly death-rate from these causes was 2·0 per thousand, which is 0·8 less than in the previous month, but is 0·1 more than the mean of the rates of the three preceding months, and 0·2 more than that of October of last year. In the individual towns this rate ranged from 3·8 in Aberdeen, 2·5 in Paisley, 2·1 in Glasgow, and 2·0 in Motherwell, to 0·3 in Perth, and 0·7 in Kil-

marnock and in Falkirk. In Clydebank this rate was 1·9 ; in Edinburgh, 1·8 ; in Dundee, 1·8 ; in Ayr, 1·8 ; in Hamilton, 1·5 ; in Kirkcaldy, 1·1 ; in Leith, 1·0 ; in Greenock, 0·8 ; and in Coatbridge, 0·8.

Deaths from measles numbered 7 ; from scarlet fever, 63 ; from diphtheria, 75 ; from whooping-cough, 45 ; from enteric fever, 22 ; and from the diarrhoeas of childhood, 171. Compared with the returns of the previous month, deaths from the diarrhoeas of childhood are 212 fewer, from whooping-cough 17 fewer, and from measles 1 fewer, but those from enteric fever are 9 more, from scarlet fever 22 more, and from diphtheria 47 more.

No deaths from smallpox or from typhus fever were registered in these towns during the month. Deaths from malignant disease numbered 216 ; from heart disease, 237 ; from puerperal septic conditions, 13 ; and from violence, 109, of which 9 were attributed to suicide.

Deaths from pneumonia numbered 201, constituted 6·9 per cent. of the total deaths of the month, and are equal to an annual death-rate from this cause of 1·0 per thousand. These deaths are 43 more than in the previous month, but 32 less than in October of last year. Deaths from bronchitis numbered 173, constituted 6·0 per cent. of the total, and are equal to an annual death-rate of 0·9 per thousand. They are 56 more than in the previous month, and 33 more than in October of last year.

Deaths from all forms of tuberculous disease numbered 316, constituted 10·9 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·6 per thousand. These deaths are 3 fewer than in the previous month, but 4 more than in October of last year. Of them 201 were ascribed to phthisis, 45 to tuberculous meningitis, 35 to abdominal tuberculosis, and 35 to other forms of tuberculous disease. The deaths from phthisis constitute 6·9 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·0 per thousand ; they are 8 fewer than in the previous month, and 3 fewer than in October of last year. In the individual towns the monthly death-rate from phthisis ranged from 1·2 in Edinburgh, in Dundee, and in Aberdeen, to 0·3 in Perth and in Kirkcaldy, and 0·4 in Paisley and in Falkirk. In Glasgow this death-rate was 1·1 ; in Clydebank, 1·1 ; in Kilmarnock, 1·0 ; in Greenock, 0·9 ; in Motherwell, 0·9 ; in Leith, 0·7 ; in Ayr, 0·7 ; in Hamilton, 0·6 ; and in Coatbridge, 0·5.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

OCTOBER 1914.

Mean barometric pressure, 30·012 in. ; greater than the average of 1856–1905 by 0·192 in.

Mean temperature, 49°·3 ; greater by 2°·5.

Mean daily range of temperature, 11°·2 ; less by 0°·4.

Rain, number of days, 16 ; less by 1 day.

Rain, depth in inches, 1·97 ; less by 1·50 in.

Wind, direction of : a 2 days' excess of winds from between N.E. and S.E.

Hence the month was characterised by an extremely high mean pressure ; a decidedly high mean temperature, with a slightly low mean daily range ; a very low mean rainfall ; and a slight excess of easterly winds.

The mean pressure was 30·012 in., or 0·192 in. above the normal. For the first three weeks, except for a day or two about 12th, the barometer was almost continuously high, but thereafter conditions were more or less unsettled, with low readings towards the end of the month. At Leith, at sea-level, pressure was above 30 in. from 1st to 11th, and from 14th to 21st, the extremes there being 30·339 in. on 19th, and 29·474 in. on 28th.

The mean temperature was 49°·3, or 2°·5 above the normal, the days being 2°·3 and the nights 2°·7 above their respective averages, and the daily range thus slightly below the normal. There was in all districts on the mean of the month a well-defined temperature excess, due largely to exceptionally mild weather during the first ten days. Thereafter there was on the whole a close approximation to normal conditions, though about 15th, 19th and 29th there were interruptions of cold with easterly to northerly winds. On night of 14th-15th Braemar recorded a reading in screen of 20°. Highest readings for the month occurred between 3rd and 9th, and at the chief towns the extremes were 66° at Perth on 9th, and 30°, also at Perth, on 15th and 19th.

The mean rainfall was 1·97 in., or 43 per cent. below the normal. Except in one or two eastern districts there was everywhere a decided shortage, and wide areas had only one-third or less of the normal. The deficiency was most pronounced towards west and north-west. Thus at Fort William the month was the driest October for at least thirty years; and at Glasgow Observatory an appreciably drier October has occurred during the last sixty years only in 1880. In many districts the only fall of importance until the last week of the month occurred on 12th, when Leadhills and Drumlanrig had fully 1 in. On 25th a heavy rainfall was general, with moderate falls on west on 25th, and in east during the last two or three days of the month.

Wind force was in general light, but on 29th and 30th stormy weather was experienced on the east coast.

Sunshine amounts were below the normal.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, OCTOBER 1914.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,047,000	1323	1239	2562	2368	194	655	752	658	1410	50	93	1367
EDINBURGH, . .	320,769	321,900	295	280	575	528	47	225	223	211	434	41	62	413
DUNDEE, . . .	176,085	176,300	167	183	350	322	28	104	101	121	225	4	7	222
ABERDEEN, . .	163,891	159,500	192	193	385	353	32	99	103	130	233	14	16	231
PAISLEY, . . .	84,455	86,000	115	75	190	177	13	32	54	59	113	5	6	112
LEITH,	80,601	79,800	86	76	162	159	3	26	44	43	87	16	5	98
GREENOCK, . .	75,140	78,000	119	99	218	207	11	55	68	49	117	3	4	116
PERTH,	35,854	34,000	22	29	51	49	2	20	19	23	42	2	7	37
TOTAL (EIGHT TOWNS)	1,945,282	1,982,500	2319	2174	4493	4163	330	1216	1364	1297	2661	135	200	2596
COATBRIDGE, . .	43,286	43,000	59	51	110	103	7	14	22	23	45	3	1	47
MOTHERWELL . .	40,380	41,500	44	37	81	78	3	14	16	17	33	1	0	34
KIRKCALDY . . .	39,601	41,100	38	34	72	70	2	19	24	18	42	7	0	49
HAMILTON, . . .	38,644	38,600	65	62	127	120	7	16	19	13	32	3	2	33
CLYDEBANK, . .	37,548	44,600	63	51	114	105	9	10	9	15	24	14	1	37
KILMARNOCK, . .	34,728	35,500	37	37	74	69	5	22	20	19	39	4	3	40
FALKIRK, . . .	33,574	33,300	34	40	74	69	5	11	24	15	39	1	6	34
AYR,	32,986	33,100	38	35	73	68	5	24	23	19	42	1	7	36
TOTAL (SIXTEEN TOWNS)	2,246,029	2,293,200	2697	2521	5218	4845	373	1346	1521	1436	2957	169	220	2906

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, OCTOBER 1914.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	28·8	7·6	7·4	15·9	15·4	2·1	1·8	1·1	2·4	334	133
EDINBURGH, .	21·0	8·2	8·2	15·9	15·1	1·8	1·8	1·2	1·5	66	117
DUNDEE, .	23·4	8·0	7·0	15·0	14·8	1·8	1·7	1·2	2·7	50	132
ABERDEEN, .	28·4	8·3	7·3	17·2	17·1	3·8	1·4	1·2	1·5	41	120
PAISLEY, .	26·0	6·8	4·4	15·5	15·3	2·5	0·7	0·4	1·9	28	140
LEITH, .	23·9	1·9	3·8	12·8	14·5	1·0	1·3	0·7	1·8	17	96
GREENOCK, .	32·9	5·0	8·3	17·7	17·5	0·8	2·1	0·9	2·9	27	128
PERTH, .	17·7	3·9	6·9	14·6	12·8	0·3	1·0	0·3	3·8	2	33
TOTAL . . (EIGHT TOWNS)	26·7	7·3	7·2	15·8	15·4	2·1	1·7	1·1	2·2	565	127
COATBRIDGE, .	30·1	6·4	3·8	12·3	12·9	0·8	0·8	0·5	1·1	10	89
MOTHERWELL, .	23·0	3·7	4·0	9·4	9·7	2·0	1·1	0·9	1·4	11	101
KIRKCALDY, .	20·6	2·8	5·4	12·0	14·0	1·1	0·9	0·3	1·4	6	71
HAMILTON, .	38·8	5·5	4·9	9·8	10·1	1·5	1·5	0·6	1·5	10	90
CLYDEBANK, .	30·1	7·9	2·6	6·3	9·8	1·9	1·3	1·1	1·6	9	76
KILMARNOCK, .	24·5	6·8	7·3	12·9	13·3	0·7	2·0	1·0	3·0	7	93
FALKIRK, .	26·2	6·8	3·9	13·8	12·0	0·7	1·1	0·4	1·4	11	143
AYR, .	26·0	6·8	8·5	14·9	12·8	1·8	0·7	0·7	2·1	11	147
TOTAL . . . (SIXTEEN TOWNS)	26·8	7·1	6·9	15·2	14·9	2·0	1·6	1·0	2·1	640	123

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR OCTOBER 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
OCT. 1914, .	26·7	7·3	7·2	15·4	0	7	62	42	71	21	145	127	49°·3
OCT. 1913, .	26·2	7·1	7·6	14·6	0	57	36	15	45	13	130	115	50°·3
OCT. 1912, .	26·8	7·0	7·7	15·6	0	2	16	30	43	3	61	115	46°·6
OCT. 1911, .	24·6	8·2	7·7	16·2	0	36	32	21	41	5	109	132	46°·0
OCT. 1910, .	25·0	7·6	7·3	14·5	0	5	21	29	57	9	104	115	50°·1
OCT. 1909, .	25·2	6·9	6·2	13·4	0	25	24	13	41	8	68	97	48°·1
OCT. 1908, .	27·4	7·3	6·4	15·0	0	6	16	58	36	6	—	123	53°·1
OCT. 1907, .	29·3	7·0	8·0	15·7	0	60	9	60	23	10	—	113	47°·9
OCT. 1906, .	29·6	7·6	8·3	18·3	0	18	15	52	32	20	—	151	48°·9
OCT. 1905, .	28·5	7·1	7·6	17·5	0	63	10	35	28	17	—	125	44°·7
OCT. 1904, .	28·8	6·5	8·1	16·8	0	25	12	83	28	23	—	141	48°·5

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—October 1914.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	22	-	2	2	2	6	3	4	2	-	1	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	7	2	4	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	63	6	26	20	5	3	3	-	-	-	-	-	
Whooping-cough - - - - -	45	19	24	1	1	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	75	6	46	19	1	1	1	1	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	9	1	-	-	-	-	2	-	2	2	1	1	
Phthisis, Pulmonary Tuberculosis - - - - -	201	-	3	5	11	35	62	44	27	11	3	-	
Tuberculous Meningitis - - - - -	45	15	18	7	1	4	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	35	12	15	5	-	1	1	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	35	4	8	5	2	5	5	1	2	2	1	-	
Cancer, Malignant Disease - - - - -	216	-	-	-	-	1	3	22	54	62	48	26	
Rheumatic Fever - - - - -	7	-	-	-	1	3	1	-	2	-	-	-	
Meningitis - - - - -	36	17	11	2	1	2	1	-	1	-	1	-	
Organic Heart Disease - - - - -	237	1	2	3	3	13	15	23	34	49	66	28	
Bronchitis - - - - -	173	36	11	2	-	3	-	7	15	27	38	34	
Pneumonia (all forms) - - - - -	201	41	46	2	2	6	12	13	23	17	21	18	
Other Diseases of Respiratory Organs - - - - -	39	9	5	-	-	4	1	3	5	4	3	5	
Diarrhoea and Enteritis (under 2 years) - - - - -	171	145	26	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	18	-	-	2	5	6	1	3	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	15	-	-	-	2	-	-	3	1	3	3	3	
Other Diseases of Digestive System (under 2 years) - - - - -	18	16	2	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	101	1	4	1	2	6	8	11	14	30	15	9	
Puerperal Sepsis - - - - -	13	-	-	-	-	4	4	5	-	-	-	-	
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	17	-	-	-	-	5	5	6	1	-	-	-	
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	221	218	2	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	100	12	11	7	1	5	6	15	15	15	5	8	
Suicide - - - - -	9	-	-	-	-	1	5	1	1	1	-	-	
Other Defined Diseases - - - - -	726	71	34	15	12	18	40	46	94	89	144	163	
Diseases Ill-defined or Unknown - - - - -	50	8	7	-	-	2	1	2	4	8	10	8	
All Causes - - - - -	2906	640	307	100	52	134	180	210	297	321	362	303	

GLASGOW—October 1914.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	16	-	2	1	2	5	1	3	1	-	1	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	4	1	2	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	31	4	17	7	-	2	1	-	-	-	-	-	
Whooping-cough - - - - -	33	13	19	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	18	1	13	2	1	-	1	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	102	-	3	4	7	13	31	22	13	6	3	-	
Tuberculous Meningitis - - - - -	31	12	11	4	1	3	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	15	4	6	2	-	1	1	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	12	1	2	1	1	2	2	-	-	2	1	-	
Cancer, Malignant Disease - - - - -	92	-	-	-	-	-	2	9	29	26	19	7	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	19	8	7	-	-	1	1	-	1	-	1	-	
Organic Heart Disease - - - - -	92	1	1	3	1	6	7	9	13	19	25	7	
Bronchitis - - - - -	90	24	5	1	-	1	-	3	10	16	19	11	
Pneumonia (all forms) - - - - -	102	25	24	1	1	2	7	5	15	6	10	6	
Other Diseases of Respiratory Organs - - - - -	20	7	2	-	-	3	-	2	1	1	1	3	
Diarrhoea and Enteritis (under 2 years) - - - - -	87	71	16	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	13	-	-	2	3	5	-	2	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	6	-	-	-	1	-	-	1	-	1	2	1	
Other Diseases of Digestive System (under 2 years) - - - - -	12	11	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	57	-	3	1	1	5	4	6	9	16	8	4	
Puerperal Sepsis - - - - -	10	-	-	-	-	2	4	4	-	-	-	-	
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	11	-	-	-	-	4	3	3	1	-	-	-	
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	107	105	2	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	44	3	5	3	1	3	3	6	9	7	2	2	
Suicide - - - - -	4	-	-	-	-	1	1	1	-	1	-	-	
Other Defined Diseases - - - - -	309	40	17	9	7	9	17	19	40	40	56	55	
Diseases Ill defined or Unknown - - - - -	27	3	7	-	-	1	1	2	2	1	5	5	
All Causes - - - - -	1367	334	165	43	27	69	87	97	146	143	155	101	

EDINBURGH—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	3	-	-	1	-	1	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	2	1	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	23	-	11	11	-	1	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	32	-	-	-	1	9	7	8	7	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	8	3	3	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	8	2	1	1	1	2	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	38	-	-	-	-	-	1	5	9	12	10	1
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	3	2	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	49	-	1	-	-	2	5	2	4	12	13	10
Bronchitis - - - - -	17	2	1	-	-	-	1	1	-	-	7	6
Pneumonia (all forms) - - - - -	20	3	4	-	-	-	1	-	1	5	2	4
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	17	15	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	1	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	14	-	-	-	-	-	-	2	-	8	3	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	20	20	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	16	4	1	1	-	-	-	4	3	1	-	2
Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - - - -	123	11	2	1	1	2	5	7	18	10	31	35
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	1	2	-	1
All Causes - - - - -	413	66	29	19	4	18	21	31	45	51	67	62

DUNDEE—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	-	3	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	18	-	-	1	2	2	7	3	3	-	-	-
Tuberculous Meningitis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	1	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	-	-	-	1	3	9	5	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	-	2	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	14	-	-	-	-	-	-	2	3	6	1	2
Bronchitis - - - - -	18	2	1	-	-	-	-	1	1	2	2	9
Pneumonia (all forms) - - - - -	20	5	9	-	-	-	-	1	1	1	2	1
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	1	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	18	16	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	1	1	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	-	-	-	1	-	1	-	1	1	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	13	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	11	2	2	-	-	1	1	1	-	2	-	2
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	50	3	2	1	1	3	1	3	8	1	13	14
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	1	2	-
All Causes - - - - -	222	50	24	7	5	6	12	15	21	24	28	30

ABERDEEN—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	17	2	4	8	3	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	22	4	12	5	-	-	1	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	3	-	-	-	-	-	-	1	1	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	16	-	-	-	1	3	3	2	3	4	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	14	-	-	-	-	-	1	3	-	4	6	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	24	-	-	-	2	1	-	4	3	3	6	5
Bronchitis - - - - -	9	3	-	-	-	-	-	1	1	2	1	2
Pneumonia (all forms) - - - - -	9	1	2	-	-	1	1	2	-	-	1	1
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	-	1	-	-	-	2	-	-	3	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	16	15	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	-	-	1	-	-	1	-	1	1	1	2
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	62	3	6	1	-	-	4	4	3	7	12	22
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	1	-	1
All Causes - - - - -	231	41	26	18	6	7	11	17	15	23	27	40

PAISLEY—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	5	-	2	-	2	1	-	-	-	-	-	-
Whooping-cough - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	1	-	1	4	-	-	2
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	1	1	-	-	3	-
Bronchitis - - - - -	6	2	1	-	-	-	-	2	-	-	1	-
Pneumonia (all forms) - - - - -	8	2	-	-	1	-	-	2	1	1	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	6	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	15	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	1	-	-	-	1	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	35	2	2	2	-	1	2	-	6	5	7	8
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
All Causes - - - - -	112	28	13	4	3	5	7	9	13	7	12	11

LEITH—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	2	3	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	2	1	4	2	1
Rheumatic Fever - - - - -	2	-	-	-	1	-	1	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	-	-	1	-	1	3	-	6	-
Bronchitis - - - - -	3	-	-	-	-	1	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	7	-	2	-	-	-	-	1	1	-	2	1
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	35	4	-	-	1	1	-	3	5	9	4	8
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	98	17	7	1	2	5	4	7	14	14	16	11

GREENOCK—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	-	3	2	1	-	-	-
Tuberculous Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	1	1	2	1	1
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	16	-	-	-	-	2	1	1	1	6	5	-
Bronchitis - - - - -	7	-	1	1	-	-	-	-	1	2	-	2
Pneumonia (all forms) - - - - -	8	1	3	-	-	1	1	1	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	4	-	2	-	-	1	1	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	2	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	32	2	1	-	2	-	2	2	9	6	5	3
Diseases Ill-defined or Unknown - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	116	27	12	1	3	5	10	9	15	16	11	7

PERTH—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	-	1	2
Bronchitis - - - - -	7	-	1	-	-	-	-	-	1	2	3	-
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	-	2	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	2	-	-	-	-	1	1	-	2	3	2
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
All Causes - - - - -	37	2	1	-	-	2	4	1	6	6	10	5

COATBRIDGE—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	-	-	2	3	1	2	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	2	1	-	-	-	3	3	-	1	4	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	47	10	6	-	1	2	3	6	4	4	7	4

MOTHERWELL—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	-	2	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	-	-	-	-	1	1	-	-	2	1	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
All Causes - - - - -	34	11	-	1	-	2	3	1	1	8	4	3

KIRKCALDY—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	1	1	2	3	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	2	1	1	-
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	-	-	-	-	-	1	3	2	2	2	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Causes - - - - -	49	6	7	1	-	3	3	6	6	5	7	5

HAMILTON—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	1	-	1	-	-	-	1
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	1	2	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	-	2	-	-	-	1	-	-	-	1	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	33	10	6	-	-	2	2	1	1	3	3	-

CLYDEBANK—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	2	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	1	1	-	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	5	1	1	-	-	-	-	-	2	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	1	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
All Causes - - - - -	37	9	6	-	1	2	4	4	3	2	4	2

KILMARNOCK—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	5	-	-	-	-	1	-	-	1	1	-	2
Pneumonia (all forms) - - - - -	4	-	-	-	-	1	-	-	-	-	3	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	-	-	-	2
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	-	-	-	-	1	2	1	2	2	3	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	40	7	1	1	-	4	3	4	3	5	6	6

FALKIRK—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	-	-	1	-	1	-	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	1	-	1	-	-	-	1	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	5	2	1	-	-	-	-	-	-	1	-	1
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
All Causes - - - - -	34	11	2	3	-	2	1	1	3	6	2	3

AYR—October 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	5	1	-	-	-	-	2	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	-	-	1	-	-	-	-	1	1	2	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	36	11	2	1	-	-	5	1	1	4	3	-

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of OCTOBER 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.											
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Maximum (A).	Minimum (B.)	Mean of A and B (Mean Tem- perature).	Difference from Average	Absolute Maximum and Minimum.				Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.								
								Maximum	Day of Month.	Minimum.	Day of Month.								N	NE	E	SE	S	SW	W	NW	Calm or Variable.
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·799	30·001	54·2	45·2	49·7	+2·9	60	5th	34	15th	48·8	1·6	·305	88	17	1·35	1	5	17	3	3	9	21	2	1	
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29·535	30·018	53·8	45·5	49·7	+3·7	60	3, 5,	38	19th	49·0	1·7	·305	88	14	1·23	1	6	7	7	6	10	20	1	4	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·840	30·021	54·6	42·8	48·7	+2·2	62	3, 4, 5,	34	2, 15,	47·8	1·2	·303	91	17	2·42	0	11	0	18	1	22	1	9	0	
ABERDEEN,* The Meteorological Office.	90	29·902	30·003	55·1	43·0	49·1	+2·2	64	5th	32	15, 16, 28,	49·0	1·6	·308	89	17	2·06	3	1	6	10	11	4	9	10	8	
PAISLEY, The Coats Observatory.	107	29·889	30·008	55·4	44·4	49·9	+2·2	65	9th	33	19th	49·3	1·7	·308	88	17	1·62	1	1	9	1	4	3	8	6	29	
LEITH, † JAMES BOLAM, Navigation School.	76	29·936	30·020	54·3	44·8	49·6	+2·2	62	5th	35	19, 29,	49·9	2·1	·306	87	16	1·59	4	4	10	6	4	8	18	2	6	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29·754	30·018	55·2	42·8	49·0	+2·1	63	6, 9,	35	19th	49·2	1·5	·313	90	17	3·13	0	16	7	6	0	7	7	15	4	
PERTH, The Museum.	85	29·908	30·003	56·8	41·2	49·0	+2·6	66	9th	30	15, 19,	47·3	1·6	·287	89	14	2·38	1	13	9	10	2	4	8	4	11	
Means	173	29·820	30·012	54·9	43·7	49·3	+2·5	48·8	1·6	·304	89	16	1·97	1	7	8	8	4	8	12	6	8	
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow. 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																											

* At King's College at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

NOVEMBER 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by

J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of November 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4718 living children, of whom 2434 were male, and 2284 female. The male children number 263 fewer than those registered in the previous month, October, and the female children 237 fewer. The total children registered are 500 fewer than registered in the previous month, and 246 less than the mean of the numbers registered in the preceding three months, but are 526 more than registered in November of last year. The equivalent annual birth-rate is 25·0 per thousand of the estimated aggregate population of these towns, a rate which is 1·8 less than that of the previous month, and 0·8 less than the mean of those of the three preceding months, but is 2·4 more than that of the corresponding month of last year. In the individual towns the birth-rate of the month ranged from 30·3 in Coatbridge, 30·1 in Greenock, and 30·0 in Motherwell, to 19·8 in Edinburgh, 20·4 in Perth, 21·3 in Kirkcaldy, and 21·7 in Ayr. In Clydebank the birth-rate of the month was 29·8; in Hamilton, 29·7; in Glasgow, 26·6; in Kilmarnock, 26·0; in Paisley, 25·3; in Aberdeen, 24·4; in Leith, 24·4; in Falkirk, 22·7; and in Dundee, 22·0.

Of the 4718 living children registered during the month 4344, or 92·1 per cent., were legitimate, while 374, or 7·9 per cent., were illegitimate. The illegitimate children of the month are 1 more than those of the previous month, 19 more than the mean of the numbers of those of the three preceding months, and 78 more than those of November of last year. The illegitimate rate of the month is 0·8 more than that of the previous month, 0·7 more than the mean of those of the three preceding months, and 0·8 more than that of November of last year. In the individual towns the illegitimate rate ranged from 11·3 in Falkirk, 10·7 in Edinburgh, and 10·3 in Aberdeen, to 0·9 in Clydebank, 2·6 in Greenock, and 3·7 in Coatbridge. In Ayr this rate was 10·2; in Dundee, 10·1; in Perth, 8·8; in Kilmarnock, 7·9; in Glasgow, 7·8; in Hamilton, 7·4; in Motherwell, 6·9; in Kirkcaldy, 6·9; in Leith, 6·3; and in Paisley, 6·1.

Marriages registered in these towns during the month numbered 1452. They are 106 more than those registered in the previous month, and 183 more than those registered in November of last year, but are 127 less than the mean of the numbers registered in the preceding three months. The marriage-rate of the month is 7·7, which is 0·8 more than that of October. In the individual towns this rate ranged from 11·0 in Ayr, 9·5 in Aberdeen, 8·7 in Glasgow, and 8·2 in Perth, to 3·3 in Kirkcaldy, 3·5 in Motherwell, 4·4 in Leith, and 4·4 in Clydebank. In Kilmarnock the marriage-rate of the month was 7·9; in Edinburgh, 7·8; in Dundee, 7·3; in Falkirk, 7·3; in Hamilton, 6·6; in Greenock, 5·6; in Coatbridge, 4·8; and in Paisley, 4·7.

Deaths registered in these towns during the month numbered 3183, 1611 being of males, and 1572 of females. The deaths registered in these towns included those of 203 non-residents, while the deaths of 175 residents of these towns were registered elsewhere in Scotland, and the difference between these two number, 28, falls to be deducted to obtain the corrected number of deaths of the month, which is thus found to be 3155. The corrected number is 249 more than that of October, 279 more than the mean of those of the three preceding months, and 369 more than that of November of last year. The death-rate of the month, corrected, is 16·8 per thousand, which is 1·9 more than that of the previous month, the same amount more than the mean of those of the three preceding months, and 1·8 more than that of November of last year.

In the individual towns the death-rate of the month ranged from 20·5 in Dundee, 19·2 in Leith, 18·9 in Greenock, and 18·6 in Aberdeen, to 9·7 in Motherwell, 11·0 in Kirkcaldy, and 12·3 in Clydebank. In Glasgow the death-rate of the month was 17·2; in Paisley 16·7; in Falkirk, 16·1; in Perth, 15·8; in Ayr, 15·1; in Edinburgh, 14·8; in Hamilton, 14·5; in Kilmarnock, 13·7; and in Coatbridge, 13·6.

Of the 3155 deaths, 984, or 31·2 per cent., were of children of less than five years old, 1418, or 44·9 per cent., were of persons of more than five but less than sixty-five, and 753, or 23·9 per cent., were of persons of over sixty-five. Compared with the returns of the previous month deaths of children of less than five years old are 37 more, and those of persons of over sixty-five are 88 more. Compared with the returns of November of last year the former are 40 more, and the latter 125 more.

Deaths of children of less than one year old numbered 637. They are 3 fewer than those of the previous month, and 44 less than the mean of the numbers of the three preceding months, but are 47 more than those of November of last year. These deaths are equal to an infantile mortality rate of 125 per thousand of the average number of births registered monthly in these towns during the preceding twelve months, a rate which is 2 more than that of the previous month, but is 8 less than the mean of those of the three preceding months, and 3 less than that of November of last year. In the individual towns the infantile mortality rate of the month ranged from 152 in Paisley, 148 in Clydebank, and 144 in Dundee, to 19 in Motherwell, 34 in Perth, and 42 in Ayr. In Leith this rate was 138; in Glasgow, 137; in Aberdeen, 126; in Edinburgh, 118; in Coatbridge, 117; in Greenock, 102; in Hamilton, 101; in Kirkcaldy, 96; in Falkirk, 95; and in Kilmarnock, 68.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 317. They are 66 less than in the previous month, and 109 less than the average of the numbers of the three preceding months, but are 20 more than in November of last year. The monthly death-rate from these causes is 1·7 per thousand, a rate which is 0·3 less than that of the previous month, and 0·5 less than the mean of the rates of the three preceding months, but is 0·1 more than that of November of

last year. In the individual towns this death-rate ranged from 3·5 in Aberdeen, 2·2 in Dundee, and 1·9 in Glasgow, to 0 in Kilmarnock, 0·3 in Motherwell, and 0·4 in Falkirk and in Ayr. In Kirkcaldy this rate was 1·8 ; in Coatbridge, 1·7 ; in Paisley, 1·4 ; in Greenock, 1·4 ; in Perth, 1·4 ; in Leith, 1·2 ; in Edinburgh, 1·0 ; in Hamilton, 0·6 ; and in Clydebank, 0·5.

Deaths from measles numbered 16 ; from scarlet fever, 75 ; from diphtheria, 62 ; from whooping-cough, 71 ; from enteric fever, 14 ; and from the diarrhœas of childhood, 79. Compared with the returns of the previous month, deaths from the diarrhœas of childhood are 92 fewer, from diphtheria 13 fewer, and from enteric fever 8 fewer, but those from measles are 9 more, from scarlet fever 12 more, and from whooping-cough 26 more.

One death from typhus fever was registered in these towns during the month, but there were none from smallpox. Deaths from malignant disease numbered 207 ; from heart disease, 257 ; from puerperal septic conditions, 13 ; and from violence, 141, of which 9 were attributed to suicide.

Deaths from pneumonia numbered 292, constituted 9·3 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·6 per thousand. They are 91 more than registered in October, and 26 more than registered in November of last year. Deaths from bronchitis numbered 225, constituted 7·1 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·2 per thousand. They are 52 more than in October, and 59 more than in November of last year.

Deaths from all forms of tuberculous disease numbered 338, constituted 10·7 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·8 per thousand. These deaths are 22 more than in October, and 5 more than in November of last year. Of them 230 were ascribed to phthisis, 44 to tuberculous meningitis, 34 to abdominal tuberculosis, and 30 to other forms of tuberculous disease. The phthisis deaths constituted 7·3 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·2 per thousand. They number 29 more than in October, and 24 more than in November of last year. In the individual towns the phthisis death-rate of the month ranged from 2·2 in Dundee, 1·8 in Perth, 1·7 in Leith, and 1·6 in Paisley, to 0·3 in Hamilton and in Kilmarnock, and 0·4 in Ayr. In Glasgow this rate was 1·3 ; in Greenock, 1·1 ; in Clydebank, 1·1 ; in Edinburgh, 0·9 ; in Aberdeen, 0·9 ; in Motherwell, 0·9 ; in Kirkcaldy, 0·9 ; in Falkirk 0·7 ; and in Coatbridge, 0·6.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

NOVEMBER 1914.

Mean barometric pressure, 29·742 in. ; less than the average of 1856–1905 by 0·099 in.

Mean temperature, 43°·1 ; greater by 1°·5.

Mean daily range of temperature, 9°·7 ; less by 0°·2.

Rain, number of days, 22 ; greater by 6 days.

Rain, depth in inches, 4·33 ; greater by 0·92 in.

Wind, direction of : a 3 days' excess of winds from S.W.

Hence the month was characterised by a low mean pressure ; a rather high mean temperature, with a mean daily range practically equal to the normal ; a somewhat high mean rainfall ; and an excess of winds from S.W.

The mean pressure was 29·742 in., or 0·099 in. below the normal. Except from about 16th to 21st, when the weather over our area was controlled by a high

pressure system, conditions were more or less unsettled. From about 9th to 14th and from 26th onwards an extremely disturbed type of weather prevailed. At Leith, at sea-level, pressure was above 30 in. on 10th, and from 17th to 22nd, the extremes there being 30·627 in. on 18th and 28·951 in. on 30th.

The mean temperature was 43°·1, or 1°·5 above the normal, and the excess was almost equally well-defined by day and by night. A mild south-westerly type of conditions at first prevailed, but about 12th temperature began to fall, and during the third week, with winds now and then from a northerly or easterly point, the weather was unusually cold for the time of year with severe frost on various days. On night of 17th-18th Braemar recorded a reading in screen of 12°, with a reading from an exposed thermometer of 7°. During the last week or so of the month there was a complete reversal to a mild south-westerly type. At the chief towns the extremes were 58° at Aberdeen on 8th and at Perth on 8th and 9th, and 22° at Paisley and Perth on 18th.

The mean rainfall was 4·33 in., or 27 per cent. above the normal. At Aberdeen and at some places in south and south-west there was a close approximation to the normal, but in general there was a well-defined excess with exceptionally large amounts in the north-west and some northern districts. Thus at Fort William the aggregate of 13·18 in. represented an excess of 60 per cent. Somewhat heavy falls occurred more or less widely on 1st or 2nd, on 5th, and from 9th to 12th, Fort William having more than 1 in. on 9th and again on 10th. From 16th to 22nd practically no rain fell in west and south, but there were moderately heavy falls in east on 21st. Towards the end of the month wet weather set in with some extremely heavy falls in west and north on 29th, and in north-west on both 29th and 30th. Thus Fort William had 2·60 in. on 29th and 1·86 in. on 30th.

Stormy weather prevailed from 9th to 15th and from 26th onwards, and from 13th to 15th snow fell heavily in various districts. On 11th thunderstorms were experienced in Edinburgh, Glasgow and elsewhere, and an aurora was visible at Aberdeen. At the very end of the month flooding occurred in many districts.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, NOVEMBER 1914.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,047,000	1212	1074	2286	2107	179	745	773	733	1506	54	79	1481
EDINBURGH, . .	320,769	321,900	264	260	524	468	56	207	218	200	418	36	64	390
DUNDEE, . . .	176,085	176,300	148	170	318	286	32	105	138	159	297	7	7	297
ABERDEEN, . . .	163,891	159,500	158	162	320	287	33	124	122	117	239	19	14	244
PAISLEY, . . .	84,455	86,000	82	97	179	168	11	33	65	55	120	3	5	118
LEITH,	80,601	79,800	79	81	160	150	10	29	54	59	113	16	3	128
GREENOCK, . .	75,140	78,000	103	90	193	188	5	36	63	56	119	4	2	121
PERTH,	35,854	34,000	27	30	57	52	5	23	26	25	51	0	7	44
TOTAL (EIGHT TOWNS)	1,945,282	1,982,500	2073	1964	4037	3706	331	1302	1459	1404	2863	139	181	2821
COATBRIDGE, . .	43,286	43,000	62	45	107	103	4	17	27	22	49	2	3	48
MOTHERWELL . .	40,380	41,500	60	42	102	95	7	12	17	11	28	5	0	33
KIRKCALDY . . .	39,601	41,100	38	34	72	67	5	11	19	17	36	1	0	37
HAMILTON, . . .	38,644	38,600	41	53	94	87	7	21	17	26	43	6	3	46
CLYDEBANK, . .	37,548	44,600	57	52	109	108	1	16	14	22	36	10	1	45
KILMARNOCK, . .	34,728	35,500	44	32	76	70	6	23	22	15	37	8	5	40
FALKIRK, . . .	33,574	33,300	29	33	62	55	7	20	19	27	46	1	3	44
AYR,	32,986	33,100	30	29	59	53	6	30	17	28	45	3	7	41
TOTAL (SIXTEEN TOWNS)	2,246,029	2,293,200	2434	2284	4718	4344	374	1452	1611	1572	3183	175	203	3155

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, NOVEMBER 1914.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	26·6	7·8	8·7	17·5	17·2	1·9	2·0	1·3	3·5	334	137
EDINBURGH, .	19·8	10·7	7·8	15·8	14·8	1·0	1·1	0·9	2·0	65	118
DUNDEE, .	22·0	10·1	7·3	20·5	20·5	2·2	2·7	2·2	3·7	53	144
ABERDEEN, .	24·4	10·3	9·5	18·2	18·6	3·5	1·7	0·9	3·1	42	126
PAISLEY, .	25·3	6·1	4·7	17·0	16·7	1·4	1·8	1·6	2·5	30	152
LEITH, .	24·4	6·3	4·4	17·2	19·2	1·2	2·7	1·7	2·6	24	138
GREENOCK, .	30·1	2·6	5·6	18·6	18·9	1·4	1·7	1·1	3·0	21	102
PERTH, .	20·4	8·8	8·2	18·3	15·8	1·4	2·1	1·8	2·1	2	34
TOTAL (EIGHT TOWNS)	24·8	8·2	8·0	17·6	17·3	1·8	1·9	1·3	3·1	571	132
COATBRIDGE, .	30·3	3·7	4·8	13·9	13·6	1·7	1·4	0·6	2·5	13	117
MOTHERWELL, .	30·0	6·9	3·5	8·2	9·7	0·3	0·9	0·9	2·1	2	19
KIRKCALDY, .	21·3	6·9	3·3	10·7	11·0	1·8	1·5	0·9	1·2	8	96
HAMILTON, .	29·7	7·4	6·6	13·6	14·5	0·6	1·6	0·3	1·9	11	101
CLYDEBANK, .	29·8	0·9	4·4	9·8	12·3	0·5	1·6	1·1	2·7	17	148
KILMARNOCK, .	26·0	7·9	7·9	12·7	13·7	0·0	0·3	0·3	3·1	5	68
FALKIRK, .	22·7	11·3	7·3	16·8	16·1	0·4	1·5	0·7	3·3	7	95
AYR, .	21·7	10·2	11·0	16·5	15·1	0·4	0·7	0·4	3·3	3	42
TOTAL . (SIXTEEN TOWNS)	25·0	7·9	7·7	16·9	16·8	1·7	1·8	1·2	3·0	637	125

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR NOVEMBER 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Group.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
NOV. 1914, .	24·8	8·2	8·0	17·3	0	16	72	67	59	11	73	132	43°·1
NOV. 1913, .	22·5	7·3	7·1	15·5	0	99	31	14	39	4	66	133	45°·3
NOV. 1912, .	23·9	7·0	6·5	17·3	0	10	14	34	27	14	40	156	42°·4
NOV. 1911, .	23·9	7·5	6·5	17·0	0	100	18	25	46	6	55	152	41°·5
NOV. 1910, .	24·9	7·7	6·3	17·2	0	7	28	44	54	11	67	115	36°·7
NOV. 1909, .	25·4	8·0	7·0	21·9	0	157	33	45	43	9	46	165	39°·0
NOV. 1908, .	24·6	7·2	6·6	18·0	0	6	33	57	37	16	—	133	44°·2
NOV. 1907, .	26·3	6·7	6·8	18·1	0	147	12	63	28	8	—	139	42°·2
NOV. 1906, .	27·3	7·4	6·4	18·7	0	41	14	52	25	12	—	149	45°·0
NOV. 1905, .	27·4	7·0	6·7	19·7	0	148	10	24	24	5	—	146	40°·6
NOV. 1904, .	28·2	6·7	6·9	19·1	0	35	5	93	23	9	—	166	41°·4

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	14	-	1	1	2	3	3	1	2	-	1	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	16	8	8	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	75	3	39	21	3	4	3	1	1	-	-	-
Whooping-cough - - - - -	71	26	42	3	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	62	7	35	15	3	1	-	1	-	-	-	-
Influenza - - - - -	8	-	-	-	-	-	1	-	-	2	5	-
Erysipelas - - - - -	10	1	-	-	-	-	1	-	3	4	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	230	-	5	4	6	49	56	52	31	18	8	1
Tuberculous Meningitis - - - - -	44	12	18	4	4	4	1	1	-	-	-	-
Abdominal Tuberculosis - - - - -	34	11	13	2	1	1	3	1	2	-	-	-
Other Tuberculous Diseases - - - - -	30	2	5	1	5	8	6	1	1	-	-	1
Cancer, Malignant Disease - - - - -	207	-	-	-	1	1	4	17	43	66	48	27
Rheumatic Fever - - - - -	10	-	-	-	3	2	2	2	-	1	-	-
Meningitis - - - - -	40	11	16	-	5	2	2	2	2	-	-	-
Organic Heart Disease - - - - -	257	1	1	5	6	17	14	30	39	57	53	34
Bronchitis - - - - -	225	58	14	2	-	1	-	12	9	38	53	38
Pneumonia (all forms) - - - - -	292	76	75	6	2	7	18	13	21	27	26	21
Other Diseases of Respiratory Organs - - - - -	51	6	3	1	-	2	6	5	3	13	7	5
Diarrhœa and Enteritis (under 2 years) - - - - -	79	71	8	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	17	-	4	3	2	1	1	3	1	1	1	-
All Liver Diseases (not Malignant) - - - - -	23	-	-	1	-	-	1	2	3	7	9	-
Other Diseases of Digestive System (under 2 years) - - - - -	19	18	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	93	-	3	1	4	3	1	9	21	32	12	7
Puerperal Sepsis - - - - -	13	-	-	-	-	6	2	5	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	18	-	-	-	-	4	12	1	1	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	224	219	4	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	132	16	16	7	4	13	9	15	20	10	14	8
Suicide - - - - -	9	-	-	-	-	-	2	-	4	2	1	-
Other Defined Diseases - - - - -	793	84	33	8	8	22	27	47	91	123	175	175
Diseases Ill-defined or Unknown - - - - -	58	7	3	-	2	1	3	7	4	9	12	10
All Causes - - - - -	3155	637	347	85	62	152	178	229	302	410	426	327

GLASGOW—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	-	1	-	2	-	-	-	-	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	10	6	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	36	2	19	11	1	2	1	-	-	-	-	-
Whooping-cough - - - - -	58	21	35	2	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	22	4	11	4	1	1	-	1	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Erysipelas - - - - -	5	1	-	-	-	-	1	-	1	2	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	112	-	1	2	3	27	26	26	15	8	4	-
Tuberculous Meningitis - - - - -	28	10	10	4	1	2	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	16	4	9	-	1	-	1	1	-	-	-	-
Other Tuberculous Diseases - - - - -	14	1	3	-	2	7	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	84	-	-	-	1	-	4	7	22	26	17	7
Rheumatic Fever - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Meningitis - - - - -	26	7	11	-	2	1	2	1	2	-	-	-
Organic Heart Disease - - - - -	103	-	-	2	4	8	7	17	13	26	17	9
Bronchitis - - - - -	127	34	9	2	-	-	-	10	5	21	30	16
Pneumonia (all forms) - - - - -	146	46	45	2	-	3	8	5	10	9	10	8
Other Diseases of Respiratory Organs - - - - -	26	4	2	-	-	1	4	3	-	7	5	-
Diarrhœa and Enteritis (under 2 years) - - - - -	33	26	7	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	7	-	2	2	1	-	-	1	-	-	1	-
All Liver Diseases (not Malignant) - - - - -	8	-	-	-	-	-	-	2	1	2	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	48	-	1	1	2	2	-	3	12	17	6	-
Puerperal Sepsis - - - - -	8	-	-	-	-	5	-	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	9	-	-	-	-	1	7	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	108	106	1	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	55	4	7	2	3	5	5	9	11	2	5	2
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	336	44	16	4	6	11	17	17	47	50	68	56
Diseases Ill-defined or Unknown - - - - -	37	5	2	-	1	-	1	5	4	7	7	5
All Causes - - - - -	1481	334	195	39	30	79	88	113	144	177	175	107

EDINBURGH—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	14	2	8	4	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	23	-	1	-	-	3	7	5	4	-	3	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	1	-	-	-
Abdominal Tuberculosis - - - - -	3	-	1	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	38	-	-	-	-	1	-	3	4	14	10	6
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	40	-	1	-	-	2	2	4	6	8	11	6
Bronchitis - - - - -	11	4	-	-	-	-	-	-	2	-	3	2
Pneumonia (all forms) - - - - -	35	3	9	1	-	1	2	1	1	5	6	6
Other Diseases of Respiratory Organs - - - - -	6	1	1	-	-	-	1	-	1	1	-	1
Diarrhœa and Enteritis (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	4	-	-	1	-	-	-	-	-	-	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	12	-	-	-	-	-	-	2	5	4	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	33	33	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	14	1	3	2	-	-	-	1	1	-	2	3
Suicide - - - - -	4	-	-	-	-	-	2	-	1	1	-	-
Other Defined Diseases - - - - -	121	10	2	-	-	-	4	8	13	19	31	34
Diseases Ill-defined or Unknown - - - - -	7	-	1	-	-	-	1	-	-	-	2	3
All Causes - - - - -	390	65	30	8	2	7	24	26	39	56	72	61

DUNDEE—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	6	-	4	2	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	4	1	2	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	32	-	-	-	1	6	5	7	5	7	1	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	-	-	-	1	-	1	-	-	-
Cancer, Malignant Disease - - - - -	19	-	-	-	-	-	-	2	5	5	5	2
Rheumatic Fever - - - - -	2	-	-	-	1	-	-	1	-	-	-	-
Meningitis - - - - -	3	-	-	-	2	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	23	-	1	-	-	2	3	2	5	4	4	3
Bronchitis - - - - -	18	-	1	-	-	1	-	-	1	3	7	5
Pneumonia (all forms) - - - - -	28	7	6	2	-	4	2	2	3	2	-	-
Other Diseases of Respiratory Organs - - - - -	7	-	1	-	-	1	-	1	2	1	1	-
Diarrhœa and Enteritis (under 2 years) - - - - -	14	14	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	-	-	-	-	1	1	5	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	15	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	16	5	1	-	-	-	1	-	1	4	3	1
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	80	6	3	-	-	-	-	7	7	16	23	18
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
All Causes - - - - -	297	53	24	6	5	12	15	26	30	50	47	29

ABERDEEN—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	22	1	10	6	1	1	2	-	1	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	13	-	7	5	1	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	-	-	-	4	5	2	-	1	-	-
Tuberculous Meningitis - - - - -	5	-	1	-	1	2	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	4	-	1	-	1	-	1	-	-	-	-	1
Cancer, Malignant Disease - - - - -	11	-	-	-	-	-	-	1	2	4	2	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	25	-	-	2	1	1	-	1	4	3	7	6
Bronchitis - - - - -	11	4	1	-	-	-	-	1	-	-	2	3
Pneumonia (all forms) - - - - -	25	5	3	-	2	2	-	2	3	5	2	1
Other Diseases of Respiratory Organs - - - - -	5	-	-	-	-	-	1	-	-	1	-	3
Diarrhoea and Enteritis (under 2 years) - - - - -	9	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	-	1	-	-	-	-	1	1	2	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	15	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	1	1	1	1	2	1	1	2	1	2	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	51	6	3	-	-	1	2	4	5	4	11	15
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
All Causes - - - - -	244	42	31	14	8	15	15	15	20	23	30	31

PAISLEY—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	2	1	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	11	-	1	1	-	1	2	3	2	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	1	1	2	3	1
Rheumatic Fever - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	-	1	2	1	-	2	3	-	3
Bronchitis - - - - -	13	8	-	-	-	-	-	-	-	3	-	2
Pneumonia (all forms) - - - - -	5	3	1	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	1	1	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	8	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	32	4	1	-	-	2	-	1	4	6	6	8
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	118	30	11	3	4	7	5	6	10	15	12	15

LEITH—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	11	-	2	-	1	2	2	2	1	1	-	-
Tuberculous Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	5	3	-	1	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	-	4	3	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	15	1	-	-	-	1	-	2	3	3	3	2
Bronchitis - - - - -	6	1	1	-	-	-	-	-	-	1	3	-
Pneumonia (all forms) - - - - -	10	2	1	-	-	-	2	-	1	1	1	2
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	1	-	1	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	11	3	-	2	-	1	1	1	1	-	1	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	30	3	1	2	-	1	1	2	3	5	6	6
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
All Causes - - - - -	126	24	10	6	3	5	8	8	15	18	17	12

GREENOCK—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	1	3	1	2	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	-	-	-	5	3	1
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	-	-	-	-	-	4	3	3	2
Bronchitis - - - - -	8	-	1	-	-	-	-	-	-	1	2	4
Pneumonia (all forms) - - - - -	8	2	3	-	-	-	-	-	-	2	-	1
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	-	1	-	2	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	1	-	-	-	-	-	-	1	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	2	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	-	-	-	2	-	2	-	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	30	3	1	1	-	-	-	1	3	7	6	8
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	-	1	1
All Causes - - - - -	121	21	10	2	-	7	5	6	13	23	17	17

CAUSES OF DEATH (corrected for Transfers)

PERTH—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1	5-	10-	15-	25-	35-	45-	55	65-	75-
Enteric Fever - - - - -	2	-	-	-	1	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	1	1	3	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	1	3	-	2
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	1	-	1	-	1
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	1	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	-	-	-	-	1	-	1	2	5
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
All Causes - - - - -	44	2	1	1	2	3	5	5	1	9	5	10

COATBRIDGE—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	1	-	-	-	-	-	-	-	1
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	1	1	1	2	1
Bronchitis - - - - -	3	1	-	-	-	-	-	-	1	-	1	-
Pneumonia (all forms) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	-	2	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	2	-	-	-	2	-	-	2	-	4
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	48	13	8	1	-	-	3	2	5	5	4	7

MOTHERWELL—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	3	-	-	-	-	2	1	-	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	1	-	-	-	-	-	-	-	1	-	-	-
Pneumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	2	-	-	-	-	1	-	-	-	1	-	-
Bronchitis	2	-	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms)	5	1	-	-	-	-	1	-	1	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	2	-	1	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	-	-	-	-	-	1
Periperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	1	-	-	-	-	-	-	-	1	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	12	-	2	-	-	1	-	1	2	-	3	3
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
All Causes	33	2	4	1	-	4	2	1	5	4	6	4

KIRKCALDY—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	2	-	2	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	3	-	-	-	-	-	2	1	-	-	-	-
Tuberculous Meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	-	1	1	-
Pneumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	-	-	-	-	-	-	-	2	1
Bronchitis	3	1	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms)	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Periperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	13	1	2	-	-	-	-	1	-	2	1	6
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
All Causes	37	8	7	-	-	1	2	2	1	4	5	7

HAMILTON—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	-	-	1	1	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	-	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	1	-	-	2	-
Bronchitis - - - - -	4	1	-	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Defined Diseases - - - - -	11	-	-	1	1	-	-	1	2	2	1	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	46	11	3	1	3	2	1	2	3	7	6	-

CLYDEBANK—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	1	-	2	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Bronchitis - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	7	1	2	1	-	-	-	1	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	5	-	-	-	1	1	1	1	2	2	-
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
All Causes - - - - -	45	17	3	2	2	1	5	5	2	2	3	-

KILMARNOCK—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	4	-	-	-	-	-	-	-	2	-	1	1
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	6	-	-	1	-	-	-	1	1	2	1	-
Bronchitis	3	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms)	6	1	1	-	-	-	-	1	1	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	3	-	1	-	-	-	-	1	-	-	1	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	13	-	-	-	1	2	-	1	-	2	5	2
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
All Causes	40	5	2	1	1	3	-	4	4	6	9	5

FALKIRK—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	-	-	-	-	1	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	2	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	-	-	-	-	-	-	2	1	-
Bronchitis	3	-	-	-	-	-	-	-	-	1	2	-
Pneumonia (all forms)	6	1	2	-	-	1	-	1	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	1	-	-	-	-	-	-	-	1	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	16	1	-	-	-	1	-	1	3	3	5	2
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	-	1	-
All Causes	44	7	4	-	1	2	-	5	6	6	11	2

AYR—November 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	1	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	6	1	1	-	-	-	-	1	-	1	-	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	2	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	1	-	-	-	2	-	-	1	2	5	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	41	3	4	-	1	4	-	3	4	5	7	11

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of NOVEMBER 1914.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Absolute Maximum and Minimum.				Difference from Average	Mean of A and B (Mean Tem- perature).	Mean of	Dry Bulb.		Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	feet.	inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

DECEMBER 1914.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of December 1914 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4953 living children, of whom 2471 were male, and 2482 female. The male children numbered 37, and the female children 198, more than in the previous month. The total children registered number 235 more than those registered in November, and 60 more than the mean of the numbers registered in the preceding three months, but 223 less than those registered in December of the previous year. The equivalent annual birth-rate is 25·4 per thousand of the estimated aggregate population of these towns, a rate which is 0·4 more than that of the previous month, but is 0·3 less than the mean of those of the three preceding months, and is 1·6 less than that of the corresponding month of 1913. In the individual towns the birth-rate of the month ranged from 31·8 in Coatbridge, 31·4 in Greenock, and 29·9 in Hamilton, to 19·4 in Edinburgh, 20·1 in Perth, and 21·6 in Kilmarnock. In Motherwell the birth-rate of the month was 27·9; in Dundee, 27·2; in Glasgow, 26·7; in Ayr, 26·0; in Clydebank, 25·1; in Leith, 24·9; in Paisley, 24·5; in Kirkcaldy, 24·4; in Aberdeen, 24·2; and in Falkirk, 24·1.

Of the 4953 children registered in these towns during the month 4605, or 93·0 per cent., were legitimate, while 348, or 7·0 per cent., were illegitimate. The illegitimate children of the month are 26 fewer than those of the previous month, 13 fewer than the mean of the numbers of those of the three preceding months, and 11 fewer than those of December 1913. The illegitimate rate of the month is 0·9 less than that of the previous month, and 0·4 less than the mean of those of the three preceding months, but is 0·1 more than that of the corresponding month of the previous year. In the individual towns the illegitimate rate of the month ranged from 11·9 in Aberdeen, and 10·0 in Edinburgh, to 1·7 in Coatbridge, 2·1 in Clydebank, 3·1 in Motherwell, and 3·6 in Leith. In Greenock, the illegitimate rate of the month was 7·7; in Dundee, 7·6; in Falkirk, 7·4; in Paisley, 7·3; in Kirkcaldy, 7·1; in Perth, 6·9; in Glasgow, 6·6; in Ayr, 5·5; in Kilmarnock, 4·6; and in Hamilton, 4·1.

Marriages registered numbered 1926. They are 474 more than those registered in the previous month, and 363 more than the mean of the numbers registered in the three preceding months, but are 74 fewer than registered in December of the previous year. In the individual towns the marriage-rate of the month ranged from 15·3 in Aberdeen, 12·7 in Edinburgh, and 11·1 in Perth, to 4·3 in Motherwell, 4·5 in Clydebank, and 5·2 in Hamilton. In Kirkcaldy this rate was 10·3; in Ayr, 10·3; in Glasgow, 10·1; in Dundee, 8·3; in Falkirk, 8·1; in Kilmarnock, 7·6; in Leith, 7·1; in Paisley, 6·6; in Greenock, 5·9; and in Coatbridge, 5·7.

Deaths registered in these towns during the month numbered 3649, 1798 being of males, and 1851 of females. The deaths registered in these towns included those of 219 non-residents, while the deaths of 210 residents of these towns were registered elsewhere in Scotland, and the difference between these town numbers, 9, falls to be deducted to obtain the corrected number, which is thus found to be 3640. The corrected number is 485 more than that of the previous month, 602 more than the mean of those of the three preceding months, and 210 more than that of the corresponding month of the previous year. The death-rate of the month, corrected, is 18·7 per thousand, which is 1·9 more than that of the previous month, 2·7 more than the mean of those of the three preceding months, and 0·8 more than that of December 1913.

In the individual towns the death-rate of the month ranged from 21·7 in Dundee, 21·0 in Greenock, and 20·3 in Glasgow, to 11·7 in Kirkcaldy, and 12·8 in Hamilton. In Aberdeen this rate was 19·8; in Ayr, 19·6; in Kilmarnock, 18·6; in Leith, 17·0; in Coatbridge, 16·7; in Motherwell, 16·5; in Perth, 16·3; in Clydebank 15·6; in Edinburgh, 15·5; in Paisley 14·2; and in Falkirk, 14·2.

Of the 3649 deaths registered during the month, 1231, or 33·8 per cent., were of children of less than five years old, and 861, or 23·7 per cent., were of persons of over sixty-five. Compared with the numbers of the previous month the former are 247, and the latter 108, more. Compared with those of December of the previous year the former are 1 less, but the latter are 112 more.

Deaths of children of less than one year old numbered 769. They are 132 more than in the previous month, and 73 more than the mean of the numbers of the three preceding months, but are 26 fewer than in December of the previous year. These deaths are equal to an infantile mortality rate of 147 per thousand of the average number of births registered monthly during the preceding twelve months, which rate is 22 more than that of the previous month, and 11 more than the mean of those of the three preceding months, but is 10 less than that of December of the previous year. In the individual towns this rate ranged from 179 in Glasgow, 176 in Dundee, 174 in Clydebank, and 173 in Kilmarnock, to 67 in Perth, 70 in Kirkcaldy, and 89 in Hamilton. In Motherwell, the infantile mortality rate of the month was 167; in Paisley, 129; in Greenock, 116; in Coatbridge, 112; in Ayr, 110; in Aberdeen, 96; in Leith, 96; in Edinburgh, 93; and in Falkirk, 92.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 383. They are 66 more than in the previous month, and 4 more than in December of the previous year, but are 29 less than the mean of the numbers of the preceding three months. The monthly death-rate from these causes was 2·0 per thousand, which is 0·3 more than that of the previous month, but is the same as that of December of the previous year, and 0·2 less than the mean of those of the three preceding months. In the individual towns this death-rate ranged from 3·3 in Dundee, and 2·6 in Motherwell and in Clydebank, to 0 in Perth, 0·5 in Coatbridge, 0·6 in Hamilton, and 0·7 in Falkirk. In Glasgow this rate was 2·4; in Aberdeen, 2·4; in Greenock, 1·7; in Kilmarnock, 1·7; in Paisley, 1·4; in Ayr, 1·1; in Kirkcaldy, 1·1; in Leith, 1·0; and in Edinburgh, 0·9.

Deaths from measles numbered 19; from scarlet fever, 71; from diphtheria, 66; from whooping-cough, 156; from enteric fever, 11; and from the diarrhœas of childhood, 60. Compared with the returns of the previous month, the deaths from the diarrhœas of childhood are 19 fewer, those from scarlet fever are 4 fewer, and those from enteric fever are 3 fewer, but those from measles are 3 more, those from diphtheria are 4 more, and those from whooping-cough are 85 more.

No deaths from either typhus fever or from smallpox were registered in these towns during the month. Deaths from malignant disease numbered 222; from heart disease, 306; from puerperal septic conditions, 13; and from violent causes, 162, of which 13 were ascribed to suicide.

Deaths from pneumonia numbered 432, constituted 11·9 per cent. of the total deaths of the month, and are equal to an annual death-rate of 2·2 per thousand. These deaths are 140 more than in November, and 70 more than in December of the previous year. Deaths from bronchitis numbered 330, constituted 9·1 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·7 per thousand. They number 105 more than in November, and 35 more than in December of the previous year.

Deaths from all forms of tuberculous disease numbered 367, constituted 10·1 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·9 per thousand. These deaths are 29 more than in the previous month, and 6 more than in the corresponding month of the previous year. Of them 255 were ascribed to phthisis, 44 to tuberculous meningitis, 35 to abdominal tuberculosis, and 33 to other forms of tuberculous disease. The phthisis deaths of the month are 25 more than those of the previous month, and 17 more than those of December of the previous year. The phthisis death-rate of the month was 1·3 per thousand, and ranged from 2·5 in Falkirk, 1·8 in Ayr, and 1·6 in Dundee, to 0·3 in Hamilton, and 0·5 in Greenock. In Glasgow this rate was 1·4; in Motherwell, 1·4; in Aberdeen, 1·3; in Clydebank, 1·3; in Edinburgh, 1·2; in Leith, 1·2; in Coatbridge, 1·1; in Perth, 1·0; in Kilmarnock 1·0; in Kirkcaldy, 0·9; and in Paisley, 0·8.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

DECEMBER 1914.

Mean barometric pressure, 29·402 in.; less than the average of 1856–1905 by 0·397 in.

Mean temperature, 37°·9; less by 0°·7.

Mean daily range of temperature, 8°·9; less by 0°·2.

Rain, number of days, 20; greater by 3 days.

Rain, depth in inches, 6·07; greater by 2·34 in.

Wind, direction of: a 4 days' excess of winds from between N.E. and S.E.

Hence the month was characterised by an abnormally low mean pressure; a slightly low mean temperature, with a mean daily range practically equal to the normal; an abnormally high mean rainfall; and an excess of easterly winds.

The mean pressure of 29·402 in. was as much as 0·397 in. below the normal. In 1876 the mean was almost as low, but during the last fifty years an appreciably lower value for December has been recorded only in 1863, when the mean was 29·343 in. Violent fluctuations of the barometer occurred at times, especially during the first and last weeks of the month, and at Leith, at sea-level, pressure reached 30 in. only on 24th and 25th, whilst from 1st to 9th, from 18th to 21st, and from 26th

onwards it seldom rose as high as 29·5 in. The extremes there were 30·210 in. on morning of 24th and 28·606 in. on evening of 4th.

The mean temperature was 37°·9, or 0°·7 below the normal, the slight deficiency being equally well-marked by day and by night. Temperature was at first somewhat above the normal, except in the extreme north, with highest readings for the month on 2nd, and until about 18th there were quite moderate fluctuations. From 19th to 26th, with light winds from east and north, cold weather prevailed, and at Balmoral and Nairn the mean temperature for the week ending 26th was fully 10° below the normal. On 21st at Aberdeen temperature did not rise above 27°, whilst a reading in screen of 7° occurred at Balmoral on the night of 21st and at Braemar on the night of 24th. During the last few days of the month milder weather prevailed. At the chief towns the extremes were 54° at Edinburgh on 2nd, and 16° at Perth on 25th.

The mean rainfall was 6·07 in., or 63 per cent. above the normal. There was nearly everywhere a considerable excess; in some inland districts more than twice the normal was recorded; and at Perth the month was the wettest December since 1876. A severe rainstorm was general on 2nd and 3rd, with more than 1 in. at Glasgow and elsewhere on each of these days, and more than 2 in. at Braemar on 2nd; and generally speaking the weather of the first nine days was wet and unsettled. On 12th and 13th an easterly gale brought heavy rains to various districts, and on 16th and 17th heavy falls were experienced in the west. From 19th to 24th fine weather was general, followed by very unsettled conditions with heavy falls on 25th and 30th.

For a few days, ending on 25th, fine weather prevailed, with much hoar frost; but otherwise conditions were extremely unsettled, with violent south-westerly gales on 3rd and 27th and an easterly gale on 12th and 13th. Flooding resulted from the accompanying rainfalls, and there was a considerable fall of snow on 13th, with less important falls earlier and later in the month.

Thunderstorms were experienced in Glasgow on 3rd and 27th.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, DECEMBER 1914.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1914.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,047,000	1176	1201	2377	2220	157	901	942	902	1844	56	93	1807	
EDINBURGH, . .	320,769	321,900	275	255	530	477	53	346	197	245	442	50	68	424	
DUNDEE, . . .	176,085	176,300	201	206	407	376	31	124	135	188	323	4	3	324	
ABERDEEN, . . .	163,891	159,500	174	153	327	288	39	207	131	128	259	28	19	268	
PAISLEY, . . .	84,455	86,000	88	91	179	166	13	48	59	46	105	3	4	104	
LEITH,	80,601	79,800	74	95	169	163	6	48	53	48	101	17	3	115	
GREENOCK, . .	75,140	78,000	96	112	208	192	16	39	69	74	143	3	7	139	
PERTH,	35,854	34,000	32	26	58	54	4	32	23	25	48	3	4	47	
TOTAL (EIGHT TOWNS)	1,945,282	1,982,500	2116	2139	4255	3936	319	1745	1609	1656	3265	164	201	3228	
COATBRIDGE, . .	43,286	43,000	51	65	116	114	2	21	35	23	58	5	2	61	
MOTHERWELL . .	40,380	41,500	44	54	98	95	3	15	27	23	50	8	0	58	
KIRKCALDY . . .	39,601	41,100	39	46	85	79	6	36	14	21	35	7	1	41	
HAMILTON, . . .	38,644	38,600	55	43	98	94	4	17	20	20	40	6	4	42	
CLYDEBANK, . .	37,543	44,600	60	35	95	93	2	17	30	17	47	13	1	59	
KILMARNOCK, . .	34,728	35,500	27	38	65	62	3	23	20	35	55	3	2	56	
FALKIRK, . . .	33,574	33,300	42	26	68	63	5	23	20	22	42	2	4	40	
AYR,	32,986	33,100	37	36	73	69	4	29	23	34	57	2	4	55	
TOTAL (SIXTEEN TOWNS)	2,246,029	2,293,200	2471	2482	4953	4605	348	1926	1798	1851	3649	210	219	3640	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, DECEMBER 1914.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	26·7	6·6	10·1	20·8	20·3	2·4	2·1	1·4	5·4	449	179
EDINBURGH, .	19·4	10·0	12·7	16·2	15·5	0·9	1·6	1·2	2·6	53	93
DUNDEE, .	27·2	7·6	8·3	21·6	21·7	3·3	2·0	1·6	4·7	67	176
ABERDEEN, .	24·2	11·9	15·3	19·1	19·8	2·4	1·4	1·3	2·8	33	96
PAISLEY, .	24·5	7·3	6·6	14·4	14·2	1·4	1·1	0·8	2·6	26	129
LEITH, .	24·9	3·6	7·1	14·9	17·0	1·0	1·3	1·2	2·2	17	96
GREENOCK, .	31·4	7·7	5·9	21·6	21·0	1·7	1·7	0·5	5·9	25	116
PERTH, .	20·1	6·9	11·1	16·6	16·3	0·0	1·7	1·0	1·0	4	67
TOTAL . (EIGHT TOWNS)	25·3	7·5	10·4	19·4	19·2	2·1	1·8	1·3	4·4	674	151
COATBRIDGE, .	31·8	1·7	5·7	15·9	16·7	0·5	3·3	1·1	3·3	13	112
MOTHERWELL, .	27·9	3·1	4·3	14·2	16·5	2·6	2·6	1·4	2·8	18	167
KIRKCALDY, .	24·4	7·1	10·3	10·0	11·7	1·1	1·4	0·9	2·3	6	70
HAMILTON, .	29·9	4·1	5·2	12·2	12·8	0·6	0·6	0·3	3·4	10	89
CLYDEBANK, .	25·1	2·1	4·5	12·4	15·6	2·6	2·1	1·3	4·0	20	174
KILMARNOCK, .	21·6	4·6	7·6	13·2	18·6	1·7	2·3	1·0	4·3	13	173
FALKIRK, .	24·1	7·4	8·1	14·9	14·2	0·7	2·8	2·5	2·1	7	92
AYR, .	26·0	5·5	10·3	20·3	19·6	1·1	2·1	1·8	3·6	8	110
TOTAL . (SIXTEEN TOWNS)	25·4	7·0	9·9	18·7	18·7	2·0	1·9	1·3	4·2	769	147

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR DECEMBER 1914, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
DEC. 1914, .	25·3	7·5	10·4	19·2	0	19	68	140	56	10	53	151	37°·9
DEC. 1913, .	26·4	7·3	10·8	18·0	0	153	35	21	58	5	47	162	39°·8
DEC. 1912, .	25·3	8·8	12·1	20·8	0	10	19	83	29	4	42	170	41°·3
DEC. 1911, .	23·3	8·0	9·8	17·1	0	133	15	41	41	10	32	133	41°·5
DEC. 1910, .	25·3	7·8	9·0	17·2	0	5	27	43	57	7	37	125	42°·3
DEC. 1909, .	25·6	7·8	8·3	23·1	0	233	30	48	39	16	33	178	36°·5
DEC. 1908, .	25·9	6·4	8·8	17·7	0	5	15	96	36	6	-	116	39°·5
DEC. 1907, .	27·2	6·9	11·1	21·6	1	280	18	97	41	13	-	169	39°·0
DEC. 1906, .	27·0	7·4	12·4	20·2	0	32	19	75	37	16	-	144	37°·5
DEC. 1905, .	27·0	8·0	9·7	18·5	0	153	15	33	33	9	-	130	42°·9
DEC. 1904, .	28·0	7·0	10·3	21·6	0	71	7	155	20	18	-	162	39°·3

In Columns 5-13 for 1913 and 1914, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	11	-	-	-	-	6	2	2	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	19	7	12	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	71	4	41	17	3	3	3	-	-	-	-	-
Whooping-cough - - - - -	156	72	83	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	66	8	40	15	2	1	-	-	-	-	-	-
Influenza - - - - -	8	-	-	-	-	-	-	-	-	2	2	4
Erysipelas - - - - -	8	1	-	-	-	1	-	1	3	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	255	1	7	8	9	54	54	49	42	24	4	33
Tuberculous Meningitis - - - - -	44	13	20	4	1	3	1	1	-	-	1	-
Abdominal Tuberculosis - - - - -	35	3	12	8	4	3	-	5	-	-	-	-
Other Tuberculous Diseases - - - - -	33	-	10	6	2	7	3	2	2	1	-	-
Cancer, Malignant Disease - - - - -	222	-	-	-	-	1	2	19	48	77	53	222
Rheumatic Fever - - - - -	12	-	-	3	1	2	1	1	1	2	1	-
Meningitis - - - - -	52	21	13	4	1	1	6	4	1	-	1	-
Organic Heart Disease - - - - -	306	2	-	2	6	9	14	29	52	67	81	444
Bronchitis - - - - -	330	95	21	1	-	2	3	15	24	56	60	533
Pneumonia (all forms) - - - - -	432	133	113	9	4	9	18	15	29	32	42	283
Other Diseases of Respiratory Organs - - - - -	59	14	8	-	-	1	4	5	5	8	10	4
Diarrhoea and Enteritis (under 2 years) - - - - -	60	49	11	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	21	-	2	5	4	2	1	3	1	-	3	-
All Liver Diseases (not Malignant) - - - - -	19	-	1	-	-	1	-	1	1	6	3	63
Other Diseases of Digestive System (under 2 years) - - - - -	15	14	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	117	3	4	1	1	6	4	15	23	27	18	15
Puerperal Sepsis - - - - -	13	-	-	-	-	4	7	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	20	-	-	-	-	3	10	7	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	233	231	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	149	14	25	8	3	12	8	19	18	21	10	11
Suicide - - - - -	13	-	-	-	-	-	2	4	3	3	1	-
Other Defined Diseases - - - - -	790	75	27	9	10	24	32	45	89	122	160	197
Diseases Ill-defined or Unknown - - - - -	71	9	9	-	-	2	1	5	8	14	11	12
All Causes - - - - -	3640	769	462	101	51	157	176	249	351	463	462	399

GLASGOW—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	6	-	-	-	-	4	2	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	42	4	25	8	3	-	2	-	-	-	-	-
Whooping-cough - - - - -	110	47	62	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	20	7	11	1	1	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	3	1	-	-	-	1	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	126	1	3	6	4	23	34	23	16	14	1	1
Tuberculous Meningitis - - - - -	22	4	14	-	1	1	1	-	-	-	1	-
Abdominal Tuberculosis - - - - -	17	3	7	4	1	1	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	18	-	5	2	1	3	3	1	2	1	-	-
Cancer, Malignant Disease - - - - -	99	-	-	-	-	1	2	10	21	37	21	7
Rheumatic Fever - - - - -	6	-	-	1	-	1	1	1	1	1	-	-
Meningitis - - - - -	29	14	8	1	-	-	3	2	-	-	1	-
Organic Heart Disease - - - - -	124	-	-	2	3	4	8	14	23	28	25	17
Bronchitis - - - - -	196	63	14	-	-	2	3	8	14	38	34	20
Pneumonia (all forms) - - - - -	250	88	73	5	2	5	9	9	14	16	18	11
Other Diseases of Respiratory Organs - - - - -	35	11	4	-	-	-	3	2	1	5	8	1
Diarrhoea and Enteritis (under 2 years) - - - - -	29	25	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	9	-	1	3	1	-	-	1	1	-	2	-
All Liver Diseases (not Malignant) - - - - -	8	-	-	-	-	-	-	-	-	5	-	2
Other Diseases of Digestive System (under 2 years) - - - - -	10	9	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	62	1	2	1	-	3	4	4	12	18	9	8
Puerperal Sepsis - - - - -	4	-	-	-	-	2	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	5	-	-	-	-	1	2	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	116	116	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	73	7	11	5	2	6	5	10	10	11	4	2
Suicide - - - - -	4	-	-	-	-	-	1	-	1	2	-	-
Other Defined Diseases - - - - -	332	40	13	5	3	12	16	21	37	57	63	65
Diseases Ill defined or Unknown - - - - -	46	7	4	-	-	2	1	4	5	9	5	9
All Causes - - - - -	1807	449	266	45	22	72	102	114	158	244	192	143

EDINBURGH—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	5	-	3	1	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	12	1	7	4	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	34	-	-	-	2	8	6	7	7	2	1	1
Tuberculous Meningitis - - - - -	4	1	1	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	7	-	1	-	2	2	-	2	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	28	-	-	-	-	-	-	2	5	11	8	2
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Encephalitis - - - - -	4	1	-	1	-	-	-	2	-	-	-	-
Organic Heart Disease - - - - -	48	-	-	-	-	2	-	5	10	6	20	5
Bronchitis - - - - -	34	3	1	-	-	-	-	3	3	6	8	10
Pneumonia (all forms) - - - - -	30	2	3	2	-	1	3	1	5	1	7	5
Other Diseases of Respiratory Organs - - - - -	6	1	-	-	-	-	-	2	1	2	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	-	-	2	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	13	-	-	-	-	1	-	3	2	3	1	3
Periperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	1	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	32	31	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	19	2	4	2	1	1	-	3	-	1	2	3
Suicide - - - - -	5	-	-	-	-	-	1	2	-	1	1	-
Other Defined Diseases - - - - -	122	8	3	2	1	2	3	2	16	12	32	41
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
All Causes - - - - -	424	53	26	13	6	21	15	39	51	45	84	71

DUNDEE—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	12	4	8	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	20	12	8	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	24	-	1	-	-	7	4	5	3	3	1	-
Tuberculous Meningitis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	22	-	-	-	-	-	-	3	8	3	6	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	30	-	-	-	-	-	2	7	5	4	8	4
Bronchitis - - - - -	30	8	2	-	-	-	-	1	2	3	7	7
Pneumonia (all forms) - - - - -	37	8	12	-	-	-	3	1	1	3	5	4
Other Diseases of Respiratory Organs - - - - -	4	1	1	-	-	-	-	1	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	11	8	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	-	-	-	1	-	1	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	10	-	-	-	-	-	-	3	1	-	4	2
Periperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	19	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	11	1	1	-	-	1	-	1	1	3	2	1
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	70	3	3	-	-	1	4	3	8	12	18	18
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
All Causes - - - - -	324	67	43	4	1	14	14	26	31	33	52	39

ABERDEEN—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	12	-	4	6	-	2	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	15	-	7	6	1	1	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	18	-	1	-	-	3	4	3	4	1	1	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	-	-	-	1	2	5	6	-
Rheumatic Fever - - - - -	2	-	-	1	-	-	-	-	-	-	1	-
Meningitis - - - - -	3	1	-	1	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	35	-	-	-	-	-	2	-	4	11	10	-
Bronchitis - - - - -	14	3	1	-	-	-	-	1	1	1	3	-
Pneumonia (all forms) - - - - -	19	3	4	-	-	-	1	1	1	3	-	-
Other Diseases of Respiratory Organs - - - - -	5	-	1	-	-	1	-	-	1	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	1	1	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	8	-	-	-	1	1	-	1	1	3	-	-
Puerperal Sepsis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	16	15	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	-	2	-	-	-	-	1	2	3	1	-
Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Defined Diseases - - - - -	67	6	2	-	3	2	4	4	5	13	8	2
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	-	-	-
All Causes - - - - -	268	33	25	15	5	13	12	14	25	40	34	55

PAISLEY—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	2	-	-	2	2	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	-	1	-	-
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	-	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	-	-	-	2	3	1	-
Bronchitis - - - - -	8	5	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	9	3	1	-	-	-	-	-	2	2	1	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	1	-	-	-	-	-	1	2	-	2	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	1	3	1	-	-	-	-	1	1	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	24	3	1	-	-	-	-	-	4	5	1	1
Diseases Ill-defined or Unknown - - - - -	4	-	1	-	-	-	-	-	-	2	1	-
All Causes - - - - -	104	26	13	2	1	2	1	4	14	16	8	11

LEITH—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	2	-	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	1	1	-	3	-	1	1	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	1	1	1	3
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	15	-	-	-	1	-	1	-	5	4	3	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - - - -	10	5	4	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	1	-	1	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	2	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	-	1	3	-	-	-
Puerperal Sepsis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	3	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	2	1	-	-	1	1	2	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	33	2	1	-	1	2	1	4	5	2	9	6
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
All Causes - - - - -	115	17	13	2	4	6	10	9	17	12	13	12

GREENOCK—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	6	2	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	1	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - - - -	6	4	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	1	4	3	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	2	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	1	-	1	1	-	3	1	2
Bronchitis - - - - -	14	2	1	-	-	-	-	1	2	1	4	3
Pneumonia (all forms) - - - - -	23	2	7	-	1	2	-	1	1	2	5	2
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	1	-	1	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	35	1	1	-	1	2	-	-	4	4	12	10
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	1	-	1	-
All Causes - - - - -	139	25	23	2	3	5	4	7	12	15	26	17

CAUSES OF DEATH (corrected for Transfers)

PERTH—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	-	1	3	3	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	-	2	-	3	3	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	-	-	-	-	1	1	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	1	1	-	-	-	1	3	-	3	3	2
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	1	-	-	1	-
All Causes - - - - -	47	4	3	1	-	1	3	8	3	10	11	3

COATBRIDGE—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	1	-	-	1	1	1	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	5	-	1	2	1	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	1	-	-	-	3	2	-
Bronchitis - - - - -	4	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	7	3	1	-	-	-	-	-	2	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	2	-	-	-	1	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	2	-	-	-	1	1	-	-	2	2	4
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	61	13	8	2	3	4	2	2	7	10	6	4

MOTHERWELL—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	2	1	2	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	-	1	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	1	4	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Bronchitis - - - - -	4	3	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	6	3	3	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	8	3	-	-	-	1	-	-	-	2	1	1
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	1	-	1
All Causes - - - - -	58	18	8	3	1	5	1	6	2	9	3	2

KIRKCALDY—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	1	-	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonic (all forms) - - - - -	7	2	2	-	1	-	-	1	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	1	-	-	1	-	4	-	2	3	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
All Causes - - - - -	41	6	6	2	1	3	2	5	3	5	5	3

HAMILTON—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	-	1	3	-
Bronchitis - - - - -	4	1	-	-	-	-	1	1	1	1	-	-
Pneumonia (all forms) - - - - -	7	3	-	-	-	-	1	-	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	-	-	-	-	-	-	1	3	1	2	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	42	10	3	-	-	1	3	2	7	4	9	-

CLYDEBANK—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	6	4	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	-	1	1	3	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	2	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Bronchitis - - - - -	4	2	-	1	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	11	7	1	1	-	-	-	-	1	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	-	1	-	-	-	1	1	2	2	-	4
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	59	20	9	3	-	1	2	5	7	3	2	7

KILMARNOCK—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	1	1	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	2	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	1	-	-	-	-	-	2	-
Bronchitis - - - - -	9	1	1	-	-	-	-	-	-	3	2	2
Pneumonia (all forms) - - - - -	4	3	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	2	-	1	-	-	-	2	3	1	2	5
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Causes - - - - -	56	13	5	4	2	1	-	4	6	7	7	7

FALKIRK—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	1	2	1	2	1	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	-	2	1
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	3	-	-	1	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	1	-	1	1	-	-	-	-	1	2	3
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
All Causes - - - - -	40	7	2	2	2	3	1	4	3	5	6	5

AYR—December 1914.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	1	-	-	2	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	2	-	-	-	1	-	-	1	-	-	-
Bronchitis - - - - -	4	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	6	1	2	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	2	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	2	-	-	-	-	1	-	2	3	2	6
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
All Causes - - - - -	55	8	9	1	-	5	4	-	5	5	4	14

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of DECEMBER 1914.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	Mean at Station and 32°.		Mean at Sea-Level and 32°.		Mean of		Difference from Average		Absolute Maximum and Minimum.		Mean at 9 A.M. and 9 P.M.		Number of Days.		Total Fall.		Difference from Average.		Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
feet.	inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

